



Bingo for falls prevention!







About this game

Bingo is a fun and easy game for people of all ages. This bingo has been adapted for falls prevention education.

The 5 letters for the word 'bingo' represent 5 different categories of falls prevention strategies.

- B = behaviours
- I = indoors
- N = nutrition
- G = get active
- O = outdoors

In total, there are 75 falls prevention tips and strategies in this bingo. Each bingo card has a random selection of 25 numbers. The game is played using the usual rules of bingo, and opportunities to discuss the strategies can be taken during the game.

If you like, you can offer inexpensive falls prevention themed prizes directly related to the strategies. Examples include:

- glasses cleaning cloths
- non-slip adhesive floor strips
- meal planners
- Dosette boxes
- pet collar with bell
- night light
- water bottle
- light exercise weights
- walking stick rubber tip
- small plastic baskets.

Thank you to Tracey Anthill, occupational therapist at Sir Charles Gairdner Hospital for granting permission for the bingo to be used as part of No Falls November 2025.

For more information and to get involved contact healthpolicy@health.wa.gov.au

	Behaviours
1	Have your eyes checked annually
2	Manage chronic health conditions well
3	Take medications as directed
4	Use a Dosette Box or Webster pack for medications
5	Don't mix alcohol and medications
6	Clean your glasses regularly
7	Get adequate rest and sleep
8	Have a medication review with your GP or pharmacist
9	Speak to your doctor if you notice changes in your body
10	Wear supportive shoes with broad and flat heels
11	Use the nurse call bell
12	See a podiatrist if you have problems with your feet
13	Keep your brain active
14	See your GP if you have continence issues
15	Wear non-slip socks

	Indoors
16	Use handrails
17	Keep your phone nearby or use a pendant alarm
18	Don't polish floors and clean up spills immediately
19	Ensure adequate, even lighting
20	Use a non-slip mat or strips in the bathroom
21	Put a bell on your pet's collar
22	Remove clutter
23	Remove floor rugs
24	Use a night light or movement sensor light
25	Store cords out of the way
26	See an OT if you need help with daily activities
27	Check that your seating is sturdy and at an appropriate height
28	Sit down to dress and shower if your balance is affected
29	Carry laundry in a bucket so you can see in front of you
30	Use a laundry basket on wheels





	Nutrition
31	Eat protein at each meal to maintain your muscle
32	Drink 2 litres of fluid daily to stay hydrated
33	Eat a variety of nutritious foods
34	Eat a variety of fruits and vegetables
35	Try to maintain your weight
36	Eat oily fish, margarine and eggs for vitamin D
37	Get appropriate sun exposure to maintain adequate vitamin D levels
38	Eat 2 to 3 serves of dairy foods for calcium
39	Ask your GP or dietitian if you need to take a dietary supplement
40	See a dietitian if you are losing weight without trying
41	See a speech pathologist if you have difficulties swallowing
42	Ask for meal delivery services if you need help preparing meals
43	Accept offers of assistance for shopping and cooking
44	Have regular oral health checks
45	Talk to your GP to manage medication side effects

	Get active
46	Strengthen your legs – ask your physio how
47	Improve your balance to help prevent falls
48	Move your body daily
49	Do some gentle stretches
50	Do some gardening
51	Walk as much as you can
52	Do your physio exercises
53	Don't "plonk" into chairs – sit slowly and in a controlled way
54	Check walking stick rubber tip regularly
55	Ask a physio about exercise that is suitable for you
56	Use a walking aid if prescribed
57	Make sure your walking aid is at the correct height for you
58	Practise functional activities such as sit to stand transfers
59	Challenge your balance safely
60	Do resistance training to improve bone density





	Outdoors				
61	Choose well-lit paths				
62	Keep walkways clear				
63	Put hoses away				
64	Use walking aid if prescribed one				
65	Report trip hazards in hospital				
66	Sweep or rake paths				
67	Ask for help with keeping outdoor areas safe				
68	Wear good, supportive shoes				
69	Don't wear slides or sloppy slippers				
70	Place seats at strategic points for rests				
71	Allow time for your eyes to adjust when moving outdoors or indoors				
72	Contact your council if there are hazards (e.g. uneven paths)				
73	Ask your council or a neighbour for help with your rubbish bins				
74	Take extra care in wet conditions				
75	Make sure stairs and steps are well lit				







Behaviours	Indoors	Nutrition	Get active	Outdoors
3 Take medications as directed	16 Use handrails	31 Eat protein at each meal to maintain your muscle	47 Improve your balance to help prevent falls	63 Put away hoses
7 Get adequate rest and sleep	19 Ensure adequate, even lighting	35 Try to maintain your weight	50 Do some gardening	65 Report trip hazards in hospital
8 Have a medication review with your GP or pharmacist	21 Put a bell on your pet's collar	36 Eat oily fish, margarine and eggs for vitamin D	51 Walk as much as you can	70 Place seats at strategic points for rests
See a podiatrist if you have problems with your feet	27 Check that your seating is sturdy and at an appropriate height	40 See a dietitian if you are losing weight without trying	57 Make sure your walking aid is at the correct height for you	74 Take extra care in wet conditions
15 Wear non-slip socks	29 Carry laundry in a bucket so you can see in front of you	43 Accept offers of assistance for shopping and cooking	59 Challenge your balance safely	75 Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
1 Have your eyes checked annually	17 Keep your phone nearby or use a pendant alarm	32 Drink 2 litres of fluid daily to stay hydrated	46 Strengthen your legs – ask your physio how	61 Choose well-lit paths
4 Use a Dosette Box or Webster pack for medications	18 Don't polish floors and clean up spills immediately	33 Eat a variety of nutritious foods	48 Move your body daily	62 Keep walkways clear
11 Use the nurse call bell	20 Use a non-slip mat or strips in the bathroom	35 Try to maintain your weight	50 Do some gardening	66 Sweep or rake paths
13 Keep your brain active	23 Remove floor rugs	41 See a speech pathologist if you have difficulties swallowing	56 Use a walking aid if prescribed	71 Allow time for your eyes to adjust when moving outdoors or indoors
14 See your GP if you have continence issues	30 Use a laundry basket on wheels	44 Have regular oral health checks	60 Do resistance training to improve bone density	73 Ask your council or a neighbour for help with your rubbish bins





Behaviours	Indoors	Nutrition	Get active	Outdoors
4	17	31	47	64
Use a Dosette Box Webster pack for medications	Keep your phone nearby or use a pendant alarm	Eat protein at each meal to maintain your muscle	Improve your balance to help prevent falls	Use walking aid if prescribed one
7	20	35	48	68
Get adequate rest and sleep	Use a non-slip mat or strips in the bathroom	Try to maintain your weight	Move your body daily	Wear good supportive shoes
9	21	36	51	71
Speak to your doctor if you notice changes in your body	Put a bell on your pet's collar	Eat oily fish, margarine and eggs for vitamin D	Walk as much as you can	Allow time for your eyes to adjust when moving outdoors or indoors
13	23	38	54	74
Keep your brain active	Remove floor rugs	Eat 2 to 3 serves of dairy foods for calcium	Check walking stick rubber tip regularly	Take extra care in wet conditions
15	29	44	58	75
Wear non-slip socks	Carry laundry in a bucket so you can see in front of you	Have regular oral health checks	Practise functional activities such as sit to stand transfers	Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
1	17	31	46	63
Have your eyes checked annually	Keep your phone nearby or use a pendant alarm	Eat protein at each meal to maintain your muscle	Strengthen your legs – ask your physio how	Put away hoses
2	19	35	47	69
Manage chronic health conditions well	Ensure adequate, even lighting	Try to maintain your weight	Improve your balance to help prevent falls	Don't wear slides or sloppy slippers
5	21	36	51	70
Don't mix alcohol and medications	Put a bell on your pet's collar	Eat oily fish, margarine and eggs for vitamin D	Walk as much as you can	Place seats at strategic points for rests
13	25	41	53	74
Keep your brain active	Store cords out of the way	See a speech pathologist if you have difficulties swallowing	Don't "plonk" into chairs – sit slowly and in a controlled way	Take extra care in wet conditions
15	28	43	60	75
Wear non-slip socks	Sit down to dress and shower if your balance is affected	Accept offers of assistance for shopping and cooking	Do resistance training to improve bone density	Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
3	17	31	47	61
Take medications as	Keep your phone	Eat protein at each meal	Improve your balance to	Choose well-lit paths
directed	nearby or use a pendant alarm	to maintain your muscle	help prevent falls	
5	19	32	50	63
Don't mix alcohol and medications	Ensure adequate, even lighting	Drink 2 litres of fluid daily to stay hydrated	Do some gardening	Put away hoses
8	22	33	51	67
Have a medication	Remove clutter	Eat a variety of	Walk as much as you	Ask for help with
review with your GP or pharmacist		nutritious foods	can	keeping outdoor areas safe
13	28	40	55	72
Keep your brain active	Sit down to dress and shower if your balance is affected	See a dietitian if you are losing weight without trying	Ask a physio about exercise that is suitable for you	Contact your council if there are hazards (e.g. uneven paths)
14	29	43	59	73
See your GP if you	Carry laundry in a	Accept offers of	Challenge your balance	Ask your council or a
have continence issues	bucket so you can see in front of you	assistance for shopping and cooking	safely	neighbour for help with your rubbish bins





Behaviours	Indoors	Nutrition	Get active	Outdoors
1 Have your eyes checked annually	17 Keep your phone nearby or use a pendant alarm	31 Eat protein at each meal to maintain your muscle	48 Move your body daily	63 Put away hoses
2 Manage chronic health conditions well	18 Don't polish floors and clean up spills immediately	33 Eat a variety of nutritious foods	50 Do some gardening	65 Report trip hazards in hospital
Take medications as directed	21 Put a bell on your pet's collar	36 Eat oily fish, margarine and eggs for vitamin D	52 Do your physio exercises	70 Place seats at strategic points for rests
10 Wear supportive shoes with broad and flat heels	27 Check that your seating is sturdy and at an appropriate height	41 See a speech pathologist if you have difficulties swallowing	53 Don't "plonk" into chairs – sit slowly and in a controlled way	74 Take extra care in wet conditions
15 Wear non-slip socks	29 Carry laundry in a bucket so you can see in front of you	43 Accept offers of assistance for shopping and cooking	57 Make sure your walking aid is at the correct height for you	75 Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
6 Clean your glasses regularly	16 Use handrails	31 Eat protein at each meal to maintain your muscle	47 Improve your balance to help prevent falls	63 Put away hoses
7 Get adequate rest and sleep	19 Ensure adequate, even lighting	32 Drink 2 litres of fluid daily to stay hydrated	49 Do some gentle stretches	65 Report trip hazards in hospital
8 Have a medication review with your GP or pharmacist	20 Use a non-slip mat or strips in the bathroom	36 Eat oily fish, margarine and eggs for vitamin D	51 Walk as much as you can	69 Don't wear slides or sloppy slippers
12 See a podiatrist if you have problems with your feet	27 Check that your seating is sturdy and at an appropriate height	38 Eat 2 to 3 serves of dairy foods for calcium	57 Make sure your walking aid is at the correct height for you	74 Take extra care in wet conditions
14 See your GP if you have continence issues	29 Carry laundry in a bucket so you can see in front of you	44 Have regular oral health checks	60 Do resistance training to improve bone density	75 Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
4 Use a Dosette Box or Webster pack for medications	17 Keep your phone nearby or use a pendant alarm	31 Eat protein at each meal to maintain your muscle	47 Improve your balance to help prevent falls	63 Put away hoses
5 Don't mix alcohol and medications	19 Ensure adequate, even lighting	32 Drink 2 litres of fluid daily to stay hydrated	50 Do some gardening	65 Report trip hazards in hospital
Speak to your doctor if you notice changes in your body	26 See an OT if you need help with daily activities	36 Eat oily fish, margarine and eggs for vitamin D	51 Walk as much as you can	70 Place seats at strategic points for rests
See a podiatrist if you have problems with your feet	27 Check that your seating is sturdy and at an appropriate height	39 Ask your GP or dietitian if you need to take a dietary supplement	54 Check walking stick rubber tip regularly	74 Take extra care in wet conditions
13 Keep your brain active	29 Carry laundry in a bucket so you can see in front of you	42 Ask for meal delivery services if you need help preparing meals	60 Do resistance training to improve bone density	75 Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
3	18	34	46	63
Take medications as directed	Don't polish floors and clean up spills immediately	Eat a variety of fruits and vegetables	Strengthen your legs – ask your physio how	Put away hoses
7	20	35	50	66
Get adequate rest and sleep	Use a non-slip mat or strips in the bathroom	Try to maintain your weight	Do some gardening	Sweep or rake paths
8	21	36	51	67
Have a medication review with your GP or pharmacist	Put a bell on your pet's collar	Eat oily fish, margarine and eggs for vitamin D	Walk as much as you can	Ask for help with keeping outdoor areas safe
12	23	42	53	68
See a podiatrist if you have problems with your feet	Remove floor rugs	Ask for meal delivery services if you need help preparing meals	Don't "plonk" into chairs – sit slowly and in a controlled way	Wear good, supportive shoes
15	24	45	59	72
Wear non-slip socks	Use a night light or movement sensor light	Talk to your GP to manage medications side effects	Challenge your balance safely	Contact your council if there are hazards (e.g. uneven paths)





Behaviours	Indoors	Nutrition	Get active	Outdoors
2	16	31	47	63
Manage chronic health conditions well	Use handrails	Eat protein at each meal to maintain your muscle	Improve your balance to help prevent falls	Put away hoses
7	17	33	48	65
Get adequate rest and sleep	Keep your phone nearby or use a pendant alarm	Eat a variety of nutritious foods	Move your body daily	Report trip hazards in hospital
8	22	36	51	70
Have a medication review with your GP or pharmacist	Remove clutter	Eat oily fish, margarine and eggs for vitamin D	Walk as much as you can	Place seats at strategic points for rests
11	24	40	57	74
Use the nurse call bell	Use a night light or movement sensor light	See a dietitian if you are losing weight without trying	Make sure your walking aid is at the correct height for you	Take extra care in wet conditions
15	26	43	60	73
Wear non-slip socks	See an OT if you need help with daily activities	Accept offers of assistance for shopping and cooking	Do resistance training to improve bone density	Ask your council or a neighbour for help with your rubbish bins





Behaviours	Indoors	Nutrition	Get active	Outdoors
1 Have your eyes checked annually	16 Use handrails	31 Eat protein at each meal to maintain your muscle	47 Improve your balance to help prevent falls	61 Choose well-lit paths
5	19	32	49	65
Don't mix alcohol and medications	Ensure adequate, even lighting	Drink 2 litres of fluid daily to stay hydrated	Do some gentle stretches	Report trip hazards in hospital
6	23	35	51	71
Clean your glasses regularly	Remove floor rugs	Try to maintain your weight	Walk as much as you can	Allow time for your eyes to adjust when moving outdoors or indoors
11	25	40	54	74
Use the nurse call bell	Store cords out of the way	See a dietitian if you are losing weight without trying	Check walking stick rubber tip regularly	Take extra care in wet conditions
14	28	44	58	75
See your GP if you have continence issues	Sit down to dress and shower if your balance is affected	Have regular oral health checks	Practise functional activities such as sit to stand transfers	Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
1	17	31	47	63
Have your eyes checked annually	Keep your phone nearby or use a pendant alarm	Eat protein at each meal to maintain your muscle	Improve your balance to help prevent falls	Put away hoses
7	19	32	48	65
Get adequate rest and sleep	Ensure adequate, even lighting	Drink 2 litres of fluid daily to stay hydrated	Move your body daily	Report trip hazards in hospital
10	20	36	51	69
Wear supportive shoes with broad and flat heels	Use a non-slip mat or strips in the bathroom	Eat oily fish, margarine and eggs for vitamin D	Walk as much as you can	Don't wear slides or sloppy slippers
11	28	41	55	74
Use the nurse call bell	Sit down to dress and shower if your balance is affected	See a speech pathologist if you have difficulties swallowing	Ask a physio about exercise that is suitable for you	Take extra care in wet conditions
13	30	43	58	75
Keep your brain active	Use a laundry basket on wheels	Accept offers of assistance for shopping and cooking	Practise functional activities such as sit to stand transfers	Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
Take medications as directed	16 Use handrails	31 Eat protein at each meal to maintain your muscle	46 Strengthen your legs – ask your physio how	61 Choose well-lit paths
6 Clean your glasses regularly	19 Ensure adequate, even lighting	32 Drink 2 litres of fluid daily to stay hydrated	48 Move your body daily	62 Keep walkways clear
Wear supportive shoes with broad and flat heels	21 Put a bell on your pet's collar	36 Eat oily fish, margarine and eggs for vitamin D	51 Walk as much as you can	70 Place seats at strategic points for rests
See a podiatrist if you have problems with your feet	27 Check that your seating is sturdy and at an appropriate height	40 See a dietitian if you are losing weight without trying	Fractise functional activities such as sit to stand transfers	71 Allow time for your eyes to adjust when moving outdoors or indoors
13 Keep your brain active	28 Sit down to dress and shower if your balance is affected	44 Have regular oral health checks	60 Do resistance training to improve bone density	75 Make sure stairs and steps are well lit





Behaviours	Indoors	Nutrition	Get active	Outdoors
2	19	33	46	63
Manage chronic health conditions well	Ensure adequate, even lighting	Eat a variety of nutritious foods	Strengthen your legs – ask your physio how	Put away hoses
4	20	35	50	67
Use a Dosette Box or Webster pack for medications	Use a non-slip mat or strips in the bathroom	Try to maintain your weight	Do some gardening	Ask for help with keeping outdoor areas safe
8	21	36	51	70
Have a medication review with your GP or pharmacist	Put a bell on your pet's collar	Eat oily fish, margarine and eggs for vitamin D	Walk as much as you can	Place seats at strategic points for rests
12	28	42	53	72
See a podiatrist if you	Sit down to dress and	Ask for meal delivery	Don't "plonk" into	Contact your council
have problems with your	shower if your balance	services if you need	chairs – sit slowly and	if there are hazards
feet	is affected	help preparing meals	in a controlled way	(e.g. uneven paths)
15	29	43	59	75
Wear non-slip socks	Carry laundry in a	Accept offers of	Challenge your	Make sure stairs and
	bucket so you can see	assistance for shopping	balance safely	steps are well lit
	in front of you	and cooking		