



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 22-JUL-20 to 15-SEP-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 37			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	28/07	04/08	11/08	18/08	25/08	01/09	08/09	15/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1	1				12	18	17	1	1.6	0.6
Hepatitis B (unspecified)	13	9	11	8	12	8	11	9	366	313	354	40	39.1	1.0
Hepatitis C (newly acquired)	3		2	1	4	1	5		75	82	76	10	11.9	0.8
Hepatitis C (unspecified)	16	18	19	15	17	15	13	20	573	640	642	65	74.2	0.9
Hepatitis D		1	1					1	3	8	6	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	54	55	44	57	57	56	48	22	1818	2395	2324	183	279.7	0.7
Cryptosporidiosis			1		1	1			467	136	87	2	9.9	0.2
Hepatitis A									6	20	7	0	1.3	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis							1		4	7	7	1	0.7	1.4
Paratyphoid fever									0	6	4	0	0.6	0.0
Rotavirus	8	4	5		3	6	2	1	155	376	217	12	32.9	0.4
STEC/VTEC infection		1	3	3	4		2	1	85	108	55	7	4.9	1.4
Salmonellosis	20	23	17	17	17	26	11	7	1315	1470	1577	61	118.2	0.5
Shigellosis	3	2	3	1	5	1	2		179	287	195	8	14.7	0.5
Typhoid									3	15	9	0	1.0	0.0
Vibrio parahaemolyticus									2	15	11	0	0.8	0.0
Yersiniosis		2		1					11	16	8	0	2.1	0.0
Sexually transmissible infections														
Chlamydia (genital)	182	201	217	229	211	204	197	61	7699	8418	8418	673	858.5	0.8
Gonorrhoea	48	72	60	77	72	71	49	7	2655	2872	2370	199	248.2	0.8
Syphilis (congenital)					1				2	1	0	1	0.0	0.0
Syphilis - Infectious	10	16	13	18	22	17	5	7	508	422	290	51	31.7	1.6
Syphilis - Non-Infectious	5	5	10	4	2	3	5	8	160	167	164	18	10.9	1.7
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza	3	2	1	3		1	2		1202	22578	3986	3	1157.3	0.0
Measles									4	26	26	0	3.0	0.0
Mumps									9	20	18	0	15.5	0.0
Pertussis	2		1	1					112	413	990	0	128.1	0.0
Pneumococcal infection	6	4	2	3	6	3	2		112	188	150	11	23.1	0.5
Varicella (chicken pox)	9	14	15	12	18	15	13	4	359	471	458	50	57.1	0.9
Varicella (shingles)	44	49	56	54	42	38	34	6	1690	1563	1619	120	151.7	0.8
Varicella (unspecified)	44	48	40	47	38	47	42	45	1165	997	1096	172	107.3	1.6
Vector-borne diseases														
Barmah Forest virus					1				16	11	32	1	1.7	0.6
Chikungunya	1								7	5	3	0	0.9	0.0
Dengue fever									62	250	90	0	16.9	0.0
Malaria									27	42	36	0	4.4	0.0
Ross River virus	3		1	3	3	3	3	1	199	320	391	10	31.3	0.3
Typhus	1								16	20	14	0	2.1	0.0
Zoonotic diseases														
Leptospirosis						1			2	3	2	1	0.2	5.0
Q Fever									4	6	10	0	0.5	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis			1						2	6	19	0	0.7	0.0
COVID-19	5	1	3	6	2	3	3		693	0	0	8	0.0	0.0
Creutzfeldt-Jakob disease									3	5	5	0	0.5	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.1	0.0
Legionellosis	1			1	1	1	1		52	23	28	3	5.3	0.6
Leprosy			1						1	0	0	0	0.3	0.0
Melioidosis									5	4	4	0	0.4	0.0
Meningococcal infection									7	16	26	0	3.9	0.0
Tuberculosis	3	2	5	3	1	4	4	6	95	88	80	15	10.7	1.4
Grand Total	484	529	533	565	541	525	455	206						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 37			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	28/07	04/08	11/08	18/08	25/08	01/09	08/09	15/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1						7	12	13	0	1.3	0.0
Hepatitis B (unspecified)	11	7	9	7	10	7	10	9	311	270	296	36	33.2	1.1
Hepatitis C (newly acquired)	3		1	1	4	1	4		58	59	60	9	8.9	1.0
Hepatitis C (unspecified)	14	12	11	12	12	11	10	20	413	442	471	53	52.5	1.0
Hepatitis D			1					1	2	8	5	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	46	40	30	49	38	48	38	21	1454	1956	1834	145	219.7	0.7
Cryptosporidiosis			1		1				407	77	45	1	7.2	0.1
Hepatitis A									5	17	6	0	1.1	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis							1		3	7	4	1	0.7	1.5
Paratyphoid fever									0	6	4	0	0.6	0.0
Rotavirus	4	2	4		3	6	2		123	322	147	11	24.8	0.4
STEC/VTEC infection			3	3	4		2	1	66	82	46	7	4.2	1.7
Salmonellosis	15	20	13	14	15	24	10	5	1008	1151	1212	54	92.1	0.6
Shigellosis	1	2	1		3	1	1		87	203	79	5	8.5	0.6
Typhoid									3	13	9	0	0.7	0.0
Vibrio parahaemolyticus									2	11	10	0	0.6	0.0
Yersiniosis		2		1					10	15	7	0	1.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	138	153	160	179	173	157	152	54	5992	6600	6527	536	660.6	0.8
Gonorrhoea	37	58	38	46	42	42	29	6	1813	2106	1557	119	168.3	0.7
Syphilis (congenital)									1	0	0	0	0.0	0.0
Syphilis - Infectious	8	12	8	13	15	16	4	7	342	235	213	42	21.6	1.9
Syphilis - Non-Infectious	3	5	8	2	1	2	5	5	131	108	123	13	7.9	1.6
Vaccine preventable diseases														
Influenza	2	2		3		1	2		963	17809	3303	3	875.8	0.0
Measles									4	15	25	0	2.8	0.0
Mumps									6	13	17	0	1.2	0.0
Pertussis	2		1	1					89	331	669	0	94.3	0.0
Pneumococcal infection	1	1	1	2	3	2	2		40	114	86	7	14.1	0.5
Varicella (chicken pox)	8	11	13	10	16	13	11	2	268	345	326	42	40.9	1.0
Varicella (shingles)	30	34	40	43	33	28	24	5	1236	1119	1141	90	109.5	0.8
Varicella (unspecified)	39	47	34	46	35	43	38	41	1090	952	1065	157	100.1	1.6
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.6	0.0
Chikungunya	1								3	5	1	0	0.7	0.0
Dengue fever									48	204	75	0	13.3	0.0
Malaria									21	36	32	0	3.5	0.0
Ross River virus	1		1	3	2	1	2	1	113	212	280	6	20.3	0.3
Typhus									8	12	8	0	1.4	0.0
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.1	0.0
Q Fever									2	2	5	0	0.3	0.0
Other diseases														
COVID-19	3	1	2	6	1	1	2		451	0	0	4	0.0	0.0
Creutzfeldt-Jakob disease									3	4	3	0	0.5	0.0
Legionellosis	1			1	1	1	1		34	20	22	3	3.9	0.8
Leprosy			1						1	0	0	0	0.2	0.0
Meningococcal infection									3	6	16	0	2.4	0.0
Tuberculosis	1	2	4	3	1	4	4	3	82	80	64	12	9.6	1.3
Grand Total	369	411	386	445	413	409	354	181						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3			0.3		(1)	0.4
Hepatitis B (unspecified)		10 (12)	11.4	4	8 (5)	12.4	5	18 (10)	16.8
Hepatitis C (newly acquired)		(2)	0.8		5 (2)	2.9		4 (4)	3.9
Hepatitis C (unspecified)	7	12 (8)	10.5	6	20 (15)	21.4	7	21 (19)	22.4
Hepatitis D							1	1	0.3
Enteric diseases									
Campylobacteriosis	9	48 (100)	63.2	6	44 (89)	64.8	6	53 (84)	62.4
Cryptosporidiosis		(5)	26.2		(4)	13.1		1 (1)	13.4
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis		1 (1)	0.4						
Rotavirus		4 (16)	5.8		(23)	3.9		7 (20)	6.3
STEC/VTEC infection		2 (2)	3.1		1 (2)	1.7	1	4 (3)	3.7
Salmonellosis	4	27 (27)	47.2		8 (39)	39.0	1	19 (27)	45.3
Shigellosis		2 (4)	3.9		(7)	3.3		3 (7)	4.1
Typhoid			0.1			0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis			0.4		(1)	0.7			0.3
Sexually transmissible infections									
Chlamydia (genital)	16	194 (214)	231.7	10	144 (202)	267.7	28	198 (230)	283.9
Gonorrhoea	1	39 (47)	63.7	2	30 (73)	80.4	3	50 (71)	92.7
Syphilis (congenital)									0.1
Syphilis - Infectious	4	10 (3)	12.8		6 (8)	11.8	3	26 (16)	19.8
Syphilis - Non-Infectious	3	5 (6)	5.6	1	3 (3)	3.6	1	5 (6)	7.7
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (142)	47.2		(144)	38.3		2 (147)	40.1
Measles			0.3			0.3			
Mumps			0.5			0.1		(1)	0.1
Pertussis		(6)	4.0		(8)	5.3		(6)	2.3
Pneumococcal infection		3 (6)	2.1		3 (6)	1.7		1 (9)	1.4
Varicella (chicken pox)		26 (13)	13.0	1	12 (9)	12.7	1	4 (21)	9.4
Varicella (shingles)	2	38 (56)	58.1	1	29 (38)	59.7	2	23 (35)	44.2
Varicella (unspecified)	13	56 (24)	46.8	18	56 (38)	57.7	10	45 (27)	39.0
Vector-borne diseases									
Barmah Forest virus					(1)	0.3			0.1
Chikungunya						0.1			0.3
Dengue fever		(3)	1.9		(8)	2.2		(2)	2.2
Malaria		(1)	0.6			0.6			1.5
Ross River virus		1 (4)	2.1	1	4 (5)	10.3		1 (9)	2.8
Typhus			0.4			0.3		(2)	0.4
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			20.7		2	21.3		2	17.1
Creutzfeldt-Jakob disease			0.1					(1)	0.3
Haemolytic Uraemic Syndrome									
Legionellosis		1 (3)	1.6		2	1.5		(1)	1.3
Leprosy			0.1						
Melioidosis									
Meningococcal infection									0.4
Tuberculosis	1	4 (6)	3.6		1 (3)	3.1	2	7 (3)	4.0
Grand Total	60	484 (711)		50	378 (733)		71	495 (764)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.0						
Hepatitis B (unspecified)		(1)	3.1		(1)			(1)	11.3
Hepatitis C (newly acquired)		(1)	3.1			3.1			2.5
Hepatitis C (unspecified)		4 (3)	26.5		3 (1)	39.2		(4)	23.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	15 (33)	70.4		7 (3)	58.0		6 (5)	67.9
Cryptosporidiosis		1 (1)	12.8			6.3			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(4)	5.6	1	1	3.1			6.3
STEC/VTEC infection		(3)	3.6			3.1			2.5
Salmonellosis	2	4 (5)	52.1			22.0		1	41.5
Shigellosis			0.5			3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	2	22 (47)	205.7	2	11 (15)	178.8		11 (10)	125.7
Gonorrhoea		3 (12)	53.1		(3)	22.0		3 (2)	30.2
Syphilis (congenital)									
Syphilis - Infectious		1	8.2			7.8		(1)	3.8
Syphilis - Non-Infectious	1	1	2.0					(1)	2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(34)	29.1		(16)	43.9		(3)	30.2
Measles									
Mumps									
Pertussis		(2)	7.1			1.6			1.3
Pneumococcal infection		(4)	2.0		(1)	1.6			7.5
Varicella (chicken pox)		2 (3)	15.8		(2)	6.3	1	2 (4)	10.1
Varicella (shingles)		13 (20)	111.3		5 (10)	98.8	1	5 (2)	51.5
Varicella (unspecified)	1	1	0.5	2	9 (1)	47.1		(1)	10.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever			1.0						2.5
Malaria			0.5						
Ross River virus		4 (7)	12.3		(1)	11.0		(1)	6.3
Typhus		(1)	1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis		1	1.0						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			9.2			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis			3.6			1.6			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis							1	1	1.3
Grand Total	7	73 (181)		5	36 (54)		3	29 (35)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.4						1.4
Hepatitis B (unspecified)		1	8.4	1 (1)		14.7	2 (1)		14.2
Hepatitis C (newly acquired)		(1)	2.8			3.3			2.8
Hepatitis C (unspecified)		2 (4)	32.3	2		31.1			17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (2)	57.6	1 (1)		55.6	2 (2)		37.0
Cryptosporidiosis			7.0				(1)		27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(4)	5.6			3.3			7.1
STEC/VTEC infection		(1)	11.2						
Salmonellosis			42.1	1 (2)		36.0	1 (4)		68.2
Shigellosis		1	39.3	(3)		11.4	1		19.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		21 (15)	282.2	1	21 (13)	343.4	2	17 (37)	305.6
Gonorrhoea		8 (4)	103.9	1	19 (3)	160.2		12 (13)	231.7
Syphilis (congenital)		1	1.4						
Syphilis - Infectious		1 (1)	11.2		(3)	18.0	5 (4)		68.2
Syphilis - Non-Infectious		1	2.8	1 (2)		13.1			7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(77)	63.2	(8)		32.7	(16)		37.0
Measles									
Mumps						1.6	(1)		2.8
Pertussis		(2)	2.8			1.6			1.4
Pneumococcal infection		1 (1)	18.2	2		34.3	1 (3)		11.4
Varicella (chicken pox)		(1)	7.0	(3)		29.4	1	3	21.3
Varicella (shingles)		(1)	25.3	3 (3)		63.8	2 (2)		35.5
Varicella (unspecified)	1	5 (2)	39.3						2.8
Vector-borne diseases									
Barmah Forest virus				1		3.3			1.4
Chikungunya									
Dengue fever		(1)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus		(1)	5.6	(2)		4.9	(3)		21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			1.4
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6	(1)		1.4
Tuberculosis									1.4
Grand Total	1	45 (118)		2	52 (44)		3	46 (88)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (2)	0.4
Hepatitis B (unspecified)			32.0	9	40 (32)	12.7
Hepatitis C (newly acquired)		1	2.5	0	10 (10)	2.6
Hepatitis C (unspecified)		(2)	19.7	20	65 (58)	19.9
Hepatitis D			2.5	1	1 (1)	0.1
Enteric diseases						
Campylobacteriosis		3 (1)	54.2	22	183 (323)	63.2
Cryptosporidiosis		(1)	2.5	0	2 (13)	16.2
Hepatitis A				0	0 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	1 (1)	0.1
Rotavirus			2.5	1	12 (67)	5.4
STEC/VTEC infection				1	7 (11)	3.0
Salmonellosis		(1)	103.4	7	61 (108)	45.7
Shigellosis			86.2	0	8 (21)	6.2
Typhoid				0	0 (2)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	0 (1)	0.4
Sexually transmissible infections						
Chlamydia (genital)		30 (34)	952.7	61	673 (826)	267.8
Gonorrhoea		35 (22)	827.1	7	199 (253)	92.3
Syphilis (congenital)				0	1 (0)	0.1
Syphilis - Infectious		2 (6)	155.1	7	51 (42)	17.7
Syphilis - Non-Infectious	1	1	4.9	8	18 (20)	5.1
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(8)	29.5	0	3 (605)	41.8
Measles				0	0 (1)	0.1
Mumps				0	0 (3)	0.3
Pertussis		(1)	7.4	0	0 (25)	3.9
Pneumococcal infection		(4)	41.8	0	11 (35)	3.9
Varicella (chicken pox)		1 (4)	14.8	4	50 (63)	12.5
Varicella (shingles)		1 (2)	86.2	6	120 (170)	58.8
Varicella (unspecified)				45	172 (93)	40.5
Vector-borne diseases						
Barmah Forest virus			14.8	0	1 (1)	0.6
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	0	0 (15)	2.2
Malaria				0	0 (1)	0.9
Ross River virus			64.0	1	10 (33)	6.9
Typhus			2.5	0	0 (3)	0.6
Zoonotic diseases						
Leptospirosis				0	1 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (0)	0.1
COVID-19			49.2	0	8 (0)	24.1
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	3 (4)	1.8
Leprosy				0	0 (0)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection				0	0 (2)	0.2
Tuberculosis	1	1	7.4	6	15 (12)	2.6
Grand Total	2	75 (86)		206	1727 (2859)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 37	
	28/07	04/08	11/08	18/08	25/08	01/09	08/09	15/09	2020	2019
	Salmonella Total	20	23	17	17	17	26	11	7	1315
Serotype/Phage										
Salmonella Adelaide									3	2
Salmonella Agona		1							5	6
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum									13	17
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans	1			1	1				9	12
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Charity									1	0
Salmonella Chester	1	1							21	16
Salmonella Choleraesuis bv Australia									13	9
Salmonella Choleraesuis bv Decatur			1						10	4
Salmonella Corvallis									3	5
Salmonella Derby									1	3
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis					1				46	142
Salmonella Fremantle subsp II									3	4
Salmonella Give									3	2
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana					1				4	7
Salmonella Hessarek									1	0
Salmonella Houten subsp IV	1								1	2
Salmonella Hvittingfoss									4	5
Salmonella Ibadan									2	0
Salmonella Infantis		1	1					1	22	19
Salmonella Jangwani									1	0
Salmonella Javiana				1					4	11
Salmonella Johannesburg									1	1
Salmonella Kentucky									3	17
Salmonella Kiambu						1			3	4
Salmonella Kottbus					1				4	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen									21	28
Salmonella Newport		1							10	21
Salmonella Oranienburg				1		1			5	6
Salmonella Orientalis									2	1
Salmonella Orion									2	2

Weekly Report for period 22-JUL-20 to 15-SEP-20

	28/07	04/08	11/08	18/08	25/08	01/09	08/09	15/09	Cumulative Total to end of Week 37	
									2020	2019
Salmonella Total	20	23	17	17	17	26	11	7	1315	1428
Serotype/Phage										
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	65
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam									9	4
Salmonella Reading									2	7
Salmonella Richmond									1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul		3							34	32
Salmonella Schwarzengrund									2	5
Salmonella Senftenberg			1						3	3
Salmonella Singapore									3	2
Salmonella Stanley						1			9	30
Salmonella Thompson									3	3
Salmonella Typhimurium	15	14	14	12	12	22	2		840	749
Salmonella Urbana									1	2
Salmonella Virchow		1		1					18	24
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross									2	0
Salmonella Welikade									4	3
Salmonella Weltevreden									6	13
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species	2	1		1	1	1	8	7	80	84
Salmonella subsp 1 ser 4,5:d:-									1	13
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-:- non-motile									2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0