



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 05-AUG-20 to 29-SEP-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 39			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1				1	1	13	19	18	2	1.5	1.3
Hepatitis B (unspecified)	12	9	12	8	11	9	8	9	384	325	373	37	38.9	1.0
Hepatitis C (newly acquired)	2	1	4	2	4		1		76	86	82	5	11.8	0.4
Hepatitis C (unspecified)	19	15	17	14	14	21	12	16	602	669	682	63	75.4	0.8
Hepatitis D	1					1			3	8	7	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	44	58	58	59	59	68	40	39	1960	2514	2451	206	281.1	0.7
Cryptosporidiosis	1		1	1		3	1	1	472	141	87	5	9.7	0.5
Hepatitis A									6	20	7	0	1.2	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Listeriosis					1				4	7	7	1	0.7	1.4
Paratyphoid fever									0	6	4	0	0.7	0.0
Rotavirus	5		3	6	2	4	2	3	163	396	233	11	31.1	0.4
STEC/VTEC infection	3	3	4		2	2		1	87	110	58	5	4.4	1.1
Salmonellosis	17	18	19	28	19	24	24	22	1391	1540	1633	89	122.7	0.7
Shigellosis	3	1	5	1	2		1	1	181	298	203	4	14.3	0.3
Typhoid									3	15	9	0	0.9	0.0
Vibrio parahaemolyticus							1		3	16	13	1	0.8	1.3
Sexually transmissible infections														
Chlamydia (genital)	218	231	212	206	214	188	190	121	8160	8765	8766	713	854.2	0.8
Gonorrhoea	60	77	74	70	66	57	48	10	2781	2990	2510	181	244.6	0.7
Syphilis (congenital)			1						2	1	0	0	0.0	0.0
Syphilis - Infectious	10	18	22	16	8	11	21	18	547	446	302	58	31.9	1.8
Syphilis - Non-Infectious	13	5	2	4	6	11	5	1	176	177	167	23	11.3	2.0
Vaccine preventable diseases														
H. influenzae type b					1				2	2	1	1	0.0	0.0
Influenza	1	3		1	2				1202	22718	4503	2	1047.9	0.0
Measles									4	41	26	0	2.9	0.0
Mumps									9	23	18	0	15.7	0.0
Pertussis	1	1			1				113	425	1048	1	125.3	0.0
Pneumococcal infection	2	3	6	4	2	2	2	1	118	193	158	7	21.7	0.3
Rubella (non-congenital)							1		1	1	1	1	0.1	7.5
Varicella (chicken pox)	15	12	17	15	18	13	11	3	387	476	493	45	56.2	0.8
Varicella (shingles)	57	55	43	39	44	45	21	8	1773	1643	1685	118	153.9	0.8
Varicella (unspecified)	39	47	37	46	40	48	62	40	1265	1045	1158	190	107.8	1.8
Vector-borne diseases														
Barmah Forest virus			1			1			17	11	32	1	1.9	0.5
Chikungunya									7	6	3	0	1.0	0.0
Dengue fever									62	257	93	0	16.0	0.0
Malaria							1		28	43	40	1	4.3	0.2
Ross River virus	1	4	4	3	3	3	8	4	215	331	403	18	31.9	0.6
Typhus						1			17	21	14	1	1.9	0.5
Zoonotic diseases														
Leptospirosis				1					2	3	2	0	0.3	0.0
Q Fever									4	6	10	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1			1	1		1		5	7	21	2	0.8	2.5
COVID-19	3	6	2	3	3	3	10	15	721	0	0	31	0.0	0.0
Creutzfeldt-Jakob disease									3	6	5	0	0.4	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.1	0.0
Legionellosis		1	1	1	2				53	24	36	2	5.9	0.3
Leprosy	1								1	0	0	0	0.3	0.0
Melioidosis									5	4	4	0	0.4	0.0
Meningococcal infection							1	1	9	18	28	2	4.1	0.5
Tuberculosis	5	3	1	4	4	6	3	1	99	93	85	14	11.6	1.2
Grand Total	534	571	547	533	529	521	476	316						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 39			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)								1	7	13	14	1	1.3	0.8
Hepatitis B (unspecified)	10	7	10	7	10	9	7	7	326	278	311	33	32.9	1.0
Hepatitis C (newly acquired)	1	1	4	2	4		1		60	63	65	5	9.1	0.6
Hepatitis C (unspecified)	11	12	12	10	10	21	9	12	434	461	505	52	54.3	1.0
Hepatitis D	1					1			2	8	6	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	30	50	38	51	45	55	34	36	1569	2054	1933	170	219.7	0.8
Cryptosporidiosis	1		1			3	1		411	81	45	4	7.0	0.6
Hepatitis A									5	17	6	0	1.1	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Listeriosis					1				3	7	4	1	0.7	1.5
Paratyphoid fever									0	6	4	0	0.7	0.0
Rotavirus	4		3	6	2	1	1	3	128	336	158	7	24.5	0.3
STEC/VTEC infection	3	3	4		2	2		1	68	84	48	5	3.8	1.3
Salmonellosis	13	15	17	26	12	22	20	16	1068	1208	1249	70	96.2	0.7
Shigellosis	1		3	1	1			1	88	212	84	2	7.9	0.3
Typhoid									3	13	9	0	0.7	0.0
Vibrio parahaemolyticus							1		3	12	12	1	0.7	1.5
Sexually transmissible infections														
Chlamydia (genital)	161	179	173	160	155	159	153	105	6362	6874	6787	572	659.3	0.9
Gonorrhoea	38	46	42	42	30	31	34	6	1879	2192	1651	101	166.6	0.6
Syphilis (congenital)									1	0	0	0	0.0	0.0
Syphilis - Infectious	5	13	15	15	5	10	15	16	372	250	219	46	21.7	2.1
Syphilis - Non-Infectious	11	3	1	3	6	8	4	1	145	115	126	19	8.4	2.3
Vaccine preventable diseases														
Influenza		3		1	2				963	17922	3695	2	782.9	0.0
Measles									4	30	25	0	2.7	0.0
Mumps									6	13	17	0	1.6	0.0
Pertussis	1	1			1				90	340	714	1	90.5	0.0
Pneumococcal infection	1	2	3	3	2	1		1	43	117	89	4	13.3	0.3
Rubella (non-congenital)							1		1	1	1	1	0.1	7.5
Varicella (chicken pox)	13	10	16	13	15	11	10	1	292	348	351	37	41.0	0.9
Varicella (shingles)	40	43	34	29	34	35	11	4	1294	1174	1182	84	111.5	0.8
Varicella (unspecified)	34	46	34	42	35	43	47	36	1170	1000	1123	161	100.5	1.6
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.6	0.0
Chikungunya									3	6	1	0	0.8	0.0
Dengue fever									48	211	78	0	13.0	0.0
Malaria							1		22	37	35	1	3.5	0.3
Ross River virus	1	3	3	1	2	3	7	2	125	223	284	14	21.1	0.7
Typhus						1			9	13	8	1	1.3	0.8
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.1	0.0
Q Fever									2	2	5	0	0.3	0.0
Other diseases														
COVID-19	2	6	1	1	2	1	4	3	459	0	0	10	0.0	0.0
Creutzfeldt-Jakob disease									3	5	3	0	0.4	0.0
Legionellosis		1	1	1	2				35	20	29	2	4.4	0.5
Leprosy	1								1	0	0	0	0.1	0.0
Meningococcal infection								1	4	8	17	1	2.4	0.4
Tuberculosis	4	3	1	4	4	3	3	1	86	83	69	11	10.3	1.1
Grand Total	387	447	416	418	382	420	364	254						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3		(1)	0.1	1	1 (1)	0.5
Hepatitis B (unspecified)	2	10 (9)	12.3	2	11 (4)	13.1	3	12 (7)	17.2
Hepatitis C (newly acquired)		1 (1)	0.9		3 (2)	2.9		1 (5)	4.0
Hepatitis C (unspecified)	3	15 (6)	11.4	3	16 (10)	22.0	6	21 (16)	23.7
Hepatitis D								1	0.3
Enteric diseases									
Campylobacteriosis	17	69 (71)	68.9	9	46 (88)	69.4	10	55 (86)	67.1
Cryptosporidiosis		1 (5)	26.3		1 (3)	13.2		2 (1)	13.6
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis		1	0.4						
Rotavirus	1	4 (10)	6.0	1	1 (14)	4.0	1	2 (19)	6.6
STEC/VTEC infection	1	1 (1)	3.3		(1)	1.7		4 (1)	3.9
Salmonellosis	6	25 (32)	49.7	4	17 (38)	41.2	6	28 (33)	48.4
Shigellosis		(7)	3.9		(5)	3.3	1	2 (3)	4.2
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus						0.3		1	0.1
Yersiniosis			0.4		(1)	0.6			0.3
Sexually transmissible infections									
Chlamydia (genital)	35	187 (180)	246.1	26	162 (185)	283.3	44	223 (221)	302.4
Gonorrhoea		25 (48)	65.7		25 (70)	82.7	6	51 (69)	97.0
Syphilis (congenital)									0.1
Syphilis - Infectious	2	11 (7)	13.4	5	15 (6)	13.6	9	20 (13)	21.3
Syphilis - Non-Infectious	1	9 (5)	6.4		3 (3)	3.9		7 (10)	8.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(94)	47.2		(86)	38.3		2 (100)	40.1
Measles		(1)	0.3		(12)	0.3			
Mumps			0.5			0.1			0.1
Pertussis		(9)	4.0		(2)	5.3		1 (4)	2.4
Pneumococcal infection	1	2 (1)	2.4		1 (2)	1.7		1 (7)	1.5
Rubella (non-congenital)								1	0.1
Varicella (chicken pox)		16 (10)	14.1		11 (6)	13.8	1	10 (11)	10.4
Varicella (shingles)	1	36 (44)	61.1	1	25 (39)	62.4	2	23 (36)	46.2
Varicella (unspecified)	11	47 (29)	49.1	10	51 (31)	60.4	15	63 (30)	44.4
Vector-borne diseases									
Barmah Forest virus						0.3			0.1
Chikungunya					(1)	0.1			0.3
Dengue fever		(6)	1.9		(4)	2.2		(2)	2.2
Malaria		1 (2)	0.8			0.6			1.5
Ross River virus		2 (6)	2.4	1	7 (7)	11.1	1	5 (6)	3.3
Typhus		1	0.5		(1)	0.3		(2)	0.4
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	2	5	21.3		3	21.6	1	2	17.2
Creutzfeldt-Jakob disease			0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis		1 (2)	1.8		1	1.5		(1)	1.3
Leprosy			0.1						
Melioidosis									
Meningococcal infection	1	1 (1)	0.1					(1)	0.4
Tuberculosis	1	4 (5)	3.9		(2)	3.1		7 (5)	4.2
Grand Total	85	475 (592)		62	399 (624)		107	546 (690)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.0				1		1.3
Hepatitis B (unspecified)		(1)	3.1		(1)	1.6		(2)	11.3
Hepatitis C (newly acquired)			3.1			3.1			2.5
Hepatitis C (unspecified)	1	4 (5)	27.6		(2)	39.2	1	1 (2)	25.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	20 (29)	78.6	1	6 (2)	65.9		1 (4)	69.1
Cryptosporidiosis	1	1	13.3		(1)	6.3			6.3
Hepatitis A						1.6			
Hepatitis E									
Listeriosis						1.6			
Rotavirus		(3)	5.6		3	6.3		(1)	6.3
STEC/VTEC infection		(2)	3.6			3.1			2.5
Salmonellosis	2	8 (8)	55.1	1	1 (1)	23.5	1		42.7
Shigellosis			0.5			3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	5	31 (51)	217.4	3	10 (15)	191.4	1	5 (10)	129.5
Gonorrhoea		2 (10)	53.6		(2)	22.0		4 (3)	35.2
Syphilis (congenital)									
Syphilis - Infectious		1	8.2	1	1 (1)	9.4		(1)	3.8
Syphilis - Non-Infectious		1	2.0						2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(19)	29.1		(13)	43.9		(7)	30.2
Measles									
Mumps									
Pertussis		(4)	7.1			1.6		(1)	1.3
Pneumococcal infection		(3)	2.0		(2)	1.6			7.5
Rubella (non-congenital)									
Varicella (chicken pox)		1 (2)	15.8			6.3		1 (2)	10.1
Varicella (shingles)	2	17 (16)	119.4		4 (11)	100.4	1	4 (3)	52.8
Varicella (unspecified)	1	3	1.5	1	11	58.0	1	3	13.8
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever			1.0						2.5
Malaria			0.5						
Ross River virus		2 (2)	13.3		(1)	11.0			6.3
Typhus			1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis			1.0						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			9.2			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis		(1)	3.6			1.6			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis								1 (1)	1.3
Grand Total	14	91 (156)		7	36 (52)		4	22 (37)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.4			1.6			
Hepatitis B (unspecified)		1 (1)	8.4	1	1 (2)	14.7	1 (1)	17.1	
Hepatitis C (newly acquired)		(1)	2.8			3.3			2.8
Hepatitis C (unspecified)	1	4 (3)	36.5	1	1 (1)	32.7			17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		2 (3)	59.0		2	58.9		3 (2)	39.8
Cryptosporidiosis			7.0				(1)	27.0	
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(2)	5.6		(2)	3.3	(1)	7.1	
STEC/VTEC infection		(1)	11.2						
Salmonellosis	1	1 (1)	43.5		5 (2)	42.5	(5)	68.2	
Shigellosis			39.3		(2)	11.4			19.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	26 (13)	306.0	2	21 (18)	363.0	1	22 (31)	325.5
Gonorrhoea		7 (7)	109.5	3	23 (2)	189.7		16 (10)	251.6
Syphilis (congenital)			1.4						
Syphilis - Infectious		(1)	9.8		(4)	18.0	1	7 (5)	78.2
Syphilis - Non-Infectious			4.2		1 (3)	14.7			7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(22)	63.2		(7)	32.7		(4)	37.0
Measles									
Mumps					(1)	1.6		(2)	2.8
Pertussis			2.8			1.6			1.4
Pneumococcal infection		1 (2)	19.7		1	36.0		1 (2)	12.8
Rubella (non-congenital)									
Varicella (chicken pox)			7.0	1	2 (2)	32.7	1	4	24.2
Varicella (shingles)		(1)	25.3	1	3 (3)	65.4		1 (6)	39.8
Varicella (unspecified)		7 (1)	44.9					2	4.3
Vector-borne diseases									
Barmah Forest virus						3.3			1.4
Chikungunya									
Dengue fever			1.4			6.5			1.4
Malaria						1.6			
Ross River virus	2	2 (1)	8.4			4.9		(1)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	3.3			1.4
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6			1.4
Tuberculosis									1.4
Grand Total	8	51 (60)		9	61 (49)		3	57 (71)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	2 (3)	0.5
Hepatitis B (unspecified)			32.0	9	37 (28)	13.4
Hepatitis C (newly acquired)				0	5 (9)	2.6
Hepatitis C (unspecified)		1 (1)	22.2	16	63 (49)	21.1
Hepatitis D			2.5	0	1 (1)	0.1
Enteric diseases						
Campylobacteriosis		1 (3)	54.2	39	206 (292)	68.2
Cryptosporidiosis			2.5	1	5 (11)	16.4
Hepatitis A				0	0 (0)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	1 (0)	0.1
Rotavirus		1	4.9	3	11 (52)	5.7
STEC/VTEC infection				1	5 (6)	3.0
Salmonellosis	2	3 (3)	110.8	22	89 (125)	48.4
Shigellosis		1	88.6	1	4 (17)	6.3
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	1 (1)	0.1
Yersiniosis				0	0 (1)	0.3
Sexually transmissible infections						
Chlamydia (genital)		23 (35)	982.2	121	713 (765)	283.8
Gonorrhoea	1	27 (25)	871.4	10	181 (250)	96.7
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious		3 (5)	162.5	18	58 (43)	19.0
Syphilis - Non-Infectious		1	4.9	1	23 (23)	5.6
Vaccine preventable diseases						
H. influenzae type b		1	4.9	0	1 (0)	0.1
Influenza		(1)	29.5	0	2 (353)	41.8
Measles				0	0 (15)	0.1
Mumps				0	0 (5)	0.3
Pertussis			7.4	0	1 (20)	3.9
Pneumococcal infection		(1)	41.8	1	7 (20)	4.1
Rubella (non-congenital)				0	1 (0)	0.0
Varicella (chicken pox)		(5)	14.8	3	45 (41)	13.5
Varicella (shingles)		3	91.1	8	118 (162)	61.7
Varicella (unspecified)	1	2	4.9	40	190 (91)	44.0
Vector-borne diseases						
Barmah Forest virus		1	17.2	0	1 (0)	0.6
Chikungunya				0	0 (1)	0.2
Dengue fever			2.5	0	0 (13)	2.2
Malaria				0	1 (2)	1.0
Ross River virus			64.0	4	18 (24)	7.5
Typhus			2.5	0	1 (3)	0.6
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	4.9	0	2 (1)	0.2
COVID-19			49.2	15	31 (0)	25.1
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	2 (4)	1.8
Leprosy				0	0 (0)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection		1	2.5	1	2 (3)	0.3
Tuberculosis		1	7.4	1	14 (14)	2.7
Grand Total	4	71 (80)		317	1843 (2449)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 39	
	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	2020	2019
Salmonella Total	17	18	19	28	19	24	24	22	1391	1498
Serotype/Phage										
Salmonella Adelaide									3	2
Salmonella Agona					1				6	7
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum									13	17
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans		1	1						9	13
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Charity									1	0
Salmonella Chester									21	17
Salmonella Choleraesuis bv Australia									13	10
Salmonella Choleraesuis bv Decatur	1								10	4
Salmonella Corvallis									3	5
Salmonella Derby									1	3
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis			1			1			47	156
Salmonella Fremantle subsp II					1				4	4
Salmonella Give								1	4	3
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana			1						4	7
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									4	5
Salmonella Ibadan									2	0
Salmonella Infantis	1				2	1			24	19
Salmonella Jangwani									1	0
Salmonella Javiana		1							4	11
Salmonella Johannesburg									1	2
Salmonella Kentucky									3	18
Salmonella Kiambu				1					3	4
Salmonella Kottbus			1						4	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen									21	29
Salmonella Newport									10	22
Salmonella Oranienburg		1		1	2				7	7
Salmonella Orientalis									2	1
Salmonella Orion									2	2

Weekly Report for period 05-AUG-20 to 29-SEP-20

	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	Cumulative Total to end of Week 39	
									2020	2019
Salmonella Total	17	18	19	28	19	24	24	22	1391	1498
Serotype/Phage										
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	69
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam									9	4
Salmonella Reading				1					3	7
Salmonella Richmond									1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul									34	34
Salmonella Schwarzengrund									2	5
Salmonella Senftenberg	1								3	3
Salmonella Singapore									3	2
Salmonella Stanley				1					9	35
Salmonella Thompson									3	3
Salmonella Typhimurium	14	13	14	24	12	19	15		889	778
Salmonella Urbana									1	2
Salmonella Virchow		1			1				19	25
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross									2	0
Salmonella Welikade									4	4
Salmonella Weltevreden									6	13
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species		1	1			3	9	21	97	88
Salmonella subsp 1 ser 4,5:d:-									1	13
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-:- non-motile									2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0