



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 02-SEP-20 to 27-OCT-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 43			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/09	15/09	22/09	29/09	06/10	13/10	20/10	27/10	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1	1				14	21	20	1	1.7	0.6
Hepatitis B (unspecified)	11	9	8	9	15	10	12	12	433	357	403	49	38.8	1.3
Hepatitis C (newly acquired)	4		1						76	97	96	0	11.9	0.0
Hepatitis C (unspecified)	14	21	12	14	27	20	18	16	681	729	752	81	74.3	1.1
Hepatitis D		1							3	9	7	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	59	75	52	52	61	57	43	31	2184	2844	2765	192	294.3	0.7
Cryptosporidiosis		3	1	2	2	6			481	153	97	8	11.9	0.7
Hepatitis A									6	24	8	0	1.0	0.0
Hepatitis E									3	2	2	0	0.2	0.0
Listeriosis	1			1				1	6	7	7	1	0.3	3.0
Paratyphoid fever									0	7	7	0	0.5	0.0
Rotavirus	2	4	2	4	6	2	1	1	174	441	234	10	30.0	0.3
STEC/VTEC infection	2	2		1	1	2		1	92	123	62	4	5.1	0.8
Salmonellosis	20	31	22	37	17	21	23	18	1492	1735	1749	79	141.5	0.6
Shigellosis	2		1	5	2		4	3	194	325	222	9	14.3	0.6
Typhoid									3	16	12	0	0.9	0.0
Vibrio parahaemolyticus				1					3	17	13	0	0.7	0.0
Yersiniosis								1	11	20	9	1	1.2	0.8
Sexually transmissible infections														
Chlamydia (genital)	218	201	194	163	203	192	208	109	8945	9677	9662	712	857.1	0.8
Gonorrhoea	66	65	68	49	61	58	41	17	3027	3260	2807	177	246.4	0.7
Syphilis (congenital)									3	1	0	0	0.0	0.0
Syphilis - Infectious	9	10	21	19	12	17	15	15	607	486	340	59	30.4	1.9
Syphilis - Non-Infectious	6	12	6	2	2	3	4	1	190	193	190	10	12.0	0.8
Vaccine preventable diseases														
H. influenzae type b	1								2	2	1	0	0.0	0.0
Influenza	2					2	1		1205	22925	5104	3	678.5	0.0
Measles									4	54	27	0	2.7	0.0
Mumps						1			10	25	18	1	16.5	0.1
Pertussis	1			1		1			115	469	1160	1	117.5	0.0
Pneumococcal infection	2	2	2	4	4	5	5	1	136	214	175	15	17.8	0.8
Varicella (chicken pox)	18	13	14	11	20	11	6	4	439	525	562	41	54.1	0.8
Varicella (shingles)	45	47	38	45	35	28	20	4	1922	1848	1858	87	157.8	0.6
Varicella (unspecified)	40	47	56	43	46	62	84	60	1509	1145	1250	252	110.9	2.3
Vector-borne diseases														
Barmah Forest virus			1			1			18	11	34	1	2.3	0.4
Chikungunya									7	6	3	0	1.0	0.0
Dengue fever									62	275	108	0	15.5	0.0
Malaria				1					28	51	44	0	3.7	0.0
Ross River virus	5	5	7	5	5	7	10	6	249	358	437	28	34.6	0.8
Typhus						1			17	22	15	1	2.3	0.4
Zoonotic diseases														
Leptospirosis									1	3	2	0	0.2	0.0
Q Fever									4	6	12	0	0.9	0.0
Other diseases														
Acute post-streptococcal glomerulon			1						4	8	23	0	0.7	0.0
COVID-19	3	3	11	12	5	20	38	18	802	0	0	81	0.0	0.0
Creutzfeldt-Jakob disease									3	6	6	0	0.5	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.0	0.0
Legionellosis	2		1	6	2			2	64	27	42	4	5.7	0.7
Leprosy									1	1	1	0	0.3	0.0
Melioidosis									5	4	4	0	0.5	0.0
Meningococcal infection			1				1		9	19	34	1	3.5	0.3
Tuberculosis	4	6	3	1	4	3	5	7	117	103	94	19	10.9	1.7
Grand Total	537	558	525	487	531	530	540	327						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 43			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/09	15/09	22/09	29/09	06/10	13/10	20/10	27/10	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1					7	14	16	0	1.5	0.0
Hepatitis B (unspecified)	10	9	7	7	11	9	10	9	365	303	339	39	32.2	1.2
Hepatitis C (newly acquired)	4		1						60	69	78	0	9.2	0.0
Hepatitis C (unspecified)	10	21	9	10	22	18	13	11	496	500	550	64	55.3	1.2
Hepatitis D		1							2	9	6	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	45	62	42	41	44	41	33	25	1732	2318	2170	143	228.1	0.6
Cryptosporidiosis		3	1		1	4			416	91	50	5	7.7	0.7
Hepatitis A									5	21	7	0	1.0	0.0
Hepatitis E									3	2	2	0	0.2	0.0
Listeriosis	1			1				1	5	7	4	1	0.3	3.0
Paratyphoid fever									0	7	7	0	0.5	0.0
Rotavirus	2	1	1	4	4	1	1	1	136	371	166	7	23.8	0.3
STEC/VTEC infection	2	2			1	1		1	71	97	50	3	4.2	0.7
Salmonellosis	13	28	18	28	13	15	17	15	1146	1366	1346	60	108.2	0.6
Shigellosis	1			1				1	89	230	96	1	7.8	0.1
Typhoid									3	14	11	0	0.8	0.0
Vibrio parahaemolyticus				1					3	12	12	0	0.5	0.0
Yersiniosis								1	10	19	8	1	1.1	0.9
Sexually transmissible infections														
Chlamydia (genital)	158	165	155	129	152	148	163	94	6957	7620	7503	557	664.5	0.8
Gonorrhoea	30	32	37	21	35	30	31	13	2008	2401	1856	109	168.7	0.6
Syphilis (congenital)									2	0	0	0	0.0	0.0
Syphilis - Infectious	5	8	14	15	6	11	6	8	399	278	244	31	21.1	1.5
Syphilis - Non-Infectious	6	9	5	2	2	2	3		156	128	144	7	9.1	0.8
Vaccine preventable diseases														
Influenza	2					2	1		966	18083	4153	3	494.2	0.0
Measles									4	42	25	0	2.3	0.0
Mumps						1			7	13	17	1	2.1	0.5
Pertussis	1						1		91	376	803	1	80.5	0.0
Pneumococcal infection	2	1		2	2	1	4	1	52	129	103	8	10.5	0.8
Varicella (chicken pox)	15	11	10	9	17	7	4		329	388	407	28	40.3	0.7
Varicella (shingles)	35	36	21	33	20	23	8	2	1390	1316	1310	53	113.9	0.5
Varicella (unspecified)	35	42	43	36	42	55	76	56	1392	1093	1212	229	104.3	2.2
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.5	0.0
Chikungunya									3	6	1	0	0.9	0.0
Dengue fever									48	225	91	0	12.9	0.0
Malaria			1						22	44	39	0	2.9	0.0
Ross River virus	4	3	7	2	2	7	5	6	148	241	309	20	21.3	0.9
Typhus						1			9	14	9	1	1.8	0.6
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.1	0.0
Q Fever									2	2	6	0	0.3	0.0
Other diseases														
COVID-19	2	1	4	2	5	7	10	16	498	0	0	38	0.0	0.0
Creutzfeldt-Jakob disease									3	5	4	0	0.5	0.0
Legionellosis	2		1	6	2			1	45	23	35	3	4.3	0.7
Leprosy									1	0	1	0	0.2	0.0
Meningococcal infection									3	8	19	0	2.3	0.0
Tuberculosis	4	3	3	1	3	2	5	7	102	93	78	17	9.5	1.8
Grand Total	389	438	381	351	384	387	392	267						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.3			0.1			0.5
Hepatitis B (unspecified)	1	12 (4)	13.8	3	13 (5)	14.9	5	14 (16)	19.0
Hepatitis C (newly acquired)			0.8		(4)	2.9		(2)	4.1
Hepatitis C (unspecified)	2	9 (10)	12.7	5	23 (13)	25.1	4	32 (16)	27.5
Hepatitis D									0.3
Enteric diseases									
Campylobacteriosis	8	52 (83)	76.3	9	42 (91)	76.5	8	49 (90)	73.9
Cryptosporidiosis		1 (5)	26.5		3 (2)	13.6		1 (3)	13.8
Hepatitis A		(2)	0.1			0.1		(2)	0.4
Hepatitis E			0.3						0.1
Listeriosis			0.4		1	0.3			
Rotavirus	1	3 (6)	6.5		2 (9)	4.3		2 (20)	6.8
STEC/VTEC infection		1 (4)	3.4		(3)	1.7	1	2 (6)	4.1
Salmonellosis	6	18 (60)	52.7	7	18 (39)	44.4	2	24 (59)	52.3
Shigellosis		(7)	3.9		(6)	3.3		1 (5)	4.4
Typhoid			0.1			0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			0.1
Yersiniosis		(2)	0.4	1	1 (1)	0.7			0.3
Sexually transmissible infections									
Chlamydia (genital)	31	166 (237)	268.5	21	130 (197)	303.7	42	261 (312)	336.9
Gonorrhoea	4	32 (59)	70.0	3	29 (56)	87.9	6	48 (94)	104.4
Syphilis (congenital)						0.1			0.1
Syphilis - Infectious	4	9 (7)	14.2	2	9 (7)	15.3	2	13 (14)	22.5
Syphilis - Non-Infectious		1 (5)	6.7		2 (4)	4.2		4 (4)	9.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(60)	47.2		1 (48)	38.4		2 (53)	40.4
Measles			0.3		(9)	0.3			
Mumps		1	0.6			0.1			0.1
Pertussis		(10)	4.0		(21)	5.3		1 (5)	2.6
Pneumococcal infection	1	4 (3)	2.9		1 (5)	1.9		3 (4)	1.9
Varicella (chicken pox)		18 (8)	16.7		4 (13)	15.0		6 (19)	11.3
Varicella (shingles)	1	23 (54)	65.9		20 (51)	66.8	1	10 (37)	49.5
Varicella (unspecified)	23	80 (29)	59.1	15	77 (42)	70.9	18	72 (22)	53.0
Vector-borne diseases									
Barmah Forest virus						0.3			0.1
Chikungunya						0.1			0.3
Dengue fever		(1)	1.9		(8)	2.2		(5)	2.2
Malaria		(1)	0.8		(2)	0.6		(4)	1.5
Ross River virus		3 (8)	2.9	5	12 (4)	13.0	1	5 (6)	4.1
Typhus			0.4			0.3		1 (1)	0.5
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	4	9	22.5	1	3	22.1	11	26	20.6
Creutzfeldt-Jakob disease			0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis		1 (2)	1.9	1	2 (1)	2.2			1.8
Leprosy			0.1						
Melioidosis									
Meningococcal infection									0.4
Tuberculosis	3	4 (1)	4.3	2	5 (2)	3.8	2	8 (7)	5.3
Grand Total	89	447 (669)		75	398 (643)		103	585 (807)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.0						1.3
Hepatitis B (unspecified)		(3)	3.1		(1)	1.6	1	4 (1)	16.3
Hepatitis C (newly acquired)		(2)	3.1		(1)	3.1			2.5
Hepatitis C (unspecified)		2 (5)	28.6		1 (1)	40.8	3	5	31.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	22 (19)	91.9		5 (8)	75.3	1	4 (11)	75.4
Cryptosporidiosis		2 (1)	14.3		1	7.8			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		1 (1)	6.1		1 (2)	7.8			6.3
STEC/VTEC infection			3.6			4.7			2.5
Salmonellosis	2	8 (9)	59.7		1 (2)	26.7		(7)	42.7
Shigellosis			0.5			3.1		1 (1)	3.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	4	26 (36)	234.8	1	14 (13)	213.3	2	15 (12)	152.1
Gonorrhoea		6 (9)	57.2		1 (3)	23.5		3 (4)	42.7
Syphilis (congenital)									
Syphilis - Infectious		1	9.2			9.4		(1)	3.8
Syphilis - Non-Infectious			2.0						2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(23)	29.1		(1)	43.9		(8)	30.2
Measles									
Mumps									
Pertussis		(4)	7.7			1.6		(1)	1.3
Pneumococcal infection		(1)	2.0		(1)	1.6			7.5
Varicella (chicken pox)		4 (2)	17.9			6.3		1 (3)	11.3
Varicella (shingles)	2	20 (25)	133.7		2 (7)	106.7		2 (9)	59.1
Varicella (unspecified)			1.0	2	10 (3)	78.4		1 (1)	15.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever		(3)	1.0						2.5
Malaria			0.5						
Ross River virus		4 (6)	16.3		1 (1)	11.0			7.5
Typhus			1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			9.2			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis			3.6	1	1	3.1			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		2	1.5						1.3
Grand Total	11	98 (149)		4	38 (44)		7	36 (59)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	2.8			1.6			
Hepatitis B (unspecified)		1	9.8	1	1 (1)	16.4	1	2 (1)	19.9
Hepatitis C (newly acquired)			2.8		(2)	3.3			2.8
Hepatitis C (unspecified)	1	3 (10)	40.7		1 (4)	34.3		2	19.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	8 (4)	70.2		4 (8)	67.0		4 (8)	46.9
Cryptosporidiosis			7.0					(1)	27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(1)	5.6		(2)	3.3		(3)	7.1
STEC/VTEC infection			11.2		1	1.6			
Salmonellosis		3 (5)	47.7		(3)	42.5		2 (6)	72.5
Shigellosis	1	3 (1)	44.9			11.4		1 (1)	21.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	21 (15)	342.5	2	19 (21)	403.9	3	25 (27)	368.1
Gonorrhoea		4 (5)	120.7	3	16 (8)	232.2	1	7 (12)	280.0
Syphilis (congenital)			1.4						
Syphilis - Infectious		5	16.8	3	5 (2)	27.8		6 (2)	89.5
Syphilis - Non-Infectious			4.2	1	2	18.0		1 (2)	8.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(6)	63.2		(4)	32.7		(1)	37.0
Measles									
Mumps						1.6			2.8
Pertussis		(1)	2.8		(1)	1.6			1.4
Pneumococcal infection		1 (1)	21.1		3	42.5		(2)	14.2
Varicella (chicken pox)			7.0		1 (3)	34.3	4	7	37.0
Varicella (shingles)		(3)	25.3		5 (5)	76.9		3 (7)	44.1
Varicella (unspecified)	1	10 (1)	59.0	1	1	1.6			1.4
Vector-borne diseases									
Barmah Forest virus						3.3			1.4
Chikungunya									
Dengue fever		(1)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus		3	12.6			4.9		(1)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			1.4
COVID-19			4.2	1	1	14.7			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6		1 (1)	2.8
Tuberculosis									1.4
Grand Total	7	63 (54)		12	60 (64)		9	61 (75)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (2)	0.5
Hepatitis B (unspecified)		2	36.9	12	49 (32)	15.0
Hepatitis C (newly acquired)				0	0 (11)	2.6
Hepatitis C (unspecified)	1	3 (1)	29.5	16	81 (60)	23.8
Hepatitis D			2.5	0	0 (1)	0.1
Enteric diseases						
Campylobacteriosis		2 (5)	68.9	31	192 (331)	76.0
Cryptosporidiosis			2.5	0	8 (12)	16.7
Hepatitis A				0	0 (4)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	1 (0)	0.2
Rotavirus		1 (1)	7.4	1	10 (45)	6.1
STEC/VTEC infection				1	4 (13)	3.2
Salmonellosis	1	5 (3)	125.5	18	79 (195)	51.9
Shigellosis	2	3 (4)	103.4	3	9 (27)	6.7
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	0 (1)	0.1
Yersiniosis				1	1 (3)	0.4
Sexually transmissible infections						
Chlamydia (genital)	1	29 (37)	1073.3	109	712 (912)	311.1
Gonorrhoea		29 (18)	984.7	17	177 (270)	105.3
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	3	10 (7)	189.5	15	59 (40)	21.1
Syphilis - Non-Infectious			4.9	1	10 (16)	6.1
Vaccine preventable diseases						
H. influenzae type b			4.9	0	0 (0)	0.1
Influenza			29.5	0	3 (207)	41.9
Measles				0	0 (13)	0.1
Mumps				0	1 (2)	0.3
Pertussis		(1)	7.4	0	1 (44)	4.0
Pneumococcal infection		3 (4)	49.2	1	15 (21)	4.7
Varicella (chicken pox)			14.8	4	41 (49)	15.3
Varicella (shingles)		2 (6)	105.9	4	87 (205)	66.8
Varicella (unspecified)				60	252 (100)	52.5
Vector-borne diseases						
Barmah Forest virus		1	19.7	0	1 (0)	0.6
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	0	0 (18)	2.2
Malaria				0	0 (8)	1.0
Ross River virus			66.5	6	28 (27)	8.7
Typhus			2.5	0	1 (1)	0.6
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		(1)	4.9	0	0 (1)	0.1
COVID-19			49.2	18	81 (0)	27.9
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				2	4 (3)	2.2
Leprosy				0	0 (1)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection			2.5	0	1 (1)	0.3
Tuberculosis			4.9	7	19 (10)	3.3
Grand Total	8	90 (88)		327	1928 (2688)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 43	
	08/09	15/09	22/09	29/09	06/10	13/10	20/10	27/10	2020	2019
	Salmonella Total	20	31	22	37	17	21	23	18	1492
Serotype/Phage										
Salmonella Adelaide									3	2
Salmonella Agona	1								6	9
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum				1					14	18
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	4
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Blukwa				1					1	0
Salmonella Bovismorbificans									9	16
Salmonella Bredeney									1	2
Salmonella Cerro									2	1
Salmonella Chailey									2	1
Salmonella Charity									1	0
Salmonella Chester					1				22	19
Salmonella Choleraesuis bv Australia									13	11
Salmonella Choleraesuis bv Decatur									10	4
Salmonella Corvallis									3	7
Salmonella Derby									1	4
Salmonella Dublin									1	0
Salmonella Eastbourne			1						2	4
Salmonella Enteritidis		1							47	178
Salmonella Fremantle subsp II	1								4	4
Salmonella Give				1					4	3
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana									4	8
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									4	5
Salmonella Ibadan									2	0
Salmonella Infantis	2	1							24	20
Salmonella Jangwani									1	0
Salmonella Javiana									4	12
Salmonella Johannesburg									1	3
Salmonella Kentucky									3	18
Salmonella Kiambu									3	5
Salmonella Kottbus									4	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	5
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen						1			22	29
Salmonella Newport									10	24
Salmonella Oranienburg	2								7	7
Salmonella Orientalis									2	1

Weekly Report for period 02-SEP-20 to 27-OCT-20

	08/09	15/09	22/09	29/09	06/10	13/10	20/10	27/10	Cumulative Total to end of Week 43	
									2020	2019
Salmonella Total	20	31	22	37	17	21	23	18	1492	1689
Serotype/Phage										
Salmonella Orion									2	2
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	74
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam				2					11	4
Salmonella Reading									3	7
Salmonella Richmond									1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul							1		35	37
Salmonella Schwarzengrund									2	5
Salmonella Senftenberg			1	1			1		6	5
Salmonella Singapore									3	4
Salmonella Stanley									9	38
Salmonella Thompson									3	4
Salmonella Typhimurium	13	26	17	24	9	13	9	3	958	884
Salmonella Urbana									1	2
Salmonella Virchow	1								19	27
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross									2	0
Salmonella Welikade									4	4
Salmonella Weltevreden									6	26
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species		3	3	7	7	7	12	15	118	96
Salmonella subsp 1 ser 4,5:d:-									1	14
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-:- non-motile									2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0