



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 09-SEP-20 to 03-NOV-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 44			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/09	22/09	29/09	06/10	13/10	20/10	27/10	03/11	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		2	1	1					15	21	20	0	1.6	0.0
Hepatitis B (unspecified)	9	7	8	15	10	12	12	9	440	364	411	43	37.3	1.2
Hepatitis C (newly acquired)		1			1				77	97	100	1	11.8	0.1
Hepatitis C (unspecified)	21	12	14	26	19	18	16	22	701	743	771	75	75.1	1.0
Hepatitis D	1								3	9	7	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	75	52	56	58	58	50	53	45	2260	2941	2843	206	298.3	0.7
Cryptosporidiosis	3	1	2	2	6				481	159	97	6	13.3	0.5
Hepatitis A									6	24	8	0	1.2	0.0
Hepatitis E									3	3	2	0	0.2	0.0
Listeriosis			1			1			6	7	7	1	0.3	3.8
Paratyphoid fever									0	7	7	0	0.5	0.0
Rotavirus	4	2	4	5	2	1	3		175	457	240	6	29.6	0.2
STEC/VTEC infection	2		1	1	2		2		93	123	64	4	5.4	0.7
Salmonellosis	31	22	36	17	22	32	24	7	1515	1790	1791	85	150.7	0.6
Shigellosis		1	5	2		4	7		198	332	228	11	15.1	0.7
Typhoid									3	17	12	0	1.1	0.0
Vibrio parahaemolyticus		1							3	17	13	0	0.7	0.0
Yersiniosis							2	1	13	20	9	3	1.2	2.5
Sexually transmissible infections														
Chlamydia (genital)	201	199	162	205	198	210	199	104	9155	9932	9918	711	858.5	0.8
Gonorrhoea	65	67	49	62	61	63	47	10	3094	3346	2893	181	248.8	0.7
Syphilis (congenital)									3	1	0	0	0.1	0.0
Syphilis - Infectious	10	22	19	13	18	16	23	10	629	499	347	67	30.3	2.2
Syphilis - Non-Infectious	12	6	2	2	3	5	1		191	198	194	9	12.1	0.7
Vaccine preventable diseases														
H. influenzae type b									2	2	1	0	0.0	0.0
Influenza					2	1			1205	22962	5177	3	571.1	0.0
Measles									4	54	30	0	2.8	0.0
Mumps					1				10	27	18	1	16.7	0.1
Pertussis			1		1		1		116	473	1180	2	116.9	0.0
Pneumococcal infection	2	2	4	4	5	6	4	1	141	218	179	16	16.1	1.0
Varicella (chicken pox)	13	14	11	22	18	13	20	8	479	533	575	59	54.0	1.1
Varicella (shingles)	48	38	46	38	40	27	12	5	1959	1904	1896	84	159.6	0.5
Varicella (unspecified)	47	56	43	44	51	67	82	47	1548	1178	1279	247	111.3	2.2
Vector-borne diseases														
Barmah Forest virus	1				1				18	12	35	1	2.3	0.4
Chikungunya									7	6	3	0	1.1	0.0
Dengue fever									62	283	113	0	16.4	0.0
Malaria		1							28	53	46	0	3.4	0.0
Ross River virus	5	7	5	7	8	13	11	7	267	361	450	39	35.8	1.1
Typhus					1				17	22	16	1	2.2	0.5
Zoonotic diseases														
Leptospirosis							1		2	3	3	1	0.3	3.8
Q Fever									4	6	12	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulon		1							4	8	23	0	0.9	0.0
COVID-19	3	11	12	5	20	38	21	6	811	0	0	85	0.0	0.0
Creutzfeldt-Jakob disease									3	7	7	0	0.5	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.0	0.0
Legionellosis		1	6	2			2		64	29	43	2	5.9	0.3
Leprosy									1	1	1	0	0.3	0.0
Melioidosis									5	4	4	0	0.5	0.0
Meningococcal infection		1				1			9	20	35	1	3.3	0.3
Tuberculosis	6	3	1	4	3	5	7		117	105	95	15	10.9	1.4
Grand Total	559	530	489	535	551	583	550	282						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 44			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/09	22/09	29/09	06/10	13/10	20/10	27/10	03/11	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1						7	14	16	0	1.5	0.0
Hepatitis B (unspecified)	9	7	7	11	9	10	9	8	373	309	345	36	30.9	1.2
Hepatitis C (newly acquired)		1			1				61	69	79	1	9.2	0.1
Hepatitis C (unspecified)	21	9	10	21	17	13	11	13	507	511	566	54	56.2	1.0
Hepatitis D	1								2	9	6	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	62	42	44	42	42	37	41	37	1791	2390	2229	157	230.7	0.7
Cryptosporidiosis	3	1		1	4				416	92	50	4	8.7	0.5
Hepatitis A									5	21	7	0	1.2	0.0
Hepatitis E									3	3	2	0	0.2	0.0
Listeriosis			1			1			5	7	4	1	0.3	3.8
Paratyphoid fever									0	7	7	0	0.5	0.0
Rotavirus	1	1	4	4	1	1	3		138	385	172	5	23.8	0.2
STEC/VTEC infection	2			1	1		1		71	97	52	2	4.3	0.5
Salmonellosis	28	18	27	13	16	25	19	7	1166	1403	1378	67	115.8	0.6
Shigellosis			1			1			89	234	99	1	8.3	0.1
Typhoid									3	15	11	0	0.9	0.0
Vibrio parahaemolyticus		1							3	12	12	0	0.5	0.0
Yersiniosis							2		11	19	8	2	1.1	1.9
Sexually transmissible infections														
Chlamydia (genital)	165	160	129	155	151	163	148	86	7108	7803	7707	548	668.6	0.8
Gonorrhoea	32	37	20	36	32	36	27	8	2037	2460	1922	103	172.4	0.6
Syphilis (congenital)									2	0	0	0	0.1	0.0
Syphilis - Infectious	8	15	15	6	12	6	13	6	412	285	248	37	21.4	1.7
Syphilis - Non-Infectious	9	5	2	2	2	3	1		157	131	146	6	9.4	0.6
Vaccine preventable diseases														
Influenza					2	1			966	18114	4205	3	413.4	0.0
Measles									4	42	28	0	2.4	0.0
Mumps					1				7	13	17	1	2.1	0.5
Pertussis					1		1		92	379	815	2	79.6	0.0
Pneumococcal infection	1		2	2	1	4	2	1	54	131	105	8	9.5	0.8
Varicella (chicken pox)	11	10	9	18	15	11	11	6	362	395	417	43	40.1	1.1
Varicella (shingles)	37	21	34	23	35	15	8		1420	1351	1339	58	116.1	0.5
Varicella (unspecified)	42	43	36	40	44	59	72	44	1422	1126	1241	219	104.7	2.1
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.5	0.0
Chikungunya									3	6	1	0	1.0	0.0
Dengue fever									48	231	95	0	13.5	0.0
Malaria		1							22	45	40	0	2.8	0.0
Ross River virus	3	7	2	4	7	7	8	3	157	243	316	25	21.8	1.1
Typhus					1				9	14	10	1	1.8	0.6
Zoonotic diseases														
Leptospirosis									0	2	3	0	0.1	0.0
Q Fever									2	2	6	0	0.3	0.0
Other diseases														
COVID-19	1	4	2	5	7	9	18	5	504	0	0	39	0.0	0.0
Creutzfeldt-Jakob disease									3	5	5	0	0.5	0.0
Legionellosis		1	6	2			1		45	23	36	1	4.5	0.2
Leprosy									1	0	1	0	0.1	0.0
Meningococcal infection						1			4	9	20	1	2.0	0.5
Tuberculosis	3	3	1	3	2	5	7		102	95	79	14	9.3	1.5
Grand Total	439	387	353	389	404	408	403	224						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.3			0.1			0.5
Hepatitis B (unspecified)	1	8 (4)	13.9	2	12 (7)	15.2	5	16 (15)	19.7
Hepatitis C (newly acquired)			0.8		(2)	2.9		1 (2)	4.2
Hepatitis C (unspecified)	3	12 (14)	12.9	7	20 (10)	26.0	3	22 (18)	27.8
Hepatitis D									0.3
Enteric diseases									
Campylobacteriosis	16	54 (82)	79.0	8	45 (89)	78.5	13	58 (98)	76.8
Cryptosporidiosis		1 (4)	26.5		2 (2)	13.6		1 (3)	13.8
Hepatitis A		(1)	0.1			0.1		(1)	0.4
Hepatitis E			0.3					(1)	0.1
Listeriosis			0.4		1	0.3			
Rotavirus		2 (11)	6.7		1 (12)	4.3		2 (18)	6.9
STEC/VTEC infection		1 (2)	3.4		(1)	1.7		1 (5)	4.1
Salmonellosis	1	16 (61)	53.3	17	(48)	44.8	6	34 (60)	53.9
Shigellosis		(7)	3.9		(7)	3.3		1 (6)	4.4
Typhoid			0.1		(1)	0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			0.1
Yersiniosis		(1)	0.4		1 (1)	0.7		1	0.4
Sexually transmissible infections									
Chlamydia (genital)	31	167 (252)	274.8	23	124 (211)	309.6	32	257 (296)	344.6
Gonorrhoea	5	37 (61)	71.6	1	28 (53)	89.0	2	38 (92)	105.4
Syphilis (congenital)						0.1			0.1
Syphilis - Infectious	1	8 (6)	14.1	2	8 (7)	15.7	3	21 (10)	23.9
Syphilis - Non-Infectious		2 (6)	6.8		2 (5)	4.2		2 (3)	9.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(47)	47.2		1 (42)	38.4		2 (54)	40.4
Measles			0.3		(6)	0.3			
Mumps		1	0.6			0.1			0.1
Pertussis		(9)	4.0		(15)	5.3		2 (1)	2.7
Pneumococcal infection		3 (4)	2.9	1	2 (2)	2.1		3 (4)	2.1
Varicella (chicken pox)	4	26 (9)	19.1	2	7 (14)	15.9		10 (16)	12.3
Varicella (shingles)		27 (59)	67.6		19 (53)	68.0		12 (34)	50.5
Varicella (unspecified)	14	65 (35)	58.7	19	81 (38)	74.0	11	73 (30)	54.4
Vector-borne diseases									
Barmah Forest virus						0.3			0.1
Chikungunya						0.1			0.3
Dengue fever		(4)	1.9		(8)	2.2		(6)	2.2
Malaria		(1)	0.8		(2)	0.6		(3)	1.5
Ross River virus		4 (6)	3.1	3	18 (4)	14.1		3 (3)	4.0
Typhus			0.4			0.3		1 (1)	0.5
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		6	22.5		2	22.1	5	31	21.3
Creutzfeldt-Jakob disease			0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.9		1 (1)	2.2			1.8
Leprosy			0.1						
Melioidosis									
Meningococcal infection					1	0.1		(1)	0.4
Tuberculosis		4 (2)	4.3		4 (2)	3.8		6 (7)	5.3
Grand Total	76	444 (690)		68	397 (643)		80	598 (789)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.0						1.3
Hepatitis B (unspecified)		(3)	3.1		(1)	1.6		3 (2)	16.3
Hepatitis C (newly acquired)		(2)	3.1			3.1			2.5
Hepatitis C (unspecified)	3	3 (6)	30.1	1	2 (1)	42.3		5	31.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	20 (24)	94.9	1	2 (8)	76.9		8 (15)	81.7
Cryptosporidiosis		2 (3)	14.3			7.8		(1)	6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		1	6.1		(2)	7.8			6.3
STEC/VTEC infection		1	4.1			4.7			2.5
Salmonellosis		7 (13)	59.7		2 (2)	28.2		1 (7)	44.0
Shigellosis			0.5			3.1		1 (2)	3.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis	1	1	0.5			1.6			
Sexually transmissible infections									
Chlamydia (genital)	8	33 (51)	241.4	3	16 (17)	224.3	4	20 (18)	162.2
Gonorrhoea	1	7 (14)	58.2		(3)	23.5		3 (4)	42.7
Syphilis (congenital)									
Syphilis - Infectious	1	3	10.2			9.4	1	2 (1)	6.3
Syphilis - Non-Infectious		1	2.6						2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(17)	29.1		(2)	43.9		(7)	30.2
Measles									
Mumps									
Pertussis		(3)	7.7			1.6		(1)	1.3
Pneumococcal infection		(1)	2.0		(1)	1.6			7.5
Varicella (chicken pox)		2 (2)	17.9			6.3		2 (2)	12.6
Varicella (shingles)	3	17 (25)	135.3	1	1 (7)	108.2		2 (10)	59.1
Varicella (unspecified)	1	1	1.5	1	8 (2)	80.0	1	4	18.9
Vector-borne diseases									
Barmah Forest virus			0.5		(1)	4.7			
Chikungunya			2.0						
Dengue fever		(3)	1.0						2.5
Malaria			0.5						
Ross River virus	1	7 (4)	18.4		2 (1)	12.5	1	1	8.8
Typhus			1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis			0.5		1	1.6			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			9.2			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis			3.6		1 (1)	3.1			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		1	1.5						1.3
Grand Total	22	107 (171)		7	35 (49)		7	52 (70)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			2.8			1.6			1.4
Hepatitis B (unspecified)		1	9.8		1	16.4	1	2 (1)	19.9
Hepatitis C (newly acquired)			2.8			3.3			2.8
Hepatitis C (unspecified)	1	3 (6)	42.1	3	4 (5)	39.2		2	19.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	7 (4)	71.6	2	6 (6)	70.3	1	5 (10)	49.7
Cryptosporidiosis			7.0					(2)	27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus			5.6			3.3		(3)	7.1
STEC/VTEC infection			11.2		1	1.6			
Salmonellosis		3 (6)	47.7		(5)	42.5		3 (8)	73.9
Shigellosis		2 (1)	44.9			11.4		1 (1)	22.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	21 (18)	352.3	1	19 (28)	420.2		26 (31)	378.0
Gonorrhoea		6 (8)	124.9	1	15 (5)	245.3		8 (17)	285.7
Syphilis (congenital)			1.4						
Syphilis - Infectious		3	16.8		5 (1)	27.8	1	6 (2)	93.8
Syphilis - Non-Infectious			4.2		1	16.4		1 (2)	8.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(4)	63.2		(4)	32.7		(2)	37.0
Measles									
Mumps						1.6			2.8
Pertussis			2.8		(1)	1.6			1.4
Pneumococcal infection		1 (2)	21.1		4	44.1		2 (2)	17.1
Varicella (chicken pox)			7.0		2 (4)	36.0	2	9	42.6
Varicella (shingles)		(7)	25.3	1	4 (5)	80.1		2 (5)	45.5
Varicella (unspecified)		13 (1)	64.6					1	2.8
Vector-borne diseases									
Barmah Forest virus						3.3			1.4
Chikungunya									
Dengue fever			1.4		(1)	6.5			1.4
Malaria						1.6			
Ross River virus	2	4	16.8			4.9		(1)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			1.4
COVID-19			4.2		3	18.0			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis		(1)	2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6			1.4
Tuberculosis									1.4
Grand Total	5	64 (58)		8	65 (65)		5	68 (87)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (2)	0.5
Hepatitis B (unspecified)			36.9	9	43 (33)	15.3
Hepatitis C (newly acquired)				0	1 (6)	2.7
Hepatitis C (unspecified)	1	2 (1)	32.0	22	75 (61)	24.4
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		1 (4)	68.9	45	206 (343)	78.6
Cryptosporidiosis			2.5	0	6 (15)	16.7
Hepatitis A				0	0 (2)	0.2
Hepatitis E				0	0 (1)	0.1
Listeriosis				0	1 (0)	0.2
Rotavirus		(1)	4.9	0	6 (48)	6.1
STEC/VTEC infection				0	4 (8)	3.2
Salmonellosis		2 (4)	125.5	7	85 (217)	52.7
Shigellosis		6 (5)	110.8	0	11 (31)	6.9
Typhoid				0	0 (2)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				1	3 (2)	0.5
Sexually transmissible infections						
Chlamydia (genital)	1	25 (34)	1093.0	104	711 (964)	318.4
Gonorrhoea		39 (22)	1038.8	10	181 (281)	107.6
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	1	11 (10)	196.9	10	67 (38)	21.9
Syphilis - Non-Infectious		(1)	4.9	0	9 (19)	6.1
Vaccine preventable diseases						
H. influenzae type b			4.9	0	0 (0)	0.1
Influenza			29.5	0	3 (181)	41.9
Measles				0	0 (9)	0.1
Mumps				0	1 (4)	0.3
Pertussis		(1)	7.4	0	2 (31)	4.0
Pneumococcal infection		1 (4)	49.2	1	16 (20)	4.9
Varicella (chicken pox)		1	17.2	8	59 (48)	16.7
Varicella (shingles)		(7)	105.9	5	84 (215)	68.1
Varicella (unspecified)				47	247 (108)	53.8
Vector-borne diseases						
Barmah Forest virus		1	19.7	0	1 (1)	0.6
Chikungunya				0	0 (0)	0.2
Dengue fever		(1)	2.5	0	0 (23)	2.2
Malaria				0	0 (8)	1.0
Ross River virus			66.5	7	39 (20)	9.3
Typhus			2.5	0	1 (1)	0.6
Zoonotic diseases						
Leptospirosis				0	1 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			4.9	0	0 (0)	0.1
COVID-19			49.2	6	85 (0)	28.2
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	2 (4)	2.2
Leprosy				0	0 (1)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection			2.5	0	1 (1)	0.3
Tuberculosis			4.9	0	15 (11)	3.4
Grand Total	3	89 (95)		282	1966 (2760)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 44	
	15/09	22/09	29/09	06/10	13/10	20/10	27/10	03/11	2020	2019
	Salmonella Total	31	22	36	17	22	32	24	7	1515
Serotype/Phage										
Salmonella Adelaide					1				4	2
Salmonella Agona									6	9
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum			1						15	18
Salmonella Anatum var 15+				1					5	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	4
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Blukwa			1						1	0
Salmonella Bovismorbificans			1						10	16
Salmonella Bredeney									1	2
Salmonella Cerro									2	1
Salmonella Chailey									2	1
Salmonella Charity									1	0
Salmonella Chester				3					24	19
Salmonella Choleraesuis bv Australia		1							14	11
Salmonella Choleraesuis bv Decatur									10	4
Salmonella Corvallis									3	8
Salmonella Derby									1	4
Salmonella Dublin									1	0
Salmonella Eastbourne		1							2	5
Salmonella Enteritidis	1								47	183
Salmonella Fremantle subsp II									4	4
Salmonella Give			1		1				5	3
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana									4	8
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss							1		5	5
Salmonella Ibadan									2	0
Salmonella Infantis	1						1		25	23
Salmonella Jangwani									1	0
Salmonella Javiana									4	12
Salmonella Johannesburg									1	3
Salmonella Kentucky									3	18
Salmonella Kiambu									3	5
Salmonella Kottbus									4	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	4
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	6
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen					2	1			24	29
Salmonella Newport									10	24
Salmonella Oranienburg									7	7
Salmonella Orientalis									2	1

Weekly Report for period 09-SEP-20 to 03-NOV-20

	15/09	22/09	29/09	06/10	13/10	20/10	27/10	03/11	Cumulative Total to end of Week 44	
									2020	2019
Salmonella Total	31	22	36	17	22	32	24	7	1515	1743
Serotype/Phage										
Salmonella Orion									2	2
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	76
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam			2		1				12	4
Salmonella Reading									3	7
Salmonella Richmond									1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul				1		1			36	38
Salmonella Schwarzengrund									2	5
Salmonella Senftenberg		1	1			1			6	5
Salmonella Singapore									3	4
Salmonella Stanley									9	38
Salmonella Thompson									3	4
Salmonella Typhimurium	26	17	24	9	14	19	8		974	914
Salmonella Urbana									1	2
Salmonella Virchow									19	28
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross									2	0
Salmonella Welikade									4	5
Salmonella Weltevreden	1								7	28
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species	2	2	5	3	3	8	16	7	110	101
Salmonella subsp 1 ser 4,5:d:-									1	14
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-:- non-motile									2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0