



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 12-MAR-21 to 06-MAY-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)								1	4	4	12	1	2.0	0.5
Hepatitis B (unspecified)	5	8	10	5	8	11	8	4	263	154	156	31	41.8	0.7
Hepatitis C (newly acquired)	2		2	1	1				20	25	34	1	9.3	0.1
Hepatitis C (unspecified)	19	23	15	8	24	29	15	22	402	270	313	90	75.1	1.2
Enteric diseases														
Campylobacteriosis	49	58	45	50	53	57	46	23	995	964	1058	179	202.5	0.9
Cryptosporidiosis	3	2	2	1	2	3	7	4	48	444	92	16	29.9	0.5
Hepatitis A					1				1	6	15	1	1.1	0.9
Listeriosis					1				2	1	5	1	0.2	5.0
Rotavirus	5	4	2	3	2	2	2	1	45	83	103	7	27.1	0.3
STEC/VTEC infection	2	4	2	1		2	1	3	40	55	63	6	6.7	0.9
Salmonellosis	38	33	27	18	20	25	21	10	461	811	845	76	184.1	0.4
Shigellosis	1	4	1		2	1		1	27	126	166	4	15.0	0.3
Typhoid									1	3	11	0	0.6	0.0
Vibrio parahaemolyticus									3	2	10	0	1.7	0.0
Yersiniosis	1		2		2	2		1	14	4	1	5	0.9	5.8
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	204	218	215	160	217	208	162	72	3679	3945	4295	659	876.1	0.8
Gonorrhoea	64	61	50	50	52	48	41	10	910	1458	1486	151	268.0	0.6
Syphilis (congenital)		1		1	1	1			4	0	1	2	0.1	30.0
Syphilis - Infectious	24	20	23	14	22	21	24	9	329	225	201	76	33.4	2.3
Syphilis - Non-Infectious	1	4	4	3	4	1	2	1	60	71	81	8	13.8	0.6
Vaccine preventable diseases														
Influenza			1		1	1			12	1150	2372	2	475.9	0.0
Mumps								1	2	8	10	1	12.6	0.1
Pertussis		1		1		1		1	12	93	251	2	62.6	0.0
Pneumococcal infection	1	2		1	2	1	3	1	25	37	47	7	12.3	0.6
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	15	11	9	7	5	6	1		124	144	220	12	36.9	0.3
Varicella (shingles)	54	55	48	57	36	16	12	2	849	831	760	66	158.1	0.4
Varicella (unspecified)	50	52	37	36	39	40	67	41	676	467	490	187	112.3	1.7
Vector-borne diseases														
Barmah Forest virus				1		1			6	9	5	1	3.0	0.3
Dengue fever					2				2	62	139	2	24.3	0.1
Malaria			1						4	24	18	0	3.5	0.0
Ross River virus	15	4	9	8	9	11	19	7	285	137	172	46	58.9	0.8
Typhus									6	11	4	0	1.7	0.0
Zoonotic diseases														
Leptospirosis									1	0	3	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis					1				1	1	4	1	0.3	3.8
COVID-19	8	3	11	8	19	15	15	3	135	552	0	52	38.3	1.4
Creutzfeldt-Jakob disease		1							2	2	3	0	0.7	0.0
Legionellosis		1		2	3	1	3		20	23	12	7	4.5	1.5
Melioidosis					1				2	4	4	1	0.6	1.7
Meningococcal infection					2	1			6	4	8	3	1.1	2.8
Tuberculosis	1	3	3	3	4	5	4	1	45	43	36	14	9.5	1.5
Grand Total	562	573	519	439	536	511	453	218						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	4	6	9	3	8	10	5	4	188	132	135	27	34.7	0.8
Hepatitis C (newly acquired)	2		2	1	1				19	21	25	1	7.1	0.1
Hepatitis C (unspecified)	14	18	13	4	20	18	11	15	285	193	208	64	51.9	1.2
Enteric diseases														
Campylobacteriosis	37	44	33	34	37	45	39	18	781	773	872	139	162.2	0.9
Cryptosporidiosis					1	1	4	2	19	391	43	8	18.9	0.4
Hepatitis A					1				1	5	14	1	0.8	1.3
Listeriosis					1				1	0	5	1	0.0	0.0
Rotavirus	4	4	2	2	1	1	2	1	40	69	87	5	16.1	0.3
STEC/VTEC infection	1	4	1	1		1		3	29	44	46	4	5.1	0.8
Salmonellosis	32	25	20	9	9	17	15	9	323	620	664	50	138.3	0.4
Shigellosis					1				6	68	111	1	6.5	0.2
Vibrio parahaemolyticus									3	2	9	0	1.3	0.0
Yersiniosis	1		2			1		1	9	4	1	2	0.6	3.3
Sexually transmissible infections														
Chlamydia (genital)	158	175	171	120	176	169	128	56	2929	3060	3350	529	682.4	0.8
Gonorrhoea	34	42	31	33	32	30	25	9	541	1026	1082	96	184.0	0.5
Syphilis (congenital)									0	0	0	0	0.0	0.0
Syphilis - Infectious	14	9	14	9	11	17	19	8	192	136	113	55	22.1	2.5
Syphilis - Non-Infectious	1	2	2	2	2		1	1	43	58	57	4	10.9	0.4
Vaccine preventable diseases														
Influenza									7	924	1663	0	354.2	0.0
Mumps								1	1	6	7	1	1.6	0.6
Pertussis		1				1		1	10	72	190	2	43.7	0.0
Pneumococcal infection				1	2		3		12	15	31	5	6.8	0.7
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	14	9	5	4	4	4			91	97	155	8	27.5	0.3
Varicella (shingles)	41	40	38	33	28	6			592	598	548	34	112.3	0.3
Varicella (unspecified)	46	50	34	34	30	36	60	36	627	447	472	162	106.8	1.5
Vector-borne diseases														
Barmah Forest virus									1	1	1	0	0.8	0.0
Malaria			1						3	18	17	0	2.9	0.0
Ross River virus	9	1	5	4	5	4	13	3	151	68	125	25	32.1	0.8
Other diseases														
COVID-19	1	2	9	3	5	5	6	2	57	371	0	18	24.5	0.7
Creutzfeldt-Jakob disease		1							2	2	3	0	0.4	0.0
Legionellosis		1		1	1	1	2		12	10	11	4	3.2	1.3
Melioidosis					1				1	0	2	1	0.1	7.5
Meningococcal infection					1				2	2	3	1	0.5	1.9
Tuberculosis	1	3	3	3	4	5	4	1	41	41	31	14	8.3	1.7
Grand Total	414	437	395	301	382	372	337	171						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1			0.2		(1)	0.1
Hepatitis B (unspecified)	2	7 (7)	7.2	2	8 (9)	9.2		12 (9)	10.2
Hepatitis C (newly acquired)					(1)	0.9		1 (3)	1.8
Hepatitis C (unspecified)	4	10 (3)	6.8	6	22 (11)	15.4	5	32 (13)	18.3
Hepatitis D			0.1						0.1
Enteric diseases									
Campylobacteriosis	9	49 (31)	38.3	2	36 (36)	36.5	7	54 (26)	35.4
Cryptosporidiosis		1 (11)	0.3		3 (6)	1.2	2	4 (5)	1.2
Hepatitis A								1	0.1
Listeriosis								1	0.1
Rotavirus		1 (3)	1.9		(1)	1.2	1	4 (2)	2.5
STEC/VTEC infection		1 (1)	1.4			0.9	3	3 (2)	1.8
Salmonellosis	3	21 (68)	16.1	4	14 (32)	12.8	2	15 (41)	16.5
Shigellosis		(2)	0.1		1	0.5			0.3
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis	1	1	0.4		1	0.5			0.4
Sexually transmissible infections									
Chlamydia (genital)	14	155 (145)	122.6	14	163 (181)	127.6	28	211 (205)	162.3
Gonorrhoea	2	29 (53)	22.1	4	24 (61)	21.2	3	43 (67)	32.5
Syphilis (congenital)									
Syphilis - Infectious	3	9 (6)	4.2	1	13 (6)	8.7	4	33 (11)	14.1
Syphilis - Non-Infectious		2 (2)	1.6		1 (1)	2.0	1	1 (7)	2.5
Vaccine preventable diseases									
Influenza		(3)	0.5		(3)	0.2		(4)	0.3
Mumps							1	1 (1)	0.1
Pertussis		(3)	0.1	1	1 (2)	0.9		1 (1)	0.4
Pneumococcal infection		1	0.3		2	0.5		2 (1)	1.0
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		1 (1)	5.2		4 (4)	4.4		3 (4)	3.3
Varicella (shingles)		9 (51)	30.5		17 (32)	28.6		8 (42)	24.4
Varicella (unspecified)	9	43 (29)	30.4	16	61 (29)	34.4	11	58 (26)	24.2
Vector-borne diseases									
Barmah Forest virus						0.2			
Dengue fever									
Malaria						0.2			0.3
Ross River virus	1	6 (2)	7.4	1	10 (13)	8.1	1	9 (1)	5.9
Typhus									
Zoonotic diseases									
Leptospirosis									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1	11 (2)	3.5		1 (4)	1.2	1	6 (6)	3.2
Creutzfeldt-Jakob disease			0.1					(1)	0.1
Legionellosis		2 (2)	0.7		(1)	0.5		2 (1)	0.5
Melioidosis								1	0.1
Meningococcal infection					1	0.2		(1)	0.1
Tuberculosis		1 (1)	1.2		5 (1)	2.1	1	8 (3)	2.5
Grand Total	49	360 (426)		51	388 (434)		71	514 (484)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	4.9			3.3	1 (1)		17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	2	6 (6)	13.7	1	6 (1)	29.4	2 (2)		20.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	19 (10)	43.8		5 (3)	44.0	4 (4)		32.0
Cryptosporidiosis	2	2 (4)	2.2		1	4.9			
Hepatitis A									
Listeriosis			0.5						
Rotavirus			0.5		1	3.3			
STEC/VTEC infection		2	3.8			1.6			
Salmonellosis		3 (15)	16.4		3 (1)	8.2	2 (3)		24.0
Shigellosis									
Vibrio parahaemolyticus									
Yersiniosis				1		1.6	1		1.3
Sexually transmissible infections									
Chlamydia (genital)	4	31 (37)	97.5	1	7 (14)	73.4	7 (9)		68.1
Gonorrhoea		3 (13)	9.9		1 (2)	3.3	4 (2)		21.4
Syphilis (congenital)									
Syphilis - Infectious		1	3.3		2	3.3	(1)		2.7
Syphilis - Non-Infectious		1	1.1			1.6			5.3
Vaccine preventable diseases									
Influenza					2	4.9			
Mumps									
Pertussis			1.1						
Pneumococcal infection			0.5				1		5.3
Rubella (non-congenital)									
Varicella (chicken pox)		3 (1)	6.0			11.4			6.7
Varicella (shingles)	1	14 (26)	61.3		5 (5)	70.1	2 (4)		42.7
Varicella (unspecified)	1	4	3.3	1	7	16.3	4 (2)		12.0
Vector-borne diseases									
Barmah Forest virus									
Dengue fever									
Malaria									
Ross River virus	1	5 (3)	27.9	1	6 (1)	75.0	2 (1)		10.7
Typhus			0.5			3.3			1.3
Zoonotic diseases									
Leptospirosis									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		(2)	0.5						
Creutzfeldt-Jakob disease									
Legionellosis		1	1.1			1.6	(1)		1.3
Melioidosis									
Meningococcal infection		1	0.5				1		1.3
Tuberculosis			0.5			1.6			
Grand Total	13	96 (118)		4	47 (27)		31 (30)		

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			5.0		1	9.7			26.8
Hepatitis C (newly acquired)							(1)		1.7
Hepatitis C (unspecified)	3	8 (2)	28.2	1	1	29.0	2 (1)		20.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (6)	38.1	2	6 (2)	36.7	1	1 (4)	38.5
Cryptosporidiosis			1.7			1.9		1 (1)	3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9		1	1.7
STEC/VTEC infection			1.7			1.9			1.7
Salmonellosis		3 (2)	11.6		(4)	17.4	1	8 (7)	46.9
Shigellosis		(2)	11.6	1	1	3.9		(1)	5.0
Vibrio parahaemolyticus									
Yersiniosis					1	1.9			3.3
Sexually transmissible infections									
Chlamydia (genital)	3	16 (24)	169.1	3	19 (23)	173.8	1	16 (18)	164.1
Gonorrhoea		4 (4)	43.1		14 (4)	162.2		11 (18)	118.9
Syphilis (congenital)					1	1.9		1	1.7
Syphilis - Infectious		1 (2)	11.6		2	23.2		7 (3)	83.7
Syphilis - Non-Infectious			1.7		1	7.7		(1)	3.3
Vaccine preventable diseases									
Influenza		(1)	1.7						
Mumps						1.9			
Pertussis									
Pneumococcal infection		(1)	1.7		(2)	1.9	1	1	5.0
Rubella (non-congenital)									
Varicella (chicken pox)			3.3		1	11.6		(1)	3.3
Varicella (shingles)		3 (3)	18.2		3 (7)	40.6	1	2 (5)	26.8
Varicella (unspecified)	1	5 (1)	21.5	1	2	3.9	1	2	3.3
Vector-borne diseases									
Barmah Forest virus									
Dengue fever		1	1.7						
Malaria									
Ross River virus		4 (2)	8.3		1	29.0			1.7
Typhus									3.3
Zoonotic diseases									
Leptospirosis									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		1	3.3		1 (2)	1.9			
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis						1.9			
Grand Total	7	49 (50)		8	55 (44)		6	53 (61)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (3)	0.2
Hepatitis B (unspecified)		1	74.7	4	31 (28)	5.1
Hepatitis C (newly acquired)				0	1 (6)	0.8
Hepatitis C (unspecified)			40.2	22	90 (39)	12.9
Hepatitis D				0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		2 (2)	31.6	23	179 (125)	37.5
Cryptosporidiosis		2	43.1	4	16 (28)	1.8
Hepatitis A				0	1 (0)	0.0
Listeriosis				0	1 (0)	0.1
Rotavirus				1	7 (7)	1.7
STEC/VTEC infection				3	6 (3)	1.5
Salmonellosis		5 (3)	94.8	10	76 (178)	17.4
Shigellosis		2 (3)	25.8	1	4 (8)	1.0
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				1	5 (0)	0.5
Sexually transmissible infections						
Chlamydia (genital)	2	24 (31)	442.3	72	659 (690)	138.7
Gonorrhoea	1	17 (41)	407.8	10	151 (267)	34.3
Syphilis (congenital)			2.9	0	2 (0)	0.2
Syphilis - Infectious	1	8 (4)	158.0	9	76 (34)	12.4
Syphilis - Non-Infectious		1	5.7	1	8 (12)	2.1
Vaccine preventable diseases						
Influenza		(4)	2.9	0	2 (22)	0.5
Mumps				1	1 (2)	0.1
Pertussis				1	2 (7)	0.5
Pneumococcal infection			8.6	1	7 (4)	0.9
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)				0	12 (11)	4.7
Varicella (shingles)		3 (4)	46.0	2	66 (180)	32.0
Varicella (unspecified)		1	5.7	41	187 (88)	25.5
Vector-borne diseases						
Barmah Forest virus		1	14.4	0	1 (0)	0.2
Dengue fever				0	2 (1)	0.1
Malaria				0	0 (1)	0.2
Ross River virus	1	2 (3)	17.2	7	46 (26)	10.7
Typhus				0	0 (0)	0.2
Zoonotic diseases						
Leptospirosis			2.9	0	0 (0)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1	2.9	0	1 (0)	0.0
COVID-19				3	52 (27)	6.5
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Legionellosis			2.9	0	7 (7)	0.8
Melioidosis			2.9	0	1 (0)	0.1
Meningococcal infection			2.9	0	3 (1)	0.2
Tuberculosis				1	14 (5)	1.1
Grand Total	5	70 (95)		218	1718 (1811)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 18	
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2021	2020
	Salmonella Total	38	33	27	18	20	25	21	10	461
Serotype/Phage										
Salmonella Aberdeen						1			1	0
Salmonella Adelaide									2	2
Salmonella Agona	1	2							3	4
Salmonella Anatum						1	1		4	6
Salmonella Bahrenfeld									1	0
Salmonella Ball				1					1	0
Salmonella Bareilly									2	3
Salmonella Birkenhead									4	1
Salmonella Bovismorbificans							1		4	5
Salmonella Cerro	1		1						2	2
Salmonella Chester					2				5	15
Salmonella Choleraesuis bv Australia	1								3	7
Salmonella Choleraesuis bv Decatur									6	8
Salmonella Corvallis									1	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis				1	1				5	43
Salmonella Fremantle subsp II	1					1			3	3
Salmonella Give	1				1				4	1
Salmonella Havana									1	1
Salmonella Hessarek									1	1
Salmonella Houten subsp IV			1						2	0
Salmonella Hvittingfoss									2	1
Salmonella Infantis	1		3	1	5		1		16	12
Salmonella Irumu					1				1	0
Salmonella Johannesburg									1	1
Salmonella Kalumburu						1			1	0
Salmonella Kiambu			1						2	1
Salmonella Kottbus									1	2
Salmonella Lansing									1	0
Salmonella Litchfield			1						3	4
Salmonella Livingstone									1	0
Salmonella Matopeni	1								1	0
Salmonella Mbandaka		1							1	2
Salmonella Mississippi		1							1	1
Salmonella Muenchen		1					1		6	19
Salmonella Newport		1	1	1		1			7	8
Salmonella Oranienburg									2	3
Salmonella Orion									2	1
Salmonella Paratyphi B bv Java				1			1		2	21
Salmonella Poona						2			4	1
Salmonella Potsdam	1								6	7
Salmonella Reading		2			1	1	1		6	2
Salmonella Richmond									1	0
Salmonella Rissen									2	3
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul	2	2	1	1			1		15	21
Salmonella Senftenberg									1	1

Weekly Report for period 12-MAR-21 to 06-MAY-21

	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	Cumulative Total to end of Week 18	
									2021	2020
Salmonella Total	38	33	27	18	20	25	21	10	461	771
Serotype/Phage										
Salmonella Singapore									1	3
Salmonella Stanley	1						1		3	6
Salmonella Tennessee									2	0
Salmonella Typhimurium	23	20	16	12	5	14	9		249	476
Salmonella Urbana									1	0
Salmonella Virchow					1	1			7	15
Salmonella Wandsbek subsp II									1	3
Salmonella Wandsworth									1	0
Salmonella Weltevreden									2	4
Salmonella Zanzibar									2	1
Salmonella species	4	2	2		3	2	4	10	44	44
Salmonella subsp I ser 16:l,v:-		1							2	1