



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 19-MAR-21 to 13-MAY-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)					2				5	4	12	2	1.9	1.1
Hepatitis B (unspecified)	8	10	5	8	9	8	4	10	271	161	165	31	40.4	0.8
Hepatitis C (newly acquired)		2	1	1	1	1		1	22	30	37	3	9.2	0.3
Hepatitis C (unspecified)	23	15	8	24	27	14	20	14	412	285	328	75	72.8	1.0
Hepatitis D									2	0	7	0	0.5	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	58	46	50	58	57	45	45	8	1030	996	1121	155	199.5	0.8
Cryptosporidiosis	2	2	1	2	6	5	7		52	448	95	18	25.5	0.7
Hepatitis A				1					1	6	15	0	0.9	0.0
Listeriosis				1					2	1	5	0	0.2	0.0
Rotavirus	4	2	3	2	2	3	1		46	85	108	6	27.9	0.2
STEC/VTEC infection	4	2	1	1	1	3	2	1	42	55	64	7	5.9	1.2
Salmonellosis	33	27	21	21	24	19	15	3	470	859	878	61	178.5	0.3
Shigellosis	4	1		2	1	1	1		28	128	171	3	14.7	0.2
Typhoid									1	3	11	0	0.6	0.0
Vibrio parahaemolyticus									3	2	10	0	1.3	0.0
Yersiniosis		1		2	2		2		15	5	1	4	1.1	3.7
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	217	215	161	218	206	165	209	72	3892	4157	4538	652	866.7	0.8
Gonorrhoea	61	50	50	56	47	40	48	9	959	1529	1548	144	265.5	0.5
Syphilis (congenital)	1		1		1				3	0	1	1	0.1	7.5
Syphilis - Infectious	19	21	11	21	16	15	19	9	327	240	213	59	34.0	1.7
Syphilis - Non-Infectious	4	3	4	3	1	2		3	60	77	83	6	13.1	0.5
<b>Vaccine preventable diseases</b>														
Influenza		1		1	1		2		14	1154	2809	3	642.5	0.0
Mumps									1	9	12	0	11.3	0.0
Pertussis	1		1						10	93	264	0	63.3	0.0
Pneumococcal infection	2		1	2	1	4	1		26	37	51	6	13.7	0.4
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	11	9	7	5	6	1	1		125	147	227	8	39.2	0.2
Varicella (shingles)	55	48	57	37	16	14	18	2	873	883	804	50	159.7	0.3
Varicella (unspecified)	52	37	36	39	39	66	61	28	720	492	522	194	110.9	1.7
<b>Vector-borne diseases</b>														
Barmah Forest virus			1		1				6	10	5	1	2.9	0.3
Dengue fever				1					1	62	145	0	22.9	0.0
Malaria		1							4	24	20	0	3.7	0.0
Ross River virus	4	11	12	9	12	17	17	5	308	144	184	51	53.0	1.0
Typhus									6	12	5	0	1.8	0.0
<b>Zoonotic diseases</b>														
Leptospirosis									1	0	3	0	0.3	0.0
Q Fever							1		1	2	3	1	0.9	1.1
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis				1				1	2	1	4	1	0.3	3.0
COVID-19	3	11	8	19	16	17	9	2	145	556	0	44	30.0	1.5
Creutzfeldt-Jakob disease	1								2	2	3	0	0.7	0.0
Legionellosis	1	1	2	2	2	1	2	1	22	26	12	6	4.6	1.3
Melioidosis				1					2	4	4	0	0.5	0.0
Meningococcal infection				2	1				6	4	9	1	0.9	1.2
Tuberculosis	3	3	3	4	5	4	1	1	46	45	37	11	9.2	1.2
<b>Grand Total</b>	<b>571</b>	<b>519</b>	<b>445</b>	<b>544</b>	<b>503</b>	<b>445</b>	<b>486</b>	<b>170</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)					1				4	2	8	1	1.4	0.7
Hepatitis B (unspecified)	6	9	3	8	8	5	4	7	193	139	143	24	33.6	0.7
Hepatitis C (newly acquired)		2	1	1	1	1			20	23	27	2	7.0	0.3
Hepatitis C (unspecified)	18	13	4	20	16	10	14	10	292	202	217	50	51.3	1.0
Hepatitis D									2	0	7	0	0.3	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	44	34	34	41	45	36	34	6	805	800	922	121	159.7	0.8
Cryptosporidiosis				1	3	2	3		20	393	45	8	15.7	0.5
Hepatitis A				1					1	5	14	0	0.7	0.0
Listeriosis				1					1	0	5	0	0.1	0.0
Rotavirus	4	2	2	1	1	3	1		41	71	91	5	16.7	0.3
STEC/VTEC infection	4	1	1	1	1	1	2	1	31	44	47	5	4.7	1.1
Salmonellosis	25	20	12	10	16	13	12	3	330	654	693	44	133.6	0.3
Shigellosis				1					6	68	115	0	6.5	0.0
Vibrio parahaemolyticus									3	2	9	0	0.9	0.0
Yersiniosis		1			1		2		10	5	1	3	0.7	4.1
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	176	171	120	177	166	130	152	62	3090	3220	3528	510	676.7	0.8
Gonorrhoea	43	31	33	33	30	23	32	8	572	1079	1129	93	180.8	0.5
Syphilis (congenital)									0	0	0	0	0.1	0.0
Syphilis - Infectious	8	12	6	10	11	10	15	9	187	148	120	45	22.5	2.0
Syphilis - Non-Infectious	2	1	3	1		1		3	43	64	58	4	10.1	0.4
<b>Vaccine preventable diseases</b>														
Influenza							1		8	928	1987	1	491.4	0.0
Pertussis	1								8	72	203	0	44.5	0.0
Pneumococcal infection			1	2		3	1		13	15	34	4	7.6	0.5
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	9	5	4	4	4				91	100	161	4	29.3	0.1
Varicella (shingles)	40	38	33	28	6		1		593	638	581	7	113.4	0.1
Varicella (unspecified)	50	34	34	30	36	61	57	25	674	472	504	179	105.5	1.7
<b>Vector-borne diseases</b>														
Barmah Forest virus									1	2	1	0	0.8	0.0
Malaria		1							3	18	19	0	3.1	0.0
Ross River virus	1	7	6	5	6	9	9	2	163	73	133	26	29.1	0.9
<b>Other diseases</b>														
COVID-19	2	9	3	5	6	8	3	1	62	374	0	18	17.4	1.0
Creutzfeldt-Jakob disease	1								2	2	3	0	0.5	0.0
Legionellosis	1	1	1		2		2	1	14	13	11	5	3.1	1.6
Melioidosis				1					1	0	2	0	0.1	0.0
Meningococcal infection				1					2	2	3	0	0.4	0.0
Tuberculosis	3	3	3	4	5	4	1	1	43	43	32	11	8.2	1.3
<b>Grand Total</b>	<b>438</b>	<b>395</b>	<b>304</b>	<b>387</b>	<b>365</b>	<b>320</b>	<b>346</b>	<b>139</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1		1	0.3			0.1
Hepatitis B (unspecified)	3	7 (9)	7.5	2	6 (10)	9.3	2	11 (8)	10.4
Hepatitis C (newly acquired)		1	0.1		(1)	0.9		1 (4)	1.8
Hepatitis C (unspecified)	1	8 (6)	6.7	2	13 (12)	15.5	7	29 (16)	19.2
Hepatitis D			0.1						0.1
<b>Enteric diseases</b>									
Campylobacteriosis	1	38 (31)	38.5	3	35 (38)	38.3	2	48 (33)	36.8
Cryptosporidiosis		1 (7)	0.3		3 (4)	1.4		4 (4)	1.2
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		2 (3)	2.0		(1)	1.2		3 (1)	2.5
STEC/VTEC infection		1	1.4			1.1	1	4	1.9
Salmonellosis	1	16 (75)	16.5		13 (35)	13.1	2	15 (55)	16.7
Shigellosis		(1)	0.1			0.5			0.3
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		2	0.5		1 (1)	0.5			0.4
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	12	130 (155)	128.4	20	159 (208)	134.7	30	221 (253)	172.0
Gonorrhoea	2	25 (53)	23.3	3	26 (61)	22.9	3	42 (76)	34.2
Syphilis (congenital)									
Syphilis - Infectious	1	6 (10)	3.8	2	15 (7)	9.2	6	24 (13)	13.5
Syphilis - Non-Infectious		(5)	1.4		1 (1)	2.0	3	3 (10)	2.7
<b>Vaccine preventable diseases</b>									
Influenza		(4)	0.5		(4)	0.2		1 (3)	0.4
Mumps									
Pertussis			0.1		(1)	0.8		(1)	0.3
Pneumococcal infection		1	0.3		2	0.5		1	1.1
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		(1)	5.2		1 (4)	4.4		3 (6)	3.3
Varicella (shingles)		4 (54)	30.6		1 (37)	28.6		2 (46)	24.4
Varicella (unspecified)	9	49 (35)	32.4	5	65 (27)	36.5	11	65 (27)	26.6
<b>Vector-borne diseases</b>									
Barmah Forest virus					(1)	0.2			
Dengue fever									
Malaria						0.2			0.3
Ross River virus		4 (2)	7.6	1	14 (16)	9.2	1	8 (1)	6.3
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		9 (4)	3.7		2 (2)	1.4	1	7 (1)	3.6
Creutzfeldt-Jakob disease			0.1					(1)	0.1
Legionellosis	1	5 (1)	1.1		(3)	0.5		(2)	0.4
Melioidosis									0.1
Meningococcal infection						0.2		(1)	0.1
Tuberculosis	1	1 (1)	1.4		4 (3)	2.1		6 (2)	2.6
<b>Grand Total</b>	<b>32</b>	<b>310 (457)</b>		<b>38</b>	<b>362 (477)</b>		<b>69</b>	<b>498 (564)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1 (1)	5.5			3.3		1 (1)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	6 (8)	14.2		5 (1)	29.4	1	1 (4)	21.4
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	15 (13)	45.5		2 (1)	44.0		5 (4)	36.1
Cryptosporidiosis		4 (3)	3.3		1	4.9			
Hepatitis A									
Listeriosis			0.5						
Rotavirus			0.5			3.3			
STEC/VTEC infection		2	3.8			1.6			
Salmonellosis		1 (15)	16.4		1 (3)	8.2		2 (6)	26.7
Shigellosis									
Vibrio parahaemolyticus									
Yersiniosis						1.6		1	1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	7	37 (46)	105.2		10 (16)	79.9	1	7 (10)	73.4
Gonorrhoea	1	5 (17)	11.5			3.3		(3)	21.4
Syphilis (congenital)									
Syphilis - Infectious		1 (2)	3.3			3.3		(1)	2.7
Syphilis - Non-Infectious			1.1			1.6			5.3
<b>Vaccine preventable diseases</b>									
Influenza		1 (2)	0.5		1	4.9			
Mumps									
Pertussis			1.1						
Pneumococcal infection			0.5					1	5.3
Rubella (non-congenital)									
Varicella (chicken pox)		3 (1)	6.0			11.4			6.7
Varicella (shingles)	1	22 (21)	66.8		6 (5)	75.0		3 (5)	44.1
Varicella (unspecified)		5	3.8	1	3	16.3		1 (1)	12.0
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Dengue fever									
Malaria									
Ross River virus	2	8 (2)	30.7	1	6 (1)	76.6		2 (1)	13.4
Typhus			0.5			3.3		(1)	1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever								1	1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		1	1.1			1.6		(1)	1.3
Melioidosis									
Meningococcal infection		1	0.5						1.3
Tuberculosis			0.5			1.6			
<b>Grand Total</b>	<b>14</b>	<b>113 (131)</b>		<b>2</b>	<b>35 (27)</b>		<b>2</b>	<b>25 (38)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1	6.6		1	9.7			26.8
Hepatitis C (newly acquired)							1	1 (1)	3.3
Hepatitis C (unspecified)	1	8 (3)	28.2		1	29.0	1	3 (2)	21.8
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		3 (3)	39.8		6 (2)	42.5		1 (3)	38.5
Cryptosporidiosis		(1)	1.7		1	3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9		1 (1)	1.7
STEC/VTEC infection			1.7			1.9			1.7
Salmonellosis		1 (2)	11.6		(3)	17.4		6 (8)	46.9
Shigellosis		(4)	11.6		1	3.9		1 (2)	6.7
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	12 (25)	172.4		15 (25)	181.5	1	15 (19)	174.1
Gonorrhoea		3 (3)	43.1		8 (8)	171.9		10 (17)	122.2
Syphilis (congenital)					1	1.9			
Syphilis - Infectious		2 (1)	13.3			23.2		4 (1)	83.7
Syphilis - Non-Infectious			1.7		1	7.7		(1)	3.3
<b>Vaccine preventable diseases</b>									
Influenza		(1)	1.7						
Mumps						1.9			
Pertussis									
Pneumococcal infection		(1)	1.7		(2)	1.9		1	5.0
Rubella (non-congenital)									
Varicella (chicken pox)			3.3		1	13.5		(1)	3.3
Varicella (shingles)		3 (2)	21.5	1	3 (8)	44.4		4 (4)	31.8
Varicella (unspecified)	2	5 (1)	21.5		1	1.9			
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Dengue fever			1.7						
Malaria									
Ross River virus		4 (2)	11.6		2	30.9		(1)	1.7
Typhus									3.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			3.3		(2)	1.9			
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis						1.9			
<b>Grand Total</b>	<b>5</b>	<b>42 (49)</b>		<b>1</b>	<b>42 (50)</b>		<b>3</b>	<b>47 (61)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	2 (1)	0.2
Hepatitis B (unspecified)	1	2	77.5	10	31 (30)	5.4
Hepatitis C (newly acquired)				1	3 (8)	0.8
Hepatitis C (unspecified)			40.2	14	75 (52)	13.2
Hepatitis D				0	0 (0)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis	1	2 (4)	34.5	8	155 (133)	38.8
Cryptosporidiosis		3	46.0	0	18 (19)	2.0
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.1
Rotavirus				0	6 (7)	1.7
STEC/VTEC infection				1	7 (0)	1.6
Salmonellosis		4 (5)	97.6	3	61 (209)	17.7
Shigellosis		1 (3)	25.8	0	3 (10)	1.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	4 (1)	0.6
<b>Sexually transmissible infections</b>						
Chlamydia (genital)		38 (39)	499.7	72	652 (801)	146.8
Gonorrhoea		24 (38)	433.7	9	144 (279)	36.2
Syphilis (congenital)			2.9	0	1 (0)	0.1
Syphilis - Infectious		7 (5)	163.7	9	59 (41)	12.3
Syphilis - Non-Infectious			5.7	3	6 (18)	2.1
<b>Vaccine preventable diseases</b>						
Influenza		(2)	2.9	0	3 (19)	0.5
Mumps				0	0 (2)	0.0
Pertussis				0	0 (3)	0.4
Pneumococcal infection			8.6	0	6 (3)	1.0
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)				0	8 (13)	4.7
Varicella (shingles)		2 (3)	51.7	2	50 (186)	32.9
Varicella (unspecified)			2.9	28	194 (92)	27.2
<b>Vector-borne diseases</b>						
Barmah Forest virus		1	14.4	0	1 (1)	0.2
Dengue fever				0	0 (0)	0.0
Malaria				0	0 (0)	0.2
Ross River virus		3 (3)	20.1	5	51 (29)	11.6
Typhus				0	0 (1)	0.2
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	0 (0)	0.0
Q Fever				0	1 (0)	0.0
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)	1	1	5.7	1	1 (0)	0.1
COVID-19				2	44 (11)	6.9
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Legionellosis			2.9	1	6 (9)	0.8
Melioidosis			2.9	0	0 (0)	0.1
Meningococcal infection			2.9	0	1 (1)	0.2
Tuberculosis				1	11 (6)	1.1
<b>Grand Total</b>	<b>3</b>	<b>88 (102)</b>		<b>170</b>	<b>1604 (1986)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 19	
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2021	2020
	<b>Salmonella Total</b>	<b>33</b>	<b>27</b>	<b>21</b>	<b>21</b>	<b>24</b>	<b>19</b>	<b>15</b>	<b>3</b>	<b>470</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen					1				1	0
Salmonella Adelaide									2	2
Salmonella Agona	2								3	4
Salmonella Anatum					1	1			4	7
Salmonella Bahrenfeld									1	0
Salmonella Ball			1						1	0
Salmonella Bareilly									2	3
Salmonella Birkenhead									4	1
Salmonella Bovismorbificans						1			4	5
Salmonella Cerro		1							2	2
Salmonella Chester				2					5	16
Salmonella Choleraesuis bv Australia									3	8
Salmonella Choleraesuis bv Decatur									6	8
Salmonella Corvallis							1		2	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis			1	1					5	43
Salmonella Fremantle subsp II					1				3	3
Salmonella Give				1					4	1
Salmonella Havana									1	2
Salmonella Hessarek									1	1
Salmonella Houten subsp IV		1							2	0
Salmonella Hvittingfoss									2	1
Salmonella Infantis		3	1	5		2			17	15
Salmonella Irumu				1					1	0
Salmonella Johannesburg									1	1
Salmonella Kalumburu					1				1	0
Salmonella Kiambu		1							2	1
Salmonella Kottbus									1	2
Salmonella Lansing									1	1
Salmonella Litchfield		1							3	4
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka	1								1	2
Salmonella Mississippi	1								1	1
Salmonella Muenchen	1					1			6	19
Salmonella Newport	1	1	1		1				7	8
Salmonella Oranienburg						1			3	3
Salmonella Orion									2	1
Salmonella Paratyphi B bv Java						1			1	21
Salmonella Poona					2				4	1
Salmonella Potsdam									6	7
Salmonella Reading	2			1	1	1			6	2
Salmonella Richmond									1	0
Salmonella Rissen									2	3
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul	2	1	1			1			15	22
Salmonella Senftenberg									1	1



# Weekly Report for period 19-MAR-21 to 13-MAY-21

	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	Cumulative Total to end of Week 19	
										2021
<b>Salmonella Total</b>	<b>33</b>	<b>27</b>	<b>21</b>	<b>21</b>	<b>24</b>	<b>19</b>	<b>15</b>	<b>3</b>	<b>470</b>	<b>822</b>
<b>Serotype/Phage</b>										
Salmonella Singapore									1	3
Salmonella Stanley						1			3	7
Salmonella Tennessee									2	0
Salmonella Typhimurium	20	16	15	4	14	7	7		256	515
Salmonella Urbana									1	0
Salmonella Virchow				2		1			8	15
Salmonella Wandsbek subsp II									1	3
Salmonella Wandsworth									1	0
Salmonella Weltevreden									2	4
Salmonella Zanzibar									2	1
Salmonella species	2	2	1	4	2	1	7	3	43	46
Salmonella subsp I ser 16:l,v:-	1								2	1