



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 09-APR-21 to 03-JUN-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		2							5	6	14	0	2.4	0.0
Hepatitis B (unspecified)	8	9	8	4	11	13	13	3	299	188	189	40	46.7	0.9
Hepatitis C (newly acquired)	2	1	3		1	1			25	42	43	2	9.0	0.2
Hepatitis C (unspecified)	23	25	11	18	15	15	23	10	453	332	377	63	74.9	0.8
Hepatitis D					1				3	0	7	1	0.3	3.0
Enteric diseases														
Campylobacteriosis	57	63	50	39	41	50	40	19	1178	1131	1289	150	210.5	0.7
Cryptosporidiosis	3	6	8	5	1	3	1		59	453	101	5	16.5	0.3
Hepatitis A	1								1	6	15	0	0.7	0.0
Listeriosis	1								2	1	5	0	0.5	0.0
Rotavirus	2	2	3	1	1	3	2	2	54	101	143	8	30.9	0.3
STEC/VTEC infection	1	1	5	2	1	2	1		47	59	74	4	4.8	0.8
Salmonellosis	21	26	20	14	17	19	22	6	532	946	1006	64	162.5	0.4
Shigellosis	2	1	1	1	2	6	2		38	141	185	10	14.2	0.7
Typhoid									1	3	12	0	0.5	0.0
Vibrio parahaemolyticus									3	2	12	0	1.3	0.0
Yersiniosis	1	2			2				15	5	2	2	1.4	1.4
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	218	207	170	216	228	202	195	63	4523	4764	5124	688	867.9	0.8
Gonorrhoea	55	48	40	56	62	43	50	9	1123	1723	1753	164	266.3	0.6
Syphilis (congenital)		1							3	0	1	0	0.1	0.0
Syphilis - Infectious	22	17	11	20	18	17	18	4	373	301	245	57	33.5	1.7
Syphilis - Non-Infectious	3	1	2		5	6	2	2	73	93	94	15	13.5	1.1
Vaccine preventable diseases														
Influenza	1	1		2	1	3			17	1162	6332	4	1178.0	0.0
Mumps									1	9	13	0	9.0	0.0
Pertussis						1			11	100	297	1	66.9	0.0
Pneumococcal infection	2	1	3	1	2	3	2		32	47	73	7	16.8	0.4
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	6	9	7	8	5	6	7	1	163	176	253	19	42.1	0.5
Varicella (shingles)	49	47	43	56	34	42	30	5	1103	1032	936	111	158.9	0.7
Varicella (unspecified)	30	24	36	32	29	42	33	30	736	568	600	134	114.5	1.2
Vector-borne diseases														
Barmah Forest virus		1						1	6	13	6	1	1.9	0.5
Dengue fever	1				1				2	62	172	1	20.4	0.0
Malaria					2				6	24	25	2	3.7	0.5
Ross River virus	13	17	20	19	17	22	15	8	386	161	209	62	40.0	1.6
Typhus						1			7	14	7	1	1.7	0.6
Zoonotic diseases														
Leptospirosis						1			2	1	3	1	0.3	3.8
Q Fever				1				1	2	3	3	1	0.7	1.5
Other diseases														
Acute post-streptococcal glomerulonephritis	1				1				2	1	4	1	0.3	3.8
COVID-19	19	15	17	9	2	1	1	1	147	586	0	5	5.3	0.9
Creutzfeldt-Jakob disease									2	2	3	0	0.7	0.0
Legionellosis	1	1	1	3	1	1	3		25	37	14	5	5.1	1.0
Leprosy								1	1	0	0	1	0.1	7.5
Melioidosis	1								2	4	4	0	0.4	0.0
Meningococcal infection	2	1							6	5	10	0	1.3	0.0
Tuberculosis	2	5	4	1	2	3	2	3	51	50	45	10	9.8	1.0
Grand Total	548	534	463	508	503	506	465	166						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1							4	4	9	0	1.7	0.0
Hepatitis B (unspecified)	8	8	5	4	8	10	11	1	215	161	166	30	39.7	0.8
Hepatitis C (newly acquired)	2	1	2			1			22	32	33	1	6.7	0.1
Hepatitis C (unspecified)	19	15	8	13	11	12	14	6	321	238	250	43	52.9	0.8
Hepatitis D					1				3	0	7	1	0.3	3.0
Enteric diseases														
Campylobacteriosis	40	48	41	30	31	38	29	16	918	907	1053	114	167.9	0.7
Cryptosporidiosis	2	3	4		1	1			22	396	48	2	10.1	0.2
Hepatitis A	1								1	5	14	0	0.5	0.0
Listeriosis	1								1	0	5	0	0.3	0.0
Rotavirus	1	1	3	1	1	3	2	2	49	82	122	8	19.1	0.4
STEC/VTEC infection	1	1	2	2		2	1		34	47	55	3	3.7	0.8
Salmonellosis	10	18	14	11	10	13	20	3	374	715	789	46	122.0	0.4
Shigellosis	1				1				7	73	124	1	6.4	0.2
Vibrio parahaemolyticus									3	2	9	0	0.9	0.0
Yersiniosis		1			2				10	5	1	2	1.1	1.8
Sexually transmissible infections														
Chlamydia (genital)	178	167	136	156	184	164	150	52	3591	3690	4010	550	676.5	0.8
Gonorrhoea	33	30	23	35	41	32	36	8	684	1206	1282	117	179.2	0.7
Syphilis (congenital)									0	0	0	0	0.1	0.0
Syphilis - Infectious	10	12	7	13	11	12	11	3	209	196	136	37	22.7	1.6
Syphilis - Non-Infectious	1		1		5	4	2		53	80	64	11	10.4	1.1
Vaccine preventable diseases														
Influenza				1					7	933	4549	0	940.9	0.0
Pertussis						1			9	79	229	1	47.5	0.0
Pneumococcal infection	2		3	1	1	3	2		19	17	48	6	9.7	0.6
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	4	7	4	7	3	6	6		121	123	176	15	31.8	0.5
Varicella (shingles)	40	37	29	39	25	32	23	4	792	750	664	84	112.4	0.7
Varicella (unspecified)	24	20	32	29	25	36	27	27	682	547	579	115	109.4	1.1
Vector-borne diseases														
Malaria					2				5	18	24	2	2.9	0.7
Ross River virus	8	8	11	8	8	11	8	4	202	87	150	31	23.6	1.3
Zoonotic diseases														
Q Fever							1		1	2	0	1	0.2	5.0
Other diseases														
COVID-19	5	5	8	2	1			1	61	379	0	2	2.5	0.8
Creutzfeldt-Jakob disease									2	2	3	0	0.4	0.0
Legionellosis		1		2	1		1		14	21	12	2	3.7	0.5
Leprosy							1		1	0	0	1	0.1	7.5
Melioidosis	1								1	0	2	0	0.1	0.0
Meningococcal infection	1								2	2	3	0	0.8	0.0
Tuberculosis	2	5	4	1	2	3	2	3	48	48	38	10	8.6	1.2
Grand Total	395	389	337	355	375	384	347	130						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.1		(1)	0.3			0.1
Hepatitis B (unspecified)		8 (14)	8.2	1	6 (10)	9.9		16 (8)	12.2
Hepatitis C (newly acquired)		(1)	0.1		(5)	1.1		1 (4)	1.9
Hepatitis C (unspecified)	1	9 (14)	7.6	2	13 (13)	16.9	3	21 (18)	21.0
Hepatitis D		1	0.3						0.1
Enteric diseases									
Campylobacteriosis	7	48 (41)	45.2	4	29 (51)	42.3	5	37 (41)	41.9
Cryptosporidiosis			0.3		1 (3)	1.5		1 (1)	1.4
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		6 (3)	2.9		(2)	1.2	2	2 (9)	2.7
STEC/VTEC infection		1 (1)	1.5		2 (1)	1.4		(1)	1.9
Salmonellosis	1	15 (37)	18.4	1	14 (25)	15.4	1	17 (36)	18.8
Shigellosis		1 (2)	0.3			0.5		(3)	0.3
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		1	0.4		(2)	0.5		1	0.5
Sexually transmissible infections									
Chlamydia (genital)	16	172 (180)	151.2	13	155 (203)	155.9	23	223 (257)	198.5
Gonorrhoea	3	30 (50)	27.1	2	36 (52)	27.9	3	51 (78)	41.2
Syphilis (congenital)									
Syphilis - Infectious	3	6 (18)	4.8		10 (16)	10.2		21 (25)	14.6
Syphilis - Non-Infectious		3 (6)	1.8		4 (4)	2.6		4 (10)	3.2
Vaccine preventable diseases									
Influenza		(3)	0.5					(2)	0.4
Mumps									
Pertussis		1 (1)	0.3		(3)	0.8		(3)	0.3
Pneumococcal infection		3 (1)	0.7		2 (1)	0.8		1	1.2
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		3 (10)	6.7		4 (7)	5.9		8 (10)	4.5
Varicella (shingles)	2	33 (51)	39.9	2	29 (50)	39.6		22 (48)	32.4
Varicella (unspecified)	10	39 (33)	33.4	9	49 (38)	38.1	8	27 (32)	25.3
Vector-borne diseases									
Barmah Forest virus									
Dengue fever									
Malaria		1	0.1		(1)	0.2		1	0.4
Ross River virus	2	10 (1)	9.3	2	9 (17)	10.7		12 (2)	8.6
Typhus									
Zoonotic diseases									
Leptospirosis									
Q Fever								1	0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		(3)	3.5	1	1 (1)	1.5		1 (8)	3.4
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		2 (4)	1.1		(5)	0.5		(2)	0.4
Leprosy								1	0.1
Melioidosis									0.1
Meningococcal infection						0.2			0.1
Tuberculosis	1	6 (2)	1.8		(5)	2.1	2	4	2.9
Grand Total	46	399 (477)		37	364 (516)		47	473 (598)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		3 (1)	6.6		1	4.9		(1)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	3	6 (5)	17.0		1 (1)	27.7		3 (3)	24.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis		14 (13)	52.6		1 (3)	45.7	1	3 (5)	40.1
Cryptosporidiosis		1 (2)	4.4			4.9			
Hepatitis A									
Listeriosis			0.5						
Rotavirus		(2)	0.5			3.3			
STEC/VTEC infection		1	4.4		(1)	1.6			
Salmonellosis	1	5 (10)	19.2		(3)	8.2	1	3 (8)	30.7
Shigellosis		1	0.5		1	1.6		2	2.7
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)	3	35 (47)	121.6		9 (14)	96.2	1	7 (10)	81.5
Gonorrhoea	1	6 (17)	14.8			3.3		(5)	21.4
Syphilis (congenital)									
Syphilis - Infectious		(4)	3.3		1	6.5		1	4.0
Syphilis - Non-Infectious			1.1			1.6			5.3
Vaccine preventable diseases									
Influenza		2 (1)	1.6			4.9		1	1.3
Mumps									
Pertussis			1.1						
Pneumococcal infection			0.5					(1)	5.3
Rubella (non-congenital)									
Varicella (chicken pox)		1 (3)	7.1		(1)	16.3			6.7
Varicella (shingles)		10 (27)	72.9		2 (7)	79.9		2 (4)	48.1
Varicella (unspecified)		1	3.3	1	6	17.9		1	12.0
Vector-borne diseases									
Barmah Forest virus									
Dengue fever									
Malaria									
Ross River virus	2	9 (1)	36.2	1	4	81.5	1	9 (1)	32.0
Typhus			0.5			3.3		(1)	1.3
Zoonotic diseases									
Leptospirosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		2	2.7			1.6		(1)	1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis			0.5			1.6			
Grand Total	10	97 (133)		2	26 (30)		4	32 (40)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	3	11.6		(2)	9.7	1	2 (1)	30.1
Hepatitis C (newly acquired)			1.7					1 (1)	3.3
Hepatitis C (unspecified)	1	4 (2)	31.5		(1)	27.0		2 (2)	23.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis		5 (2)	49.7		4 (6)	50.2	2	5 (1)	46.9
Cryptosporidiosis		(1)	1.7			3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9		(1)	1.7
STEC/VTEC infection			3.3			1.9			1.7
Salmonellosis		2 (5)	14.9			17.4	1	4 (3)	53.6
Shigellosis		1 (2)	13.3		1 (1)	5.8		1 (2)	8.4
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
Sexually transmissible infections									
Chlamydia (genital)	3	18 (24)	198.9		13 (16)	208.6	2	21 (20)	207.6
Gonorrhoea		2 (14)	48.1		12 (9)	197.0		7 (12)	135.6
Syphilis (congenital)						1.9			
Syphilis - Infectious			11.6		3	29.0	1	15 (3)	110.5
Syphilis - Non-Infectious		2	5.0	1	1	9.7	1	1	3.3
Vaccine preventable diseases									
Influenza		(1)	1.7					1 (1)	1.7
Mumps						1.9			
Pertussis									
Pneumococcal infection		(2)	1.7		(1)	1.9		1 (1)	5.0
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	3.3		(2)	13.5			3.3
Varicella (shingles)	1	1 (2)	24.9		3 (4)	50.2		1 (4)	33.5
Varicella (unspecified)	1	4 (1)	23.2		1	3.9	1	4	6.7
Vector-borne diseases									
Barmah Forest virus		1	1.7						
Dengue fever			1.7					1	1.7
Malaria									
Ross River virus		4	21.5			32.8		2 (1)	5.0
Typhus		1	1.7						3.3
Zoonotic diseases									
Leptospirosis		1	1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		1 (1)	5.0						
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis						1.9			
Grand Total	7	50 (58)		1	38 (42)		9	69 (53)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (2)	0.2
Hepatitis B (unspecified)		1	74.7	3	40 (37)	6.5
Hepatitis C (newly acquired)				0	2 (15)	0.9
Hepatitis C (unspecified)		4 (2)	51.7	10	63 (61)	14.8
Hepatitis D				0	1 (0)	0.1
Enteric diseases						
Campylobacteriosis		2 (5)	37.3	19	150 (168)	44.4
Cryptosporidiosis		2	54.6	0	5 (7)	2.2
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.1
Rotavirus				2	8 (19)	2.0
STEC/VTEC infection				0	4 (4)	1.8
Salmonellosis		3 (9)	106.3	6	64 (136)	20.1
Shigellosis		2 (5)	31.6	0	10 (15)	1.4
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	2 (2)	0.6
Sexually transmissible infections						
Chlamydia (genital)	2	27 (47)	580.1	63	688 (826)	170.6
Gonorrhoea		18 (25)	491.1	9	164 (266)	42.3
Syphilis (congenital)			2.9	0	0 (0)	0.1
Syphilis - Infectious		(9)	166.6	4	57 (76)	14.1
Syphilis - Non-Infectious			5.7	2	15 (20)	2.6
Vaccine preventable diseases						
Influenza			2.9	0	4 (13)	0.6
Mumps				0	0 (1)	0.0
Pertussis				0	1 (7)	0.4
Pneumococcal infection		(2)	8.6	0	7 (10)	1.2
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)	1	2	5.7	1	19 (34)	6.1
Varicella (shingles)		7 (1)	71.8	5	111 (200)	41.6
Varicella (unspecified)			2.9	30	134 (104)	27.8
Vector-borne diseases						
Barmah Forest virus		(1)	14.4	0	1 (4)	0.2
Dengue fever				0	1 (0)	0.1
Malaria				0	2 (1)	0.2
Ross River virus		2	25.8	8	62 (24)	14.6
Typhus				0	1 (3)	0.3
Zoonotic diseases						
Leptospirosis			2.9	0	1 (1)	0.1
Q Fever				0	1 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1	5.7	0	1 (0)	0.1
COVID-19				1	5 (38)	7.1
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	5 (14)	0.9
Leprosy				0	1 (0)	0.0
Melioidosis			2.9	0	0 (0)	0.1
Meningococcal infection			2.9	0	0 (1)	0.2
Tuberculosis				3	10 (7)	1.2
Grand Total	3	71 (106)		166	1640 (2118)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 22	
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2021	2020
	Salmonella Total	21	26	20	14	17	19	22	6	532
Serotype/Phage										
Salmonella Aberdeen		1	1						2	0
Salmonella Adelaide									2	2
Salmonella Agona									3	4
Salmonella Anatum		2			1		1		6	8
Salmonella Bahrenfeld									1	1
Salmonella Ball									1	0
Salmonella Bareilly				1					3	3
Salmonella Birkenhead									4	1
Salmonella Bovismorbificans			1			1			5	5
Salmonella Cannonhill					1				1	0
Salmonella Cerro									2	2
Salmonella Chester	2								5	18
Salmonella Choleraesuis bv Australia					1				4	9
Salmonella Choleraesuis bv Decatur	1								7	8
Salmonella Corvallis				1					2	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis	1					1			6	43
Salmonella Fremantle subsp II		1							3	3
Salmonella Give	1								4	2
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	0
Salmonella Hvittingfoss									2	1
Salmonella Infantis	5		2			1	1		19	15
Salmonella Irumu	1								1	0
Salmonella Johannesburg					1				2	1
Salmonella Kalumburu		1			1				2	0
Salmonella Kiambu									2	1
Salmonella Kottbus						1			2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis						1			1	0
Salmonella Mississippi									1	1
Salmonella Muenchen			1		3				9	19
Salmonella Newport		1							7	8
Salmonella Oranienburg			1						3	3
Salmonella Orion						2			5	1
Salmonella Paratyphi B bv Java			1						1	21
Salmonella Poona		2							4	1
Salmonella Potsdam				1					7	7
Salmonella Reading	1	1	1						6	2
Salmonella Richmond									1	0
Salmonella Rissen									2	3
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0

Weekly Report for period 09-APR-21 to 03-JUN-21

	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	Cumulative Total to end of Week 22	
									2021	2020
Salmonella Total	21	26	20	14	17	19	22	6	532	905
Serotype/Phage										
Salmonella Saintpaul			1	1		1			17	26
Salmonella Senftenberg									1	1
Salmonella Singapore					1				2	4
Salmonella Stanley			1				1		4	7
Salmonella Tennessee									2	0
Salmonella Typhimurium	4	15	8	6	7	9	8		281	580
Salmonella Urbana						1			2	0
Salmonella Virchow	2		1				1		10	15
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species	3	2	1	4	1	1	10	6	51	47
Salmonella subsp I ser 16:i,v:-									2	2