



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 02-JUL-21 to 26-AUG-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 34			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/07	15/07	22/07	29/07	05/08	12/08	19/08	26/08	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1			7	11	16	1	1.6	0.6
Hepatitis B (unspecified)	8	7	9	7	11	8	8	6	387	336	290	33	42.3	0.8
Hepatitis C (newly acquired)	3	1		2		2			41	69	75	2	9.1	0.2
Hepatitis C (unspecified)	14	7	16	15	19	12	20	18	619	524	600	69	71.7	1.0
Hepatitis D			1						5	2	7	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	54	58	75	49	54	58	61	9	1849	1696	2140	182	274.4	0.7
Cryptosporidiosis		1		2	1	5			86	466	126	6	9.1	0.7
Hepatitis A									1	6	20	0	0.7	0.0
Listeriosis									3	3	7	0	0.7	0.0
Rotavirus	7	5	10	7	9	3	2		117	146	323	14	28.5	0.5
STEC/VTEC infection	1	1	3	3	2		3		68	83	101	5	5.8	0.9
Salmonellosis	9	7	6	9	8	7	12	7	661	1277	1384	34	121.9	0.3
Shigellosis		4	4	2	3	4	3		67	176	274	10	16.1	0.6
Typhoid		1							2	3	14	0	0.9	0.0
Vibrio parahaemolyticus									3	2	15	0	0.7	0.0
Yersiniosis	1				1	2	3		24	10	15	6	1.6	3.8
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	182	200	203	249	204	218	211	41	7056	7264	7793	674	858.5	0.8
Gonorrhoea	57	55	62	68	59	47	36	2	1797	2537	2679	144	262.7	0.5
Syphilis (congenital)									3	3	1	0	0.1	0.0
Syphilis - Infectious	10	19	17	15	24	17	24	5	555	474	392	70	38.9	1.8
Syphilis - Non-Infectious	6	6	6	5	11	4	2	4	168	149	152	21	13.1	1.6
Vaccine preventable diseases														
Influenza		2							22	1199	22175	0	1114.1	0.0
Mumps				1					2	9	18	0	3.3	0.0
Pertussis		1	1		1	2			22	111	394	3	89.9	0.0
Pneumococcal infection	8	4	6	2	5	4	8	4	106	107	164	21	25.0	0.8
Rubella (non-congenital)							1		2	0	1	1	0.1	15.0
Varicella (chicken pox)	9	8	6	6	9	7	5	2	256	329	424	23	59.6	0.4
Varicella (shingles)	39	39	56	42	40	37	33	8	1644	1638	1433	118	163.6	0.7
Varicella (unspecified)	35	24	34	43	48	42	51	19	1139	1002	930	160	119.9	1.3
Vector-borne diseases														
Barmah Forest virus				1				1	10	16	11	1	1.5	0.7
Malaria	1		2	1			1		11	27	41	1	3.7	0.3
Ross River virus	11	4	6	2	3	3	4	1	521	199	294	11	23.7	0.5
Typhus	2				1	1			13	16	18	2	1.8	1.1
Zoonotic diseases														
Leptospirosis									2	1	3	0	0.2	0.0
Q Fever									2	4	6	0	0.5	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1	1			1				5	2	6	1	0.7	1.5
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	4	10	8	5	2	2	19	4	213	653	0	27	5.3	5.1
Creutzfeldt-Jakob disease									2	3	4	0	0.3	0.0
Legionellosis			2			2	3		44	50	20	5	3.7	1.4
Leprosy		1					1		3	1	0	1	0.3	3.8
Melioidosis									3	5	4	0	0.3	0.0
Meningococcal infection									6	7	14	0	2.8	0.0
Tuberculosis	6	7	2	1		4	4	2	88	80	78	10	11.5	0.9
Grand Total	468	473	535	537	516	492	515	133						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 34			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/07	15/07	22/07	29/07	05/08	12/08	19/08	26/08	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1			6	6	11	1	1.1	0.9
Hepatitis B (unspecified)	7	6	8	6	10	3	7	6	288	284	251	26	35.3	0.7
Hepatitis C (newly acquired)	3	1		2		1			36	53	54	1	6.7	0.1
Hepatitis C (unspecified)	11	6	12	9	18	10	19	12	455	371	412	59	51.5	1.1
Hepatitis D			1						5	1	7	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	45	46	56	38	41	41	43	7	1429	1349	1739	132	218.3	0.6
Cryptosporidiosis					1	2			32	407	68	3	7.3	0.4
Hepatitis A									1	5	17	0	0.5	0.0
Listeriosis									1	2	7	0	0.6	0.0
Rotavirus	6	5	9	7	8	2	2		106	115	274	12	21.3	0.6
STEC/VTEC infection			3	3	2		3		53	64	79	5	4.7	1.1
Salmonellosis	7	5	5	7	4	4	6	6	460	975	1076	20	94.7	0.2
Shigellosis			2	1	1	2	2		19	85	190	5	9.8	0.5
Typhoid		1							1	3	12	0	0.7	0.0
Vibrio parahaemolyticus									3	2	11	0	0.6	0.0
Yersiniosis	1				1	2	3		19	9	14	6	1.5	3.9
Sexually transmissible infections														
Chlamydia (genital)	145	164	159	203	170	170	164	37	5573	5641	6117	541	663.1	0.8
Gonorrhoea	43	37	37	52	42	32	25	2	1132	1740	1961	101	174.5	0.6
Syphilis (congenital)									0	2	0	0	0.0	0.0
Syphilis - Infectious	9	10	11	10	17	11	11	3	314	311	215	42	26.5	1.6
Syphilis - Non-Infectious	4	4	4	2	8	1	2	2	111	123	95	13	9.8	1.3
Vaccine preventable diseases														
Influenza		1							11	960	17520	0	862.3	0.0
Mumps				1					1	6	13	0	1.3	0.0
Pertussis			1		1	1			18	89	317	2	65.9	0.0
Pneumococcal infection	3	3	5	1	1	2	5	3	63	36	102	11	14.4	0.8
Rubella (non-congenital)							1		2	0	1	1	0.1	15.0
Varicella (chicken pox)	4	7	4	4	7	5	4	1	188	242	312	17	43.5	0.4
Varicella (shingles)	24	32	36	32	29	27	28	3	1173	1184	1014	87	116.3	0.7
Varicella (unspecified)	31	22	31	39	41	39	45	16	1054	963	889	141	113.5	1.2
Vector-borne diseases														
Barmah Forest virus									1	3	4	0	0.3	0.0
Malaria	1		1	1			1		9	21	35	1	2.9	0.3
Ross River virus	2	1	2	1	1	2	2		267	114	196	5	15.1	0.3
Typhus	2				1				4	8	10	1	1.2	0.8
Zoonotic diseases														
Q Fever									1	2	2	0	0.5	0.0
Other diseases														
COVID-19	3	3	1		1	1	1		81	428	0	3	3.1	1.0
Creutzfeldt-Jakob disease									2	3	3	0	0.3	0.0
Legionellosis						2	1		26	32	17	3	3.0	1.0
Leprosy		1							2	1	0	0	0.2	0.0
Melioidosis									1	0	2	0	0.2	0.0
Meningococcal infection									2	3	5	0	1.6	0.0
Tuberculosis	3	7	2	1		4	4	1	80	77	70	9	10.7	0.8
Grand Total	354	362	390	420	405	365	379	99						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1		1	0.5			0.3
Hepatitis B (unspecified)	2	8 (7)	11.2	2	7 (11)	12.7	2	11 (15)	16.7
Hepatitis C (newly acquired)			0.7		1 (1)	1.8		(5)	2.6
Hepatitis C (unspecified)	1	7 (10)	11.3	3	23 (15)	24.4	8	29 (20)	28.8
Hepatitis D			0.4					(1)	0.3
Enteric diseases									
Campylobacteriosis	2	42 (48)	69.5	3	33 (51)	64.2	2	57 (60)	67.7
Cryptosporidiosis		2 (1)	1.0			2.0		1 (1)	1.6
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		6 (3)	6.0		2 (1)	3.5		4 (7)	5.4
STEC/VTEC infection		1 (3)	2.3		1 (5)	2.0		3 (3)	3.2
Salmonellosis		3 (18)	21.8	1	8 (20)	19.4	5	9 (29)	23.5
Shigellosis		3 (2)	1.0		1	0.9		1 (2)	0.8
Typhoid			0.1						
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		3	1.1		3 (1)	0.9		(1)	0.7
Sexually transmissible infections									
Chlamydia (genital)	9	148 (219)	234.4	12	172 (199)	249.7	16	221 (251)	301.3
Gonorrhoea		29 (58)	44.0	1	29 (55)	46.0	1	43 (71)	69.2
Syphilis (congenital)									
Syphilis - Infectious	1	9 (10)	8.9		11 (14)	15.1	2	22 (19)	20.5
Syphilis - Non-Infectious		3 (9)	3.9	1	5 (3)	4.7	1	5 (8)	7.0
Vaccine preventable diseases									
Influenza		(2)	0.7			0.5		(4)	0.4
Mumps									0.1
Pertussis		(1)	0.5		1 (1)	1.2		1	0.8
Pneumococcal infection	1	2 (2)	2.3	1	5 (2)	3.2	1	4 (3)	3.4
Rubella (non-congenital)		1	0.3						
Varicella (chicken pox)		4 (27)	10.5	1	7 (12)	8.7		6 (11)	7.3
Varicella (shingles)	1	32 (63)	57.8		16 (54)	59.4	2	39 (38)	48.7
Varicella (unspecified)	4	50 (49)	52.0	7	56 (63)	59.5	5	35 (46)	38.0
Vector-borne diseases									
Barmah Forest virus						0.2			
Malaria		1	0.3			0.2			0.8
Ross River virus		2 (1)	11.6		2 (9)	13.9		1	12.4
Typhus			0.1		1	0.3			0.1
Zoonotic diseases									
Leptospirosis									
Q Fever			0.1						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		1 (1)	4.9		1 (7)	2.4		1 (2)	4.0
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		1 (2)	1.9			0.9		2	0.8
Leprosy									0.3
Melioidosis									0.1
Meningococcal infection						0.2			0.1
Tuberculosis		5 (2)	3.3	1	3 (5)	3.3		1 (6)	4.7
Grand Total	21	363 (538)		33	389 (529)		45	496 (603)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2	9.3		1	6.5			17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	3 (6)	20.8	2	2 (4)	34.2		1 (1)	28.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis		27 (22)	90.4		10 (9)	94.6	2	3 (12)	61.4
Cryptosporidiosis			6.0			9.8			2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus		2	2.2			4.9			
STEC/VTEC infection			4.9			1.6			
Salmonellosis		2 (8)	23.0		1	14.7			32.0
Shigellosis			0.5			3.3			2.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)	3	28 (41)	186.2	1	12 (14)	159.8		8 (18)	124.2
Gonorrhoea		3 (6)	19.7		(3)	8.2		1 (2)	29.4
Syphilis (congenital)									
Syphilis - Infectious			4.9		(1)	4.9			6.7
Syphilis - Non-Infectious		(1)	2.2			1.6		(1)	12.0
Vaccine preventable diseases									
Influenza		(1)	1.6			4.9			2.7
Mumps									
Pertussis			1.6						
Pneumococcal infection		1 (1)	1.6						6.7
Rubella (non-congenital)									
Varicella (chicken pox)	1	4 (3)	11.5		(1)	16.3		(2)	8.0
Varicella (shingles)	3	17 (26)	104.6		(10)	115.8	2	5 (6)	78.8
Varicella (unspecified)		3	3.8		7	48.9		1	13.4
Vector-borne diseases									
Barmah Forest virus			0.5						1.3
Malaria			0.5						
Ross River virus		(4)	44.9		1	86.4			44.1
Typhus			0.5			3.3		1	2.7
Zoonotic diseases									
Leptospirosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		2	4.9			1.6			1.3
Leprosy					1	1.6			
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis			1.6			1.6			
Grand Total	8	94 (119)		3	35 (42)		4	20 (42)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	13.3		1 (2)	15.4		1 (3)	35.2
Hepatitis B (unspecified)		1	5.0						3.3
Hepatitis C (newly acquired)		2 (6)	43.1		(3)	29.0	1	1 (1)	25.1
Hepatitis C (unspecified)	1								
Hepatitis D									
Enteric diseases									
Campylobacteriosis		2 (6)	71.3		3 (5)	67.6		3 (2)	63.6
Cryptosporidiosis		1	3.3			3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9			1.7
STEC/VTEC infection			3.3			1.9			1.7
Salmonellosis		1 (1)	21.5		(1)	21.2		4 (1)	73.7
Shigellosis		(2)	14.9		(1)	9.7		(1)	10.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
Sexually transmissible infections									
Chlamydia (genital)		8 (20)	308.3		14 (19)	338.0		23 (27)	339.9
Gonorrhoea		2 (12)	66.3		10 (16)	272.3		10 (22)	227.7
Syphilis (congenital)						1.9			
Syphilis - Infectious		1 (3)	16.6	2	4 (1)	42.5		15 (6)	167.4
Syphilis - Non-Infectious	1	1 (1)	8.3		2 (1)	36.7	1	4	18.4
Vaccine preventable diseases									
Influenza									1.7
Mumps						1.9			
Pertussis		1	1.7						
Pneumococcal infection	1	2 (1)	11.6		3 (2)	9.7		2 (1)	16.7
Rubella (non-congenital)									
Varicella (chicken pox)			6.6		1 (2)	27.0		(2)	6.7
Varicella (shingles)		1	41.4		5 (5)	85.0		(3)	45.2
Varicella (unspecified)	1	6 (4)	39.8			1.9	1	1 (1)	1.7
Vector-borne diseases									
Barmah Forest virus			1.7						
Malaria									
Ross River virus		3	66.3			36.7			13.4
Typhus			1.7						5.0
Zoonotic diseases									
Leptospirosis			1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			6.6						1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis			1.7			1.9	1	1	1.7
Grand Total	4	33 (56)		2	43 (58)		4	65 (70)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (1)	0.3
Hepatitis B (unspecified)		(2)	77.5	6	33 (40)	9.8
Hepatitis C (newly acquired)				0	2 (7)	1.5
Hepatitis C (unspecified)	1	1 (1)	68.9	18	69 (67)	21.0
Hepatitis D				0	0 (2)	0.2
Enteric diseases						
Campylobacteriosis		(2)	54.6	9	182 (218)	69.7
Cryptosporidiosis		2	74.7	0	6 (2)	3.2
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.1
Rotavirus				0	14 (13)	4.4
STEC/VTEC infection			2.9	0	5 (11)	2.6
Salmonellosis	1	4	126.4	7	34 (78)	24.9
Shigellosis		5 (1)	66.1	0	10 (9)	2.5
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	6 (2)	0.9
Sexually transmissible infections						
Chlamydia (genital)		27 (51)	919.0	41	674 (870)	266.1
Gonorrhoea		15 (42)	769.7	2	144 (289)	67.8
Syphilis (congenital)			2.9	0	0 (1)	0.1
Syphilis - Infectious		8 (10)	258.5	5	70 (64)	20.9
Syphilis - Non-Infectious			11.5	4	21 (25)	6.1
Vaccine preventable diseases						
Influenza			5.7	0	0 (7)	0.8
Mumps				0	0 (0)	0.1
Pertussis				0	3 (2)	0.8
Pneumococcal infection		2 (2)	37.3	4	21 (14)	4.0
Rubella (non-congenital)				0	1 (0)	0.1
Varicella (chicken pox)			17.2	2	23 (60)	9.7
Varicella (shingles)		3 (4)	117.8	8	118 (210)	62.0
Varicella (unspecified)	1	1	11.5	19	160 (163)	43.0
Vector-borne diseases						
Barmah Forest virus	1	1	17.2	1	1 (0)	0.4
Malaria				0	1 (0)	0.4
Ross River virus	1	2	37.3	1	11 (14)	19.6
Typhus				0	2 (0)	0.5
Zoonotic diseases						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	11.5	0	1 (2)	0.2
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				4	27 (13)	9.9
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	5 (2)	1.7
Leprosy				0	1 (1)	0.1
Melioidosis			5.7	0	0 (0)	0.1
Meningococcal infection			2.9	0	0 (0)	0.2
Tuberculosis				2	10 (13)	2.6
Grand Total	5	72 (116)		133	1656 (2200)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 34	
	08/07	15/07	22/07	29/07	05/08	12/08	19/08	26/08	2021	2020
	Salmonella Total	9	7	6	9	8	7	12	7	661
Serotype/Phage										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	5
Salmonella Anatum							1		8	14
Salmonella Bahrenfeld									2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bovismorbificans									5	9
Salmonella Bredeney									1	1
Salmonella Cannonhill									1	0
Salmonella Cerro									2	2
Salmonella Chailey									1	2
Salmonella Chester				1					8	21
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	10
Salmonella Corvallis									2	3
Salmonella Eastbourne					1				3	1
Salmonella Emmastad									1	0
Salmonella Enteritidis	1								8	46
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	3
Salmonella Havana									1	4
Salmonella Hessarek									1	1
Salmonella Houten subsp IV								1	3	1
Salmonella Hvittingfoss									3	4
Salmonella Infantis							1		24	21
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu	2								4	2
Salmonella Kirkee	1								1	0
Salmonella Kottbus									2	4
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Liverpool	1								1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen									13	21
Salmonella Newport	1		1						11	10
Salmonella Oranienburg								2	7	4
Salmonella Orion									6	2
Salmonella Oslo				1					1	1

Weekly Report for period 02-JUL-21 to 26-AUG-21

	08/07	15/07	22/07	29/07	05/08	12/08	19/08	26/08	Cumulative Total to end of Week 34	
									2021	2020
Salmonella Total	9	7	6	9	8	7	12	7	661	1231
Serotype/Phage										
Salmonella Paratyphi B bv Java					1				6	22
Salmonella Poona									5	1
Salmonella Potsdam									7	8
Salmonella Reading									6	3
Salmonella Richmond									1	1
Salmonella Rissen	1								3	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul		2			2			1	23	34
Salmonella Senftenberg									2	3
Salmonella Singapore									3	4
Salmonella Stanley							1		5	8
Salmonella Tennessee									3	0
Salmonella Typhimurium	1	3	3	7	3	2	5		349	820
Salmonella Urbana									2	1
Salmonella Virchow		1			1	3			19	18
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar							1		3	1
Salmonella species	1	1	2			1	1	6	45	59
Salmonella subsp I ser 16:i,v:-									2	3