



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 26-FEB-22 to 22-APR-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	6	3	4	7	7	5	14	6	118	248	136	32	37.3	0.9
Hepatitis C (newly acquired)	4		1	3				3	21	20	23	3	8.3	0.4
Hepatitis C (unspecified)	22	11	12	11	17	15	10	9	222	357	252	51	72.1	0.7
Hepatitis D									1	2	0	0	0.6	0.0
Enteric diseases														
Campylobacteriosis	48	52	65	63	40	57	55	53	946	940	894	205	203.9	1.0
Cryptosporidiosis	9	15	12	4	7	9	3	4	123	42	436	23	34.6	0.7
Hepatitis A	2								2	1	6	0	1.1	0.0
Listeriosis	1								1	2	1	0	0.2	0.0
Rotavirus	7	8	2	6	4	7	3	6	108	50	80	20	24.5	0.8
STEC/VTEC infection	3	6	7	10	6	4	2	5	68	36	55	17	7.9	2.2
Salmonellosis	15	16	18	25	30	28	17	15	344	434	740	90	179.5	0.5
Shigellosis	2	2	1	4	4	2	2	2	33	26	120	10	16.7	0.6
Typhoid				1					5	1	3	0	0.8	0.0
Vibrio parahaemolyticus									2	3	2	0	1.1	0.0
Yersiniosis		1	1	2	2	2			10	13	4	4	1.2	3.3
Sexually transmissible infections														
Chlamydia (genital)	205	193	217	192	160	172	155	130	3223	3454	3556	617	864.0	0.7
Gonorrhoea	54	45	52	50	42	49	42	29	837	864	1329	162	268.5	0.6
Syphilis (congenital)									2	3	0	0	0.3	0.0
Syphilis - Infectious	15	15	16	17	12	19	21	14	274	273	212	66	41.1	1.6
Syphilis - Non-Infectious	8	5	6	6	5	3	4	3	67	61	62	15	16.3	0.9
Vaccine preventable diseases														
Influenza	1	2	1	1	3	1	1	6	18	9	1137	11	264.3	0.0
Mumps					1				1	1	7	1	1.7	0.6
Pertussis			1		3		1	1	14	11	92	5	47.5	0.1
Pneumococcal infection	3	7	1		4	2	2	1	34	21	34	9	9.9	0.9
Varicella (chicken pox)	15	9	6	4	6	8	2		100	131	135	16	37.3	0.4
Varicella (shingles)	54	53	52	59	58	36	30	19	759	901	734	143	178.3	0.8
Varicella (unspecified)	51	58	53	52	48	46	47	51	805	528	425	192	118.6	1.6
Vector-borne diseases														
Barmah Forest virus		1	1						7	6	9	0	3.1	0.0
Chikungunya			1						1	0	6	0	0.3	0.0
Dengue fever		1	1						2	0	62	0	13.6	0.0
Malaria			1	1		1	1		7	4	24	2	3.3	0.6
Ross River virus	23	25	19	16	16	10	4		355	302	122	30	73.9	0.4
Typhus						1			2	6	11	1	1.4	0.7
Zoonotic diseases														
Q Fever									1	0	2	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis			1	1					6	1	1	0	0.5	0.0
COVID-19	68	61	102	61	49	26	27	4	622	117	550	106	49.8	2.1
Legionellosis	1	2	1	1		1	3		16	15	16	4	4.2	1.0
Leprosy									1	0	0	0	0.1	0.0
Melioidosis					1				1	3	4	1	0.8	1.3
Meningococcal infection	1							1	5	6	3	1	1.2	0.8
RSV	57	30	31	44	32	16	17	9	897	2	0	74	0.0	0.0
Tuberculosis			4		3	1	1	3	27	36	41	8	9.9	0.8
iGAS	3	3	2	5	3	1	5	4	58	0	0	13	0.0	0.0
Grand Total	678	624	692	646	563	522	469	378						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	6	3	3	5	5	3	12	5	93	177	117	25	31.1	0.8
Hepatitis C (newly acquired)	4			3				1	15	18	19	1	6.4	0.2
Hepatitis C (unspecified)	17	3	9	7	12	12	10	9	164	255	179	43	50.9	0.8
Hepatitis D									1	2	0	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	42	39	49	48	33	40	44	47	757	732	720	164	161.0	1.0
Cryptosporidiosis	8	13	8	4	6	6	3	4	96	16	385	19	22.4	0.8
Hepatitis A	1								1	1	5	0	0.9	0.0
Listeriosis	1								1	1	0	0	0.1	0.0
Rotavirus	5	6	1	5	3	7	2	4	90	45	67	16	15.5	1.0
STEC/VTEC infection	3	5	4	5	3		1	4	44	27	44	8	6.1	1.3
Salmonellosis	7	7	14	16	23	19	13	8	243	304	569	63	134.1	0.5
Shigellosis			1	1	1	1	1	1	14	6	67	4	7.3	0.6
Typhoid				1					5	0	3	0	0.7	0.0
Vibrio parahaemolyticus									2	3	2	0	0.9	0.0
Yersiniosis		1	1	1	2	2			9	8	4	4	0.9	4.6
Sexually transmissible infections														
Chlamydia (genital)	170	154	164	158	129	147	131	108	2567	2753	2760	515	676.4	0.8
Gonorrhoea	30	32	30	31	30	33	28	19	534	510	944	110	182.9	0.6
Syphilis - Infectious	9	13	11	14	10	18	16	12	205	142	125	56	24.7	2.3
Syphilis - Non-Infectious	5	1	4	3	5	3	1	2	42	46	49	11	12.9	0.9
Vaccine preventable diseases														
Influenza	1	2	1	1	1	1	1	3	12	5	918	6	191.1	0.0
Pertussis			1		3		1	1	12	9	71	5	32.5	0.2
Pneumococcal infection		2	1		1	2			15	9	15	3	5.4	0.6
Varicella (chicken pox)	11	6	3	3	4	5	1		72	95	90	10	27.3	0.4
Varicella (shingles)	35	39	30	39	41	28	21	14	524	643	529	104	125.9	0.8
Varicella (unspecified)	45	54	48	48	45	42	44	49	745	506	407	180	114.5	1.6
Vector-borne diseases														
Barmah Forest virus									1	0	1	0	0.7	0.0
Chikungunya			1						1	0	2	0	0.3	0.0
Dengue fever		1	1						2	0	48	0	10.8	0.0
Malaria			1	1		1	1		7	3	18	2	2.7	0.7
Ross River virus	20	19	13	9	7	6	4		241	165	61	17	38.5	0.4
Typhus									0	0	6	0	0.6	0.0
Other diseases														
COVID-19	63	59	92	52	42	16	23	4	503	49	368	85	30.9	2.8
Legionellosis	1	2		1		1	1		9	10	7	2	2.7	0.7
Leprosy									1	0	0	0	0.1	0.0
Meningococcal infection	1							1	5	2	1	1	0.6	1.7
RSV	20	12	8	10	12	8	9	7	430	0	0	36	0.0	0.0
Tuberculosis			4		3	1		3	21	33	39	7	8.8	0.8
iGAS		2	2	3	2	1	2	1	34	0	0	6	0.0	0.0
Grand Total	505	476	505	469	423	403	370	307						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	4	8 (6)	3.1		4 (9)	3.3	1	13 (13)	6.5
Hepatitis C (newly acquired)					(2)	0.7	1	1 (2)	1.4
Hepatitis C (unspecified)	1	7 (7)	3.2	4	20 (15)	9.4	4	16 (30)	10.4
Hepatitis D			0.1						
Enteric diseases									
Campylobacteriosis	12	52 (61)	34.8	14	57 (43)	38.0	21	55 (54)	33.2
Cryptosporidiosis		6 (1)	3.0	1	1 (3)	1.9	3	12 (1)	8.3
Hepatitis A						0.1			
Listeriosis			0.1						
Rotavirus		4 (2)	3.0	2	4 (3)	4.3	2	8 (4)	5.3
STEC/VTEC infection		3 (2)	1.2	3	3 (2)	2.1	1	2	2.8
Salmonellosis	3	23 (22)	10.7	3	18 (15)	10.0	2	22 (22)	13.1
Shigellosis	1	2	0.7		1 (1)	0.6		1	0.7
Typhoid									0.7
Vibrio parahaemolyticus									0.3
Yersiniosis			0.4		3 (1)	0.6		1 (1)	0.3
Sexually transmissible infections									
Chlamydia (genital)	29	149 (193)	104.5	43	162 (197)	115.0	36	204 (249)	138.7
Gonorrhoea	4	22 (41)	19.0	6	31 (25)	24.0	9	57 (61)	31.6
Syphilis (congenital)									
Syphilis - Infectious	3	26 (7)	8.8	3	8 (11)	6.6	6	22 (17)	13.0
Syphilis - Non-Infectious		2 (1)	1.4		3 (1)	1.8	2	6 (6)	2.7
Vaccine preventable diseases									
Influenza	3	5	0.9					1	0.7
Mumps									
Pertussis		1	0.5		2	0.6	1	2 (1)	0.5
Pneumococcal infection			0.4		2 (1)	1.0		1 (2)	0.7
Varicella (chicken pox)		7 (6)	4.1		2 (7)	3.7		1 (8)	2.3
Varicella (shingles)	6	40 (50)	25.5	6	36 (51)	28.6	2	28 (51)	19.5
Varicella (unspecified)	12	54 (37)	32.1	17	57 (34)	39.2	20	69 (40)	33.2
Vector-borne diseases									
Barmah Forest virus									0.1
Chikungunya						0.1			
Dengue fever						0.3			
Malaria		1	0.5		1 (1)	0.3			0.1
Ross River virus		2 (11)	5.6		6 (11)	16.3		9 (18)	12.3
Typhus									
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	2	37 (13)	23.8	1	26 (1)	17.9	1	22 (7)	28.0
Legionellosis		(1)	0.7		2	0.3		(2)	0.3
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.3		(1)	0.1	1	1	0.3
RSV	2	12	16.9	4	10	22.1	1	14	21.3
Tuberculosis	1	3 (3)	1.1		(5)	0.3	2	4 (5)	1.5
iGAS	1	2	1.5		3	1.8		1	1.5
Grand Total	84	468 (464)		107	462 (440)		116	573 (594)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		2 (1)	3.8				1	1	4.0
Hepatitis C (newly acquired)			1.6	2	2	3.3		(1)	1.3
Hepatitis C (unspecified)		2 (4)	7.6		(3)	17.9		3 (2)	9.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	15 (26)	42.9	2	11 (7)	58.6		2 (8)	22.9
Cryptosporidiosis		1	2.2		1 (1)	4.9			1.3
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2		(1)	3.3	2	2	5.4
STEC/VTEC infection		3 (1)	3.3		2	4.9		1	6.7
Salmonellosis	2	6 (6)	18.5		1 (2)	6.5		4 (4)	12.1
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis								(1)	1.3
Sexually transmissible infections									
Chlamydia (genital)	4	18 (34)	73.9	2	7 (9)	48.8	1	5 (12)	66.0
Gonorrhoea	1	3 (1)	11.4		(1)	6.5		1 (7)	12.1
Syphilis (congenital)									
Syphilis - Infectious			1.1		(3)	3.3		1	5.4
Syphilis - Non-Infectious		(2)	1.6		(1)	1.6		(1)	1.3
Vaccine preventable diseases									
Influenza	2	2	1.6						
Mumps									
Pertussis									
Pneumococcal infection		1	0.5			1.6	1	1 (1)	1.3
Varicella (chicken pox)		5 (3)	7.6		(6)	1.6			1.3
Varicella (shingles)	4	21 (30)	62.5		3 (13)	40.7		6 (4)	36.4
Varicella (unspecified)				2	6	26.0		4 (3)	20.2
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		2 (12)	23.9		2 (2)	39.0		1 (3)	13.5
Typhus		1	1.1						
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	4.3			9.8		6	24.2
Legionellosis		1	1.6		1	1.6			1.3
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	1	2	38.6		1	43.9		3	18.8
Tuberculosis			1.1						
iGAS			2.7			3.3		1	1.3
Grand Total	17	86 (120)		8	37 (49)		5	42 (47)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)			5.1		(1)	4.0		2 (1)	8.5
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		1 (3)	6.7		2	7.9		(2)	16.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis		7 (8)	23.6		2 (6)	23.7		3 (1)	35.5
Cryptosporidiosis		(1)	1.7					(2)	13.5
Hepatitis A									
Listeriosis									
Rotavirus								1 (1)	3.4
STEC/VTEC infection		2	8.4			2.0	1	1	5.1
Salmonellosis		5 (3)	21.9		1 (1)	5.9	3	4 (7)	30.5
Shigellosis		3	5.1	1	1	5.9		1	6.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	10 (15)	144.8	1	10 (25)	170.2	4	24 (26)	165.8
Gonorrhoea		2 (5)	32.0	2	9 (23)	89.0	3	15 (16)	128.6
Syphilis (congenital)					(1)	2.0		(1)	1.7
Syphilis - Infectious			11.8		(4)	11.9	1	3 (16)	35.5
Syphilis - Non-Infectious	1		8.4	1	2	7.9		1	11.8
Vaccine preventable diseases									
Influenza									
Mumps					1	2.0			
Pertussis			1.7			2.0			
Pneumococcal infection		1	3.4			11.9		2	5.1
Varicella (chicken pox)		(1)	8.4		(3)	5.9		1 (1)	6.8
Varicella (shingles)		1 (1)	16.8	1	2 (5)	45.5		1 (4)	15.2
Varicella (unspecified)		2 (4)	38.7			2.0			
Vector-borne diseases									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		(5)	8.4		(2)	2.0		3	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		11	37.0		1	17.8			8.5
Legionellosis						2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		2	131.3		2	11.9		4	162.4
Tuberculosis			1.7		1	2.0			
iGAS			5.1			4.0		1	6.8
Grand Total	4	48 (46)		6	34 (71)		12	67 (78)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (unspecified)		2	11.6	6	32 (31)	4.4
Hepatitis C (newly acquired)				3	3 (5)	0.8
Hepatitis C (unspecified)		(2)	17.4	9	51 (69)	8.4
Hepatitis D				0	0 (0)	0.0
Enteric diseases						
Campylobacteriosis	1	1 (4)	20.3	53	205 (220)	35.4
Cryptosporidiosis		1 (1)	26.1	4	23 (12)	4.6
Hepatitis A				0	0 (1)	0.1
Listeriosis				0	0 (1)	0.0
Rotavirus		1	17.4	6	20 (12)	4.0
STEC/VTEC infection			2.9	5	17 (5)	2.5
Salmonellosis	2	6 (7)	49.4	15	90 (93)	12.9
Shigellosis		1 (3)	23.2	2	10 (4)	1.2
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	4 (4)	0.4
Sexually transmissible infections						
Chlamydia (genital)	4	18 (38)	409.6	130	617 (805)	120.7
Gonorrhoea	3	19 (24)	360.2	29	162 (204)	31.3
Syphilis (congenital)				0	0 (2)	0.1
Syphilis - Infectious	1	4 (7)	72.6	14	66 (65)	10.3
Syphilis - Non-Infectious		(1)	8.7	3	15 (14)	2.5
Vaccine preventable diseases						
Influenza				6	11 (3)	0.7
Mumps				0	1 (0)	0.0
Pertussis				1	5 (2)	0.5
Pneumococcal infection			11.6	1	9 (4)	1.3
Varicella (chicken pox)				0	16 (35)	3.7
Varicella (shingles)		1 (4)	55.2	19	143 (214)	28.4
Varicella (unspecified)			5.8	51	192 (118)	30.1
Vector-borne diseases						
Barmah Forest virus		(2)	8.7	0	0 (3)	0.3
Chikungunya				0	0 (0)	0.0
Dengue fever				0	0 (0)	0.1
Malaria				0	2 (1)	0.3
Ross River virus		5 (1)	58.1	0	30 (66)	13.3
Typhus				0	1 (0)	0.1
Zoonotic diseases						
Q Fever				0	0 (0)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		(1)	17.4	0	0 (1)	0.2
COVID-19			5.8	4	106 (52)	6252.4
Legionellosis		(1)	2.9	0	4 (4)	0.6
Leprosy				0	0 (0)	0.0
Melioidosis		1	2.9	0	1 (2)	0.0
Meningococcal infection				1	1 (3)	0.2
RSV	1	23	485.2	9	74 (0)	33.6
Tuberculosis				3	8 (13)	0.8
iGAS	3	5	20.3	4	13 (0)	2.2
Grand Total	15	88 (96)		378	1932 (2071)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 16	
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2022	2021
	Salmonella Total	15	16	18	25	30	28	17	15	344
Serotype/Phage										
Salmonella Agona									6	3
Salmonella Amsterdam						1			1	0
Salmonella Anatum									4	4
Salmonella Bareilly									0	2
Salmonella Bleadon subsp II					1				1	0
Salmonella Bovismorbificans	1					1	1		5	3
Salmonella Braenderup									1	0
Salmonella Cerro	1								1	2
Salmonella Chester				1	1	1		1	5	5
Salmonella Choleraesuis bv Australia			1						4	3
Salmonella Choleraesuis bv Decatur	1	1		1		1			5	7
Salmonella Corvallis						1			1	1
Salmonella Eastbourne	1								2	2
Salmonella Enteritidis						1			2	6
Salmonella Essen									0	0
Salmonella Fremantle subsp II								1	1	3
Salmonella Give									3	4
Salmonella Give var 15+									0	0
Salmonella Havana				1					2	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis	1							1	5	16
Salmonella Irumu									1	1
Salmonella Johannesburg				2					2	1
Salmonella Kiambu						1	1		6	2
Salmonella Litchfield	1								3	3
Salmonella Mgulani					1				2	0
Salmonella Muenchen			2	1					8	5
Salmonella Newport	2								2	7
Salmonella Ohlstedt	1	1							2	0
Salmonella Oranienburg			1	1				1	13	2
Salmonella Orion								1	4	3
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java					1				2	0
Salmonella Poona									0	4
Salmonella Potsdam				1		1			4	6
Salmonella Reading					1				6	5
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul		3	2	2	1	1			12	14
Salmonella Senftenberg				1				1	2	2
Salmonella Stanley		2		1					10	2
Salmonella Tennessee		1				1		1	3	2
Salmonella Thompson									1	0
Salmonella Typhimurium	6	4	7	8	21	13	8	4	151	243
Salmonella Virchow						1			3	8
Salmonella Wandsbek subsp II									0	1
Salmonella Wandsworth									1	1

Weekly Report for period 26-FEB-22 to 22-APR-22

	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	Cumulative Total to end of Week 16	
									2022	2021
Salmonella Total	15	16	18	25	30	28	17	15	344	409
Serotype/Phage										
Salmonella Welikade									2	0
Salmonella Weltevreden				1					2	2
Salmonella species		4	4	3	2	3	3	8	40	24
Salmonella subsp 1 ser 4,5:d:-				1	1	1			3	0
Salmonella subsp I ser 16:l,v:-			1						1	2
Salmonella subsp IIIb 61:l,v:z35									1	0