



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 05-MAR-22 to 29-APR-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	3	4	7	7	5	14	6	4	122	256	147	29	38.1	0.8
Hepatitis C (newly acquired)		1	3						21	22	24	3	8.3	0.4
Hepatitis C (unspecified)	11	12	11	17	15	10	9	5	227	369	260	39	71.5	0.5
Hepatitis D									1	2	0	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	52	65	64	41	57	55	56	45	996	990	923	213	200.8	1.1
Cryptosporidiosis	15	12	4	8	11	2	2	6	129	50	439	21	31.5	0.7
Hepatitis A									2	1	6	0	1.0	0.0
Listeriosis									1	2	1	0	0.2	0.0
Rotavirus	8	2	6	4	7	3	6	5	113	45	80	21	25.7	0.8
STEC/VTEC infection	6	7	10	6	4	3	4	5	73	41	55	16	8.0	2.0
Salmonellosis	17	18	25	31	27	18	16	11	358	453	771	72	178.5	0.4
Shigellosis	2	1	4	4	2	2	2	4	37	27	123	10	16.3	0.6
Typhoid			1						5	1	3	0	0.7	0.0
Yersiniosis	1	1	2	2	2			2	12	13	4	4	1.2	3.3
Sexually transmissible infections														
Chlamydia (genital)	193	217	193	161	174	158	137	139	3378	3624	3735	608	862.8	0.7
Gonorrhoea	45	52	51	43	49	44	40	42	895	904	1386	175	266.4	0.7
Syphilis (congenital)									2	3	0	0	0.3	0.0
Syphilis - Infectious	15	15	16	10	17	18	19	22	292	282	218	76	42.3	1.8
Syphilis - Non-Infectious	5	7	6	6	3	4	3	1	70	64	67	11	16.4	0.7
Vaccine preventable diseases														
Influenza	2	1	1	3	1	1	6	8	26	9	1143	16	340.3	0.0
Mumps				1					1	1	8	0	1.6	0.0
Pertussis		1		3		1	1		14	11	93	2	46.9	0.0
Pneumococcal infection	7	1		4	2	2	1	3	37	24	35	8	10.3	0.8
Varicella (chicken pox)	9	6	4	6	8	2	3	3	106	138	140	16	37.3	0.4
Varicella (shingles)	53	52	59	58	36	35	30	6	781	946	777	107	176.9	0.6
Varicella (unspecified)	58	53	52	48	46	47	43	49	846	562	452	185	118.3	1.6
Vector-borne diseases														
Barmah Forest virus	1	1							7	6	9	0	3.3	0.0
Chikungunya		1							1	0	6	0	0.3	0.0
Dengue fever	1	1							2	0	62	0	13.1	0.0
Malaria		1	1		1	1			7	4	24	2	2.9	0.7
Ross River virus	25	19	16	16	11	4	3	2	361	327	130	20	70.1	0.3
Typhus					2		1		4	6	11	3	1.5	2.0
Zoonotic diseases														
Q Fever									1	0	2	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1	1				2		8	1	1	2	0.5	4.3
COVID-19	62	103	62	50	26	28	13	8	645	134	552	75	50.0	1.5
Legionellosis	2	1	1	1		2	3	2	20	16	19	7	4.5	1.5
Leprosy									1	0	0	0	0.1	0.0
Melioidosis				1					1	3	4	0	0.7	0.0
Meningococcal infection							2		6	6	3	2	1.1	1.9
RSV	31	31	43	32	16	17	9	6	903	2	0	48	0.0	0.0
Tuberculosis		4		3	1	1	3	3	30	40	42	8	8.9	0.9
iGAS	3	2	5	3	1	5	5	4	63	0	0	15	0.0	0.0
Grand Total	627	693	648	569	524	477	428	385						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	3	3	5	5	3	12	5	3	96	182	126	23	31.6	0.7
Hepatitis C (newly acquired)			3				1		15	20	20	1	6.4	0.2
Hepatitis C (unspecified)	3	9	7	12	12	10	9	4	168	263	185	35	50.2	0.7
Hepatitis D									1	2	0	0	0.4	0.0
Enteric diseases														
Campylobacteriosis	39	49	49	33	41	44	47	36	795	773	740	168	158.2	1.1
Cryptosporidiosis	13	8	4	6	9	2	2	2	98	20	388	15	19.9	0.8
Hepatitis A									1	1	5	0	0.7	0.0
Listeriosis									1	1	0	0	0.1	0.0
Rotavirus	6	1	5	3	7	2	4	5	95	40	67	18	15.7	1.1
STEC/VTEC infection	5	4	5	3		1	4	4	48	29	44	9	6.1	1.5
Salmonellosis	8	14	16	23	19	14	9	7	253	317	589	49	132.7	0.4
Shigellosis	1	1	1	1	1	1	1	1	15	6	67	4	6.9	0.6
Typhoid			1						5	0	3	0	0.6	0.0
Yersiniosis	1	1	1	2	2			2	11	8	4	4	0.9	4.6
Sexually transmissible infections														
Chlamydia (genital)	154	164	159	130	149	132	109	111	2685	2888	2897	501	675.7	0.7
Gonorrhoea	32	30	31	31	34	30	22	30	572	533	977	116	182.6	0.6
Syphilis - Infectious	13	10	13	7	16	14	15	19	218	147	130	64	26.1	2.5
Syphilis - Non-Infectious	1	5	3	6	3	1	2		44	48	54	6	12.6	0.5
Vaccine preventable diseases														
Influenza	2	1	1	1	1	1	3	6	18	5	922	11	247.1	0.0
Pertussis		1		3		1	1		12	9	72	2	32.1	0.1
Pneumococcal infection	2	1		1	2				15	12	15	2	5.8	0.3
Varicella (chicken pox)	6	3	3	4	5	1	2	2	76	99	94	10	27.8	0.4
Varicella (shingles)	39	30	39	41	28	26	21	1	537	672	559	76	125.2	0.6
Varicella (unspecified)	54	48	48	45	42	43	41	46	782	538	432	172	114.3	1.5
Vector-borne diseases														
Barmah Forest virus									1	0	1	0	0.7	0.0
Chikungunya		1							1	0	2	0	0.3	0.0
Dengue fever	1	1							2	0	48	0	10.5	0.0
Malaria		1	1		1	1			7	3	18	2	2.5	0.8
Ross River virus	19	13	9	7	6	4	1	1	243	179	65	12	36.9	0.3
Typhus					1				1	0	6	1	0.6	1.7
Other diseases														
COVID-19	60	92	53	42	16	23	12	8	522	57	370	59	30.4	1.9
Legionellosis	2		1	1			3	1	12	10	9	4	2.9	1.4
Leprosy									1	0	0	0	0.1	0.0
Meningococcal infection							2		6	2	1	2	0.5	4.3
RSV	12	8	10	12	8	9	7	4	434	0	0	28	0.0	0.0
Tuberculosis		4		3	1		3	2	23	37	40	6	7.7	0.8
iGAS	2	2	3	2	1	2	1	3	37	0	0	7	0.0	0.0
Grand Total	478	505	471	424	408	374	327	298						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	2	9 (6)	3.4	1	5 (5)	3.4		9 (13)	6.5
Hepatitis C (newly acquired)					(2)	0.7		1 (2)	1.4
Hepatitis C (unspecified)	1	6 (6)	3.4	2	15 (13)	9.7	1	14 (27)	10.6
Hepatitis D			0.1						
Enteric diseases									
Campylobacteriosis	10	51 (58)	36.3	16	60 (45)	40.6	10	57 (62)	34.5
Cryptosporidiosis		4 (1)	3.0		1 (4)	1.9	2	10 (4)	8.5
Hepatitis A						0.1			
Listeriosis			0.1						
Rotavirus	1	4 (3)	3.1	2	5 (1)	4.6	2	9 (5)	5.6
STEC/VTEC infection		1 (2)	1.2	2	5 (1)	2.4	2	3 (2)	3.1
Salmonellosis	5	22 (20)	11.5	1	9 (15)	10.3	1	18 (18)	13.4
Shigellosis		2	0.7		1 (1)	0.6	1	1	0.8
Typhoid									0.7
Vibrio parahaemolyticus									0.3
Yersiniosis	1	1	0.5	1	3 (1)	0.7			0.3
Sexually transmissible infections									
Chlamydia (genital)	28	134 (185)	108.5	38	166 (184)	120.7	45	201 (235)	145.6
Gonorrhoea	1	20 (38)	19.4	11	37 (26)	25.8	18	59 (55)	34.7
Syphilis (congenital)									
Syphilis - Infectious	6	24 (4)	8.7	3	11 (10)	7.0	10	29 (16)	14.5
Syphilis - Non-Infectious		(1)	1.5		2 (2)	1.9		4 (5)	2.7
Vaccine preventable diseases									
Influenza	2	6	1.2	3	3	0.4	1	2	0.8
Mumps									
Pertussis			0.5		1	0.6		1 (1)	0.5
Pneumococcal infection		(1)	0.4		1 (3)	1.0		1 (2)	0.7
Varicella (chicken pox)	1	7 (5)	4.3	1	2 (7)	3.9		1 (8)	2.4
Varicella (shingles)		26 (46)	25.6		32 (53)	29.4	1	18 (43)	20.5
Varicella (unspecified)	19	54 (33)	34.4	13	50 (36)	41.0	14	68 (40)	34.3
Vector-borne diseases									
Barmah Forest virus									0.1
Chikungunya						0.1			
Dengue fever						0.3			
Malaria		1	0.5		1	0.3			0.1
Ross River virus		2 (13)	5.7		4 (11)	16.3	1	6 (16)	12.5
Typhus					1	0.1			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1	25 (11)	24.5	1	17 (2)	18.3	6	17 (7)	29.5
Legionellosis		1 (1)	0.8	1	2	0.4		1 (1)	0.4
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.3		(1)	0.1		2	0.4
RSV		9	16.9	1	7	22.2	3	12	21.7
Tuberculosis		1 (1)	1.1	1	1 (7)	0.4	1	4 (6)	1.6
iGAS		1	1.5	2	4	2.1	1	2	1.6
Grand Total	78	411 (435)		100	446 (430)		120	550 (568)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	1	3 (1)	4.3				1 (1)	4.0	
Hepatitis C (newly acquired)			1.6	2		3.3		1.3	
Hepatitis C (unspecified)		1 (5)	7.6		(4)	17.9	2 (2)	9.4	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	16 (28)	44.0	2	11 (7)	61.8	1	3 (8)	26.9
Cryptosporidiosis		(1)	2.2		(1)	4.9			1.3
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2		(1)	3.3	2	5.4	
STEC/VTEC infection		2 (2)	3.3		2	4.9		6.7	
Salmonellosis	1	6 (6)	19.0	1	1 (3)	8.1	3 (3)	12.1	
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis							(1)	1.3	
Sexually transmissible infections									
Chlamydia (genital)	5	19 (38)	77.2	3	10 (10)	55.3		2 (10)	66.0
Gonorrhoea		3 (3)	11.4		(1)	6.5	1	2 (6)	14.8
Syphilis (congenital)									
Syphilis - Infectious		(1)	1.1		(3)	3.3		5.4	
Syphilis - Non-Infectious	1	1 (1)	2.2			1.6	(1)	1.3	
Vaccine preventable diseases									
Influenza	1	3	2.2						
Mumps									
Pertussis									
Pneumococcal infection			0.5	1	1	3.3		1 (1)	1.3
Varicella (chicken pox)		3 (5)	7.6		(5)	1.6	1	1	2.7
Varicella (shingles)	4	18 (29)	65.2		2 (13)	42.3		4 (5)	39.0
Varicella (unspecified)					4	26.0	1	5 (3)	22.9
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria									
Ross River virus	1	3 (8)	24.5		1 (4)	39.0		1 (6)	14.8
Typhus		2	1.6						
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	4.3			9.8	4	24.2	
Legionellosis		1 (1)	1.6		1	1.6		1.3	
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		2	38.6			43.9		18.8	
Tuberculosis			1.1						
iGAS			2.7			3.3	1	1.3	
Grand Total	16	84 (129)		7	35 (52)		4	32 (47)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		(1)	5.1		(1)	4.0	1		8.5
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		(5)	6.7	1	1	9.9		(2)	16.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	8 (5)	28.6		2 (9)	23.7	2	4	38.9
Cryptosporidiosis			1.7	1	1	2.0	1	1 (2)	15.2
Hepatitis A									
Listeriosis									
Rotavirus								1 (1)	3.4
STEC/VTEC infection		1 (1)	8.4	1	1	4.0		1	5.1
Salmonellosis		4 (3)	21.9			5.9	1	5 (8)	32.1
Shigellosis	1	2	6.7	2	3 (1)	9.9		1	6.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	10 (15)	151.6	3	11 (21)	178.1	7	25 (21)	179.4
Gonorrhoea	1	2 (5)	33.7	2	12 (18)	96.9	6	18 (16)	140.4
Syphilis (congenital)					(1)	2.0		(1)	1.7
Syphilis - Infectious			11.8	1	1 (2)	13.8		3 (11)	37.2
Syphilis - Non-Infectious		1	8.4		2 (1)	7.9		1	11.8
Vaccine preventable diseases									
Influenza						2.0			
Mumps						2.0			
Pertussis			1.7			2.0			
Pneumococcal infection			3.4	1	1	13.8	1	2	6.8
Varicella (chicken pox)		(1)	8.4		(1)	5.9		1 (1)	6.8
Varicella (shingles)	1	1 (4)	18.5		2 (5)	45.5		(4)	15.2
Varicella (unspecified)	1	3 (4)	40.4		(1)	2.0			
Vector-borne diseases									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		(6)	8.4		(4)	2.0		(1)	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		8	37.0		1	19.8			8.5
Legionellosis	1	1	1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		1	131.3			11.9		1	162.4
Tuberculosis			1.7		1	2.0			
iGAS			5.1			4.0	1	2	8.5
Grand Total	11	42 (50)		12	39 (65)		19	67 (68)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (unspecified)		1 (1)	11.6	4	29 (29)	4.7
Hepatitis C (newly acquired)				0	3 (5)	0.8
Hepatitis C (unspecified)		(1)	17.4	5	39 (66)	8.6
Hepatitis D				0	0 (0)	0.0
Enteric diseases						
Campylobacteriosis		1 (2)	20.3	45	213 (224)	37.3
Cryptosporidiosis	1	2 (4)	29.1	6	21 (18)	4.8
Hepatitis A				0	0 (1)	0.1
Listeriosis				0	0 (1)	0.0
Rotavirus			17.4	5	21 (12)	4.2
STEC/VTEC infection			2.9	5	16 (8)	2.7
Salmonellosis		3 (6)	49.4	11	72 (86)	13.4
Shigellosis		(2)	23.2	4	10 (4)	1.4
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				2	4 (3)	0.4
Sexually transmissible infections						
Chlamydia (genital)	4	20 (34)	435.8	139	608 (761)	126.5
Gonorrhoea	2	19 (25)	377.7	42	175 (194)	33.5
Syphilis (congenital)				0	0 (2)	0.1
Syphilis - Infectious	2	6 (8)	81.3	22	76 (55)	10.9
Syphilis - Non-Infectious		(1)	8.7	1	11 (13)	2.6
Vaccine preventable diseases						
Influenza				8	16 (2)	1.0
Mumps				0	0 (0)	0.0
Pertussis				0	2 (2)	0.5
Pneumococcal infection			11.6	3	8 (7)	1.4
Varicella (chicken pox)				3	16 (33)	4.0
Varicella (shingles)		1 (5)	55.2	6	107 (208)	29.2
Varicella (unspecified)	1	1	8.7	49	185 (117)	31.7
Vector-borne diseases						
Barmah Forest virus		(2)	8.7	0	0 (3)	0.3
Chikungunya				0	0 (0)	0.0
Dengue fever				0	0 (0)	0.1
Malaria				0	2 (0)	0.3
Ross River virus		3 (1)	63.9	2	20 (71)	13.5
Typhus				0	3 (0)	0.1
Zoonotic diseases						
Q Fever				0	0 (0)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		2 (1)	23.2	0	2 (1)	0.3
COVID-19		1	14.5	8	75 (58)	7065.9
Legionellosis		(1)	2.9	2	7 (4)	0.7
Leprosy				0	0 (0)	0.0
Melioidosis			2.9	0	0 (1)	0.0
Meningococcal infection				0	2 (3)	0.2
RSV	1	14	488.1	6	48 (0)	33.8
Tuberculosis				3	8 (14)	0.9
iGAS		5	23.2	4	15 (0)	2.4
Grand Total	11	79 (94)		385	1814 (2009)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 17	
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2022	2021
	Salmonella Total	17	18	25	31	27	18	16	11	358
Serotype/Phage										
Salmonella Agona									6	3
Salmonella Amsterdam					1				1	0
Salmonella Anatum									4	4
Salmonella Anatum var 15+							1		1	0
Salmonella Bareilly									0	2
Salmonella Bleadon subsp II				1					1	0
Salmonella Bovismorbificans					1	1			5	4
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester			1	1	1		1	1	6	5
Salmonella Choleraesuis bv Australia		1						1	5	3
Salmonella Choleraesuis bv Decatur	1		2		1				6	7
Salmonella Corvallis					1				1	1
Salmonella Eastbourne									2	2
Salmonella Enteritidis					1				2	6
Salmonella Essen									0	0
Salmonella Fremantle subsp II						1			1	3
Salmonella Give									3	4
Salmonella Give var 15+									0	0
Salmonella Havana			1						2	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis						1			5	19
Salmonella Irumu									1	1
Salmonella Johannesburg			2						2	1
Salmonella Kiambu					1	1			6	2
Salmonella Litchfield									3	3
Salmonella Mgulani				1					2	0
Salmonella Muenchen		2	1					1	10	6
Salmonella Newport									2	7
Salmonella Ohlstedt	1								2	0
Salmonella Oranienburg		1	1			1			13	2
Salmonella Orion						1			4	3
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java				1					2	1
Salmonella Poona									0	4
Salmonella Potsdam			1		1				4	6
Salmonella Reading				1					6	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	3	2	2	1	1		2	1	15	15
Salmonella Schwarzengrund								1	1	0
Salmonella Senftenberg			1				1		2	2
Salmonella Stanley	2		1						10	3
Salmonella Tennessee	1				1	1			3	2
Salmonella Thompson									1	0
Salmonella Typhimurium	4	7	8	22	12	8	6	6	159	251
Salmonella Virchow					1				3	9

Weekly Report for period 05-MAR-22 to 29-APR-22

	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	Cumulative Total to end of Week 17	
									2022	2021
Salmonella Total	17	18	25	31	27	18	16	11	358	427
Serotype/Phage										
Salmonella Wandsbek subsp II									0	1
Salmonella Wandsworth									1	1
Salmonella Welikade									2	0
Salmonella Weltevreden			1						2	2
Salmonella species	5	4	2	2	3	3	3	1	36	24
Salmonella subsp 1 ser 4,5:d:-			1	1	1				3	0
Salmonella subsp I ser 16:l,v:-		1							1	2
Salmonella subsp IIIb 61:l,v:z35									1	0