



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 02-APR-22 to 27-MAY-22

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

**[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)**

**STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	1	5	6	1	1.9	0.5
Hepatitis B (unspecified)	5	14	5	4	14	9	16	4	163	294	175	43	35.7	1.2
Hepatitis C (newly acquired)			3		2	1		1	23	29	40	4	8.3	0.5
Hepatitis C (unspecified)	15	10	9	5	13	13	14	18	286	435	319	58	65.7	0.9
Hepatitis D							1	1	3	3	0	2	0.5	4.3
<b>Enteric diseases</b>														
Campylobacteriosis	57	62	59	58	58	59	66	65	1267	1166	1094	248	200.8	1.2
Cryptosporidiosis	11	2	2	10	7	2	5	1	148	63	453	15	16.7	0.9
Hepatitis A							1		3	1	6	1	0.6	1.7
Listeriosis									1	2	1	0	0.5	0.0
Rotavirus	7	3	8	5	9	7	5	4	140	51	96	25	29.7	0.8
STEC/VTEC infection	3	3	4	5	2	4	4	2	84	47	59	12	6.5	1.8
Salmonellosis	26	19	16	13	16	8	8	12	407	532	917	44	151.8	0.3
Shigellosis	2	3	3	3	2	3	3	4	50	39	139	12	14.7	0.8
Typhoid									5	1	3	0	0.5	0.0
Vibrio parahaemolyticus					1				3	3	2	1	0.9	1.1
Yersiniosis				1				1	9	16	5	1	1.7	0.6
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	176	158	141	166	198	229	234	200	4279	4493	4588	861	838.7	1.0
Gonorrhoea	53	43	41	58	68	66	68	49	1170	1136	1664	251	257.8	1.0
Syphilis (congenital)									2	3	0	0	0.2	0.0
Syphilis - Infectious	14	14	12	14	16	20	16	35	344	350	283	87	41.2	2.1
Syphilis - Non-Infectious	4	4	3	1	4	7	3	8	92	82	86	22	16.0	1.4
<b>Vaccine preventable diseases</b>														
Influenza	1	1	7	8	18	42	100	141	328	15	1161	301	963.5	0.3
Mumps									1	1	9	0	1.5	0.0
Pertussis		1	1		1		1	1	18	12	98	3	50.5	0.1
Pneumococcal infection	2	2	1	5	4	5	1	3	52	34	43	13	15.1	0.9
Varicella (chicken pox)	7	2	5	4	7	2	8	4	130	167	163	21	38.1	0.6
Varicella (shingles)	38	38	40	28	29	34	38	19	945	1145	975	120	175.3	0.7
Varicella (unspecified)	44	46	36	35	43	46	52	72	1030	673	540	213	115.0	1.9
<b>Vector-borne diseases</b>														
Barmah Forest virus				1		1			9	7	13	1	2.3	0.4
Chikungunya				1					2	0	6	0	0.3	0.0
Dengue fever				2			1		5	0	62	1	10.2	0.1
Malaria		1			1				8	6	24	1	3.1	0.3
Ross River virus	11	3	4	5	4	2	5	1	380	422	159	12	53.7	0.2
Typhus	1		1		1	1	2		7	9	13	4	1.5	2.7
<b>Zoonotic diseases</b>														
Q Fever									1	2	3	0	0.7	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis			3			1			10	2	1	1	0.5	1.9
COVID-19	22124	19670	22002	21727	23176	32839	34533	16609	295187	159	586	107157	15.7	6810.8
Creutzfeldt-Jakob disease									1	3	2	0	0.6	0.0
Legionellosis		2	4	1		6	1	2	27	26	33	9	4.9	1.8
Leprosy									1	1	0	0	0.1	0.0
Melioidosis			1						2	4	4	0	0.5	0.0
Meningococcal infection			1			2		1	8	6	4	3	1.1	2.6
RSV	16	17	10	6	5	9	2	12	932	2	0	28	0.0	0.0
Tuberculosis	1	1	3	3		2	2		32	48	49	4	9.7	0.4
iGAS	1	5	5	3	5	7	2	1	77	0	0	15	0.0	0.0
<b>Grand Total</b>	<b>22619</b>	<b>20124</b>	<b>22430</b>	<b>22172</b>	<b>23704</b>	<b>33427</b>	<b>35192</b>	<b>17272</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	1	4	4	1	1.3	0.8
Hepatitis B (unspecified)	3	11	4	3	12	7	14	4	130	213	152	37	29.9	1.2
Hepatitis C (newly acquired)			1		2	1		1	18	25	30	4	6.5	0.6
Hepatitis C (unspecified)	12	10	9	4	11	9	10	13	212	309	228	43	47.0	0.9
Hepatitis D							1		2	3	0	1	0.4	2.5
<b>Enteric diseases</b>														
Campylobacteriosis	41	49	49	46	44	48	49	52	1005	906	876	193	159.0	1.2
Cryptosporidiosis	9	2	2	5	5	2	4	1	113	24	396	12	9.4	1.3
Hepatitis A								1	2	1	5	1	0.5	2.1
Listeriosis									1	1	0	0	0.4	0.0
Rotavirus	7	2	6	5	7	6	5	3	118	46	78	21	18.2	1.2
STEC/VTEC infection		1	4	4	2	2	3		55	34	47	7	5.3	1.3
Salmonellosis	18	15	8	9	12	3	5	7	284	374	695	27	112.9	0.2
Shigellosis	1	1	1	2	1	2		1	20	7	71	4	6.3	0.6
Typhoid									5	0	3	0	0.4	0.0
Vibrio parahaemolyticus					1				3	3	2	1	0.6	1.7
Yersiniosis				1				1	8	11	5	1	1.3	0.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	150	132	112	137	150	185	186	165	3405	3555	3553	686	657.1	1.0
Gonorrhoea	35	29	23	38	40	49	44	31	747	684	1165	164	174.6	0.9
Syphilis - Infectious	13	11	8	9	12	13	9	25	244	190	180	59	26.1	2.3
Syphilis - Non-Infectious	3	1	2		2	5	2	3	55	62	73	12	11.5	1.0
<b>Vaccine preventable diseases</b>														
Influenza	1	1	4	6	11	27	69	112	238	6	932	219	760.7	0.3
Pertussis		1	1		1		1		14	10	77	2	34.1	0.1
Pneumococcal infection	2				3	4		2	24	21	16	9	8.8	1.0
Varicella (chicken pox)	5	1	2	3	6	1	4	1	89	123	114	12	28.0	0.4
Varicella (shingles)	28	28	30	19	21	22	24	6	643	811	701	73	122.7	0.6
Varicella (unspecified)	42	43	36	31	38	42	44	67	950	645	520	191	110.8	1.7
<b>Vector-borne diseases</b>														
Barmah Forest virus						1			2	0	3	1	0.7	1.5
Chikungunya				1					2	0	2	0	0.3	0.0
Dengue fever				2			1		5	0	48	1	7.9	0.1
Malaria		1							7	5	18	0	2.6	0.0
Ross River virus	5	2	2	3	3	1	3	1	253	224	86	8	31.1	0.3
Typhus	1					1	1		3	1	7	2	0.7	2.7
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis			1						1	0	0	0	0.0	0.0
COVID-19	18734	16750	19163	19061	20714	29197	30788	14727	260287	69	375	95426	6.3	15227.6
Creutzfeldt-Jakob disease									1	3	2	0	0.4	0.0
Legionellosis			4			6		2	19	15	18	8	3.3	2.4
Leprosy									1	1	0	0	0.1	0.0
Meningococcal infection			1			2		1	8	2	2	3	0.7	4.1
RSV	8	9	7	4	2	6		9	451	0	0	17	0.0	0.0
Tuberculosis	1		3	3		1	1		24	45	47	2	8.5	0.2
iGAS	1	2	1	2	3	1	2		42	0	0	6	0.0	0.0
<b>Grand Total</b>	<b>19120</b>	<b>17102</b>	<b>19484</b>	<b>19398</b>	<b>21103</b>	<b>29644</b>	<b>31271</b>	<b>15236</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)							1	1 (1)	0.1
Hepatitis B (unspecified)	1	7 (9)	4.2	2	12 (7)	5.2	1	18 (15)	8.7
Hepatitis C (newly acquired)	1	1 (2)	0.1		1	0.7		2 (3)	1.6
Hepatitis C (unspecified)	2	6 (9)	4.2	3	14 (16)	11.9	8	23 (21)	13.7
Hepatitis D		1 (1)	0.3						
<b>Enteric diseases</b>									
Campylobacteriosis	14	66 (50)	46.3	25	69 (37)	51.8	13	58 (46)	42.8
Cryptosporidiosis		6	4.2		3 (2)	2.4	1	3 (2)	8.9
Hepatitis A						0.1		1	0.1
Listeriosis			0.1						
Rotavirus	1	9 (5)	4.5	1	3 (1)	5.2	1	9	6.8
STEC/VTEC infection		3 (1)	1.6		1 (2)	2.5		3 (2)	3.5
Salmonellosis	1	7 (18)	12.7	4	9 (19)	11.6	2	11 (20)	15.2
Shigellosis		(1)	0.7		2	0.9	1	2	1.2
Typhoid									0.7
Vibrio parahaemolyticus								1	0.4
Yersiniosis	1	1 (1)	0.5			0.4		(2)	0.1
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	48	236 (211)	142.0	53	210 (190)	153.2	64	240 (266)	180.0
Gonorrhoea	6	47 (40)	26.8	10	43 (46)	32.4	15	74 (65)	45.0
Syphilis (congenital)									
Syphilis - Infectious	8	15 (8)	9.1	3	13 (20)	7.9	14	31 (15)	16.8
Syphilis - Non-Infectious	2	7 (5)	2.3		(4)	1.6	1	5 (5)	3.7
<b>Vaccine preventable diseases</b>									
Influenza	52	86	13.0	21	51	8.1	39	82 (1)	11.9
Mumps									
Pertussis		1 (1)	0.7		1	0.7			0.5
Pneumococcal infection	1	5 (3)	1.1		1 (3)	1.2	1	3 (3)	1.1
Varicella (chicken pox)	1	2 (8)	4.7		4 (8)	4.5		6 (8)	3.3
Varicella (shingles)		26 (50)	30.9	4	28 (48)	34.9	2	19 (41)	24.5
Varicella (unspecified)	26	70 (32)	42.8	28	62 (49)	48.9	13	59 (26)	41.4
<b>Vector-borne diseases</b>									
Barmah Forest virus					1	0.1			0.1
Chikungunya			0.1			0.1			
Dengue fever			0.3		1	0.4			
Malaria		(1)	0.5			0.3		(1)	0.1
Ross River virus		2 (11)	6.0		1 (18)	16.6	1	5 (16)	13.3
Typhus		1	0.1		1 (1)	0.3			
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						0.1			
COVID-19	5847	34671 (1)	12738.9	3929	29603 (1)	11217.9	4951	31152 (2)	12325.5
Creutzfeldt-Jakob disease						0.1			
Legionellosis	1	6 (5)	1.6			0.3	1	2	0.7
Leprosy								(1)	0.1
Melioidosis									
Meningococcal infection			0.3	1	3	0.6			0.3
RSV	3	6	17.7	1	5	23.0	5	6	22.5
Tuberculosis		(5)	1.1		1	0.4		1 (3)	1.8
iGAS			1.4		2	2.4		4	2.2
<b>Grand Total</b>	<b>6016</b>	<b>35288 (478)</b>		<b>4085</b>	<b>30145 (472)</b>		<b>5135</b>	<b>31821 (565)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(3)	4.3		1 (1)	1.6			4.0
Hepatitis C (newly acquired)			1.6			3.3			
Hepatitis C (unspecified)		4 (5)	9.8	1	2 (1)	21.1	1	2 (3)	13.5
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	4	18 (17)	54.9	1	7 (1)	76.5	3	7 (5)	36.4
Cryptosporidiosis		2 (5)	3.3		(1)	6.5			1.3
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2			3.3			5.4
STEC/VTEC infection	2	4 (1)	4.9			4.9			6.7
Salmonellosis		2 (5)	20.1	1	2	13.0		1 (5)	13.5
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	5	24 (48)	90.2	1	11 (14)	74.8	2	12 (10)	82.1
Gonorrhoea		2 (8)	12.5		1	9.8		2	17.5
Syphilis (congenital)									
Syphilis - Infectious		(1)	1.1			3.3	1	1 (1)	4.0
Syphilis - Non-Infectious			2.2			1.6			2.7
<b>Vaccine preventable diseases</b>									
Influenza	6	11 (3)	8.2	1	2	3.3	2	3 (1)	4.0
Mumps									
Pertussis									
Pneumococcal infection	1	1	1.1			3.3			1.3
Varicella (chicken pox)		1 (1)	8.2		1	6.5	1	2	5.4
Varicella (shingles)	10	21 (23)	77.2	1	8 (9)	60.2	1	3 (5)	44.4
Varicella (unspecified)	2	6	3.3	1	6	29.3		5	28.3
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		2 (13)	26.1		(4)	37.4		1 (18)	16.2
Typhus			1.1		2	3.3			
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1254	6529 (1)	7574.8	130	975	3997.3	60	966	3553.2
Creutzfeldt-Jakob disease									
Legionellosis		(4)	1.6			1.6			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	1	6	41.9			43.9		1	20.2
Tuberculosis			1.1		1	1.6			
iGAS			2.7			3.3			1.3
<b>Grand Total</b>	<b>1285</b>	<b>6633 (138)</b>		<b>137</b>	<b>1019 (31)</b>		<b>71</b>	<b>1006 (48)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (2)	6.7	1		5.9	2 (1)		11.8
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	3	5 (4)	15.2	1 (1)		11.9	1 (2)		16.9
Hepatitis D	1	1	1.7						
<b>Enteric diseases</b>									
Campylobacteriosis	2	8 (6)	42.1	1	3 (6)	33.6	1	6 (4)	49.1
Cryptosporidiosis			1.7		1 (1)	4.0			15.2
Hepatitis A									
Listeriosis									
Rotavirus	1	2	3.4				2		6.8
STEC/VTEC infection			8.4			4.0			5.1
Salmonellosis		3 (2)	26.9			5.9	1	3 (5)	37.2
Shigellosis		(1)	6.7	1 (2)		11.9	2	2 (2)	10.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	20 (19)	183.6	4	31 (23)	241.4	8	35 (28)	243.7
Gonorrhoea	2	3 (2)	38.7	5	18 (21)	138.5	4	29 (15)	192.9
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious	2	3 (1)	16.8	2	5 (1)	23.7	3	11 (16)	59.2
Syphilis - Non-Infectious		2 (2)	11.8	1	2 (2)	11.9	2	2	15.2
<b>Vaccine preventable diseases</b>									
Influenza	4	28	47.2	1	4	7.9		3 (1)	5.1
Mumps						2.0			
Pertussis	1	1	5.1			2.0			
Pneumococcal infection			3.4		1	17.8		(1)	8.5
Varicella (chicken pox)		1	10.1		1 (1)	7.9	2	3 (1)	11.8
Varicella (shingles)		4 (2)	30.3		3 (5)	53.4		4 (6)	23.7
Varicella (unspecified)	2	4 (3)	45.5			2.0			
<b>Vector-borne diseases</b>									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		1 (6)	10.1			4.0		(3)	15.2
Typhus									
<b>Zoonotic diseases</b>									
Q Fever			1.7						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	172	1021	4462.5	42	493	3844.3	77	669	6226.8
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		1	133.0			11.9			162.4
Tuberculosis			1.7			2.0			
iGAS	1	2	8.4		1	5.9		3	13.5
<b>Grand Total</b>	<b>194</b>	<b>1111 (51)</b>		<b>56</b>	<b>566 (63)</b>		<b>100</b>	<b>775 (85)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				1	1 (1)	0.0
Hepatitis B (unspecified)			11.6	4	43 (38)	6.1
Hepatitis C (newly acquired)				1	4 (7)	0.9
Hepatitis C (unspecified)		(4)	17.4	18	58 (66)	10.8
Hepatitis D				1	2 (1)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis	1	2 (2)	26.1	65	248 (176)	47.4
Cryptosporidiosis		(2)	29.1	1	15 (13)	5.5
Hepatitis A				0	1 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			17.4	4	25 (6)	5.2
STEC/VTEC infection		1	5.8	2	12 (6)	3.1
Salmonellosis	2	4 (4)	61.0	12	44 (79)	15.2
Shigellosis	1	4 (2)	34.9	4	12 (12)	1.9
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				0	1 (0)	0.1
Yersiniosis				1	1 (3)	0.3
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	4	30 (49)	528.7	200	861 (868)	160.2
Gonorrhoea	6	30 (33)	485.2	49	251 (232)	43.8
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	1	5 (5)	93.0	35	87 (68)	12.9
Syphilis - Non-Infectious	2	4	20.3	8	22 (18)	3.3
<b>Vaccine preventable diseases</b>						
Influenza	10	11	32.0	141	301 (6)	12.3
Mumps				0	0 (0)	0.0
Pertussis				1	3 (1)	0.7
Pneumococcal infection		1	14.5	3	13 (10)	1.9
Varicella (chicken pox)				4	21 (29)	4.9
Varicella (shingles)		3 (8)	66.8	19	120 (199)	35.4
Varicella (unspecified)			8.7	72	213 (111)	38.6
<b>Vector-borne diseases</b>						
Barmah Forest virus			11.6	0	1 (1)	0.3
Chikungunya				0	0 (0)	0.1
Dengue fever				0	1 (0)	0.2
Malaria				0	1 (2)	0.3
Ross River virus		(5)	72.6	1	12 (95)	14.2
Typhus				0	4 (3)	0.3
<b>Zoonotic diseases</b>						
Q Fever				0	0 (2)	0.0
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	26.1	0	1 (1)	0.4
COVID-19	52	468	10946.8	16609	107157 (15)	11054.5
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Legionellosis			2.9	2	9 (10)	1.0
Leprosy				0	0 (1)	0.0
Melioidosis		(1)	5.8	0	0 (1)	0.1
Meningococcal infection				1	3 (0)	0.3
RSV	1	1	493.9	12	28 (0)	34.9
Tuberculosis				0	4 (8)	0.9
iGAS		2	29.1	1	15 (0)	2.9
<b>Grand Total</b>	<b>80</b>	<b>567 (116)</b>		<b>17272</b>	<b>109595 (2090)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 21	
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2022	2021
	<b>Salmonella Total</b>	<b>26</b>	<b>19</b>	<b>16</b>	<b>13</b>	<b>16</b>	<b>8</b>	<b>8</b>	<b>12</b>	<b>407</b>
<b>Serotype/Phage</b>										
Salmonella Agona									6	3
Salmonella Amsterdam	1								1	0
Salmonella Anatum					1			1	6	7
Salmonella Anatum var 15+			1						1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa							1		1	0
Salmonella Bovismorbificans	1	1				1			6	5
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester	1		1	1	1				7	6
Salmonella Choleraesuis bv Australia			1						5	4
Salmonella Choleraesuis bv Decatur	1								6	7
Salmonella Corvallis	1								1	2
Salmonella Eastbourne					1				3	2
Salmonella Enteritidis	1				1				3	7
Salmonella Essen									0	0
Salmonella Fremantle subsp II		1							1	3
Salmonella Give								1	4	4
Salmonella Give var 15+									0	0
Salmonella Havana					1				3	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis		1		1			1		7	22
Salmonella Irumu									1	1
Salmonella Johannesburg									2	2
Salmonella Kentucky							2		2	1
Salmonella Kiambu	1	1		1	1				8	2
Salmonella Litchfield									3	3
Salmonella Mgulani									2	0
Salmonella Muenchen			1	1					10	10
Salmonella Newport									2	8
Salmonella Ohlstedt									2	0
Salmonella Oranienburg		1						1	14	5
Salmonella Orientalis					1				1	0
Salmonella Orion		1		1		1			6	5
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java				1	1	1			5	1
Salmonella Poona									0	4
Salmonella Potsdam	1								4	7
Salmonella Reading									6	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	1		2	1	1		1		17	17
Salmonella Schwarzengrund				1					1	0
Salmonella Senftenberg			1						2	2
Salmonella Stanley					1			1	12	4
Salmonella Tennessee	1	1							3	2



# Weekly Report for period 02-APR-22 to 27-MAY-22

	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	Cumulative Total to end of Week 21	
									2022	2021
<b>Salmonella Total</b>	<b>26</b>	<b>19</b>	<b>16</b>	<b>13</b>	<b>16</b>	<b>8</b>	<b>8</b>	<b>12</b>	<b>407</b>	<b>498</b>
<b>Serotype/Phage</b>										
Salmonella Thompson									1	0
Salmonella Typhimurium	11	8	7	5	3	1			164	290
Salmonella Virchow	1							1	4	10
Salmonella Wandsbek subsp II									0	1
Salmonella Wandsworth									1	1
Salmonella Welikade						1			3	0
Salmonella Weltevreden									2	2
Salmonella species	3	4	2		3	1	5	7	52	27
Salmonella subsp 1 ser 4,5:d:-	1								3	0
Salmonella subsp I ser 16:l,v:-									1	2
Salmonella subsp IIIb 61:l,v:z35									1	0