



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 04-JUN-22 to 29-JUL-22

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 30			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (unspecified)	4	9	10	10	14	10	9	11	247	351	294	44	39.7	1.1
Hepatitis C (newly acquired)		1	1	4		1	1	1	37	39	62	3	8.1	0.4
Hepatitis C (unspecified)	14	11	19	8	26	15	12	21	421	549	456	74	72.1	1.0
Hepatitis D								1	4	5	0	1	0.6	1.7
<b>Enteric diseases</b>														
Campylobacteriosis	76	72	77	91	80	63	76	75	1949	1669	1481	294	242.7	1.2
Cryptosporidiosis	3	9	4	3	4		3	1	187	80	464	8	7.9	1.0
Hepatitis A									4	1	6	0	0.6	0.0
Listeriosis				1					2	3	3	0	0.8	0.0
Rotavirus	2	3	2	4	4	3	1	6	164	115	124	14	31.9	0.4
STEC/VTEC infection	4	2	3	5	11	3	3	2	124	63	71	19	6.5	2.9
Salmonellosis	10	12	10	13	18	12	9	6	517	627	1200	45	114.2	0.4
Shigellosis	3	4	3	5	5	1	6	3	83	56	165	15	16.8	0.9
Typhoid							1		7	2	3	1	0.5	2.1
Vibrio parahaemolyticus									3	3	2	0	0.5	0.0
Yersiniosis		1	1	2	1	2		2	20	18	8	5	1.9	2.6
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	206	215	244	212	214	207	193	207	6258	6385	6400	821	866.3	0.9
Gonorrhoea	67	71	65	65	69	55	64	45	1748	1662	2249	233	263.9	0.9
Syphilis (congenital)									2	3	2	0	0.2	0.0
Syphilis - Infectious	13	23	14	18	19	13	12	8	447	478	409	52	43.0	1.2
Syphilis - Non-Infectious	1	4	6	8	5	1	1	3	124	148	123	10	17.9	0.6
<b>Vaccine preventable diseases</b>														
H. influenzae type b								1	1	0	1	1	0.1	15.0
Influenza	528	910	1076	1417	2101	1819	1149	848	10531	23	1194	5917	1287.8	4.6
Mumps									1	1	9	0	1.1	0.0
Pertussis		1	1						17	19	109	0	57.9	0.0
Pneumococcal infection	5	8	7	10	8	12	5	6	123	85	92	31	24.3	1.3
Varicella (chicken pox)	4	8	8	5	5	9	5	3	189	235	269	22	52.3	0.4
Varicella (shingles)	39	41	37	44	39	40	20	12	1295	1558	1431	111	174.5	0.6
Varicella (unspecified)	48	45	52	32	27	52	42	88	1431	947	836	209	120.4	1.7
<b>Vector-borne diseases</b>														
Barmah Forest virus	1								12	10	16	0	1.5	0.0
Chikungunya		1							3	0	7	0	0.5	0.0
Dengue fever	2		1	2	1		2	1	16	0	62	4	9.2	0.4
Malaria	2	1		1	3				16	10	27	3	3.1	1.0
Murray Valley encephalitis virus					1				1	0	0	1	0.1	15.0
Ross River virus	2	2	1	1		1		1	391	514	185	2	25.2	0.1
Typhus	1				1			1	7	10	16	2	1.5	1.3
<b>Zoonotic diseases</b>														
Q Fever				1					4	2	4	0	0.6	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis		1	1						13	4	1	0	0.8	0.0
COVID-19	15623	12898	11185	11238	14487	16031	14378	10756	429594	201	645	55652	8.8	6324.1
Creutzfeldt-Jakob disease		1							2	3	4	0	0.3	0.0
Legionellosis		1		3	1	3		1	38	35	47	5	2.9	1.7
Leprosy									1	2	0	0	0.1	0.0
Melioidosis									3	4	5	0	0.5	0.0
Meningococcal infection		1			1				11	6	7	1	2.0	0.5
RSV	15	24	41	64	106	185	225	293	2182	2	0	809	0.0	0.0
Tuberculosis	2	1	2	3	1	2	1	1	50	78	69	5	10.3	0.5
iGAS	3	7	2	5	6	7	3	2	109	0	0	18	0.1	270.0
<b>Grand Total</b>	<b>16678</b>	<b>14388</b>	<b>12873</b>	<b>13275</b>	<b>17258</b>	<b>18548</b>	<b>16221</b>	<b>12405</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 30			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (unspecified)	3	6	8	9	12	8	9	10	202	260	249	39	32.7	1.2
Hepatitis C (newly acquired)		1	1	3		1	1	1	29	35	47	3	6.1	0.5
Hepatitis C (unspecified)	11	8	11	5	19	11	10	15	307	394	325	55	52.3	1.1
Hepatitis D								1	3	5	0	1	0.5	1.9
<b>Enteric diseases</b>														
Campylobacteriosis	52	55	61	75	61	43	61	56	1527	1298	1191	221	190.9	1.2
Cryptosporidiosis	2	7	3	3	2		2	1	139	29	405	5	5.3	0.9
Hepatitis A									3	1	5	0	0.4	0.0
Listeriosis				1					2	1	2	0	0.7	0.0
Rotavirus	2	2	1	4	3	3		4	140	105	98	10	23.5	0.4
STEC/VTEC infection	2	2	1	3	6	2	2		75	48	53	10	5.6	1.8
Salmonellosis	8	9	7	8	13	10	7	5	364	440	909	35	87.5	0.4
Shigellosis	1	2	3	4	2	1	3	2	41	14	79	8	9.6	0.8
Typhoid							1		6	1	3	1	0.4	2.5
Vibrio parahaemolyticus									3	3	2	0	0.4	0.0
Yersiniosis		1	1	2	1	2		2	19	13	7	5	1.9	2.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	163	167	179	162	154	165	157	170	4931	5034	4976	646	675.0	1.0
Gonorrhoea	43	43	39	45	47	34	44	26	1117	1033	1553	151	179.0	0.8
Syphilis - Infectious	8	11	5	7	12	9	5	5	293	268	267	31	26.3	1.2
Syphilis - Non-Infectious	1	1	3	4	4			1	69	100	101	5	12.5	0.4
<b>Vaccine preventable diseases</b>														
Influenza	323	548	612	927	1634	1405	933	719	7551	12	955	4691	1050.8	4.5
Pertussis		1	1						14	16	87	0	41.1	0.0
Pneumococcal infection	3	4	3	5	4	7	2	3	62	52	29	16	13.4	1.2
Varicella (chicken pox)	3	8	7	4	3	9	3	3	140	171	192	18	38.2	0.5
Varicella (shingles)	28	32	29	28	30	31	11	4	898	1092	1032	76	123.0	0.6
Varicella (unspecified)	45	40	49	24	25	46	41	84	1324	911	802	196	115.9	1.7
<b>Vector-borne diseases</b>														
Barmah Forest virus									3	1	3	0	0.3	0.0
Chikungunya		1							3	0	3	0	0.5	0.0
Dengue fever	1		1	1	1		2	1	13	0	48	4	7.3	0.5
Malaria	2	1		1	3				15	8	21	3	2.6	1.2
Ross River virus	1	1	1	1		1		1	261	266	104	2	14.5	0.1
Typhus	1				1				2	3	8	1	0.7	1.4
<b>Zoonotic diseases</b>														
Q Fever				1					3	1	2	0	0.5	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis		1	1						3	0	0	0	0.0	0.0
COVID-19	13968	11502	9959	10004	12916	14155	12666	9412	379399	88	417	49149	4.3	11342.1
Creutzfeldt-Jakob disease		1							2	3	4	0	0.2	0.0
Legionellosis		1		1	1	3		1	29	20	30	5	2.1	2.3
Leprosy									1	2	0	0	0.1	0.0
Meningococcal infection		1			1				11	2	3	1	1.3	0.8
RSV	10	17	29	41	86	155	201	267	1532	0	0	709	0.0	0.0
Tuberculosis	2		1	3	1	2	1		39	72	66	4	9.8	0.4
iGAS	1	4	1	3	3	4	1	2	55	0	0	10	0.1	150.0
<b>Grand Total</b>	<b>14684</b>	<b>12478</b>	<b>11017</b>	<b>11379</b>	<b>15045</b>	<b>16107</b>	<b>14163</b>	<b>10796</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									0.1
Hepatitis B (unspecified)	1	6 (10)	6.9	3	9 (5)	7.6	6	24 (11)	13.5
Hepatitis C (newly acquired)		(2)	0.5	1	2 (1)	1.8		1 (3)	1.8
Hepatitis C (unspecified)	2	10 (12)	6.4	6	20 (14)	17.4	7	25 (12)	19.4
Hepatitis D		(1)	0.3	1	1	0.1			
<b>Enteric diseases</b>									
Campylobacteriosis	28	73 (57)	71.4	12	79 (58)	76.5	16	69 (71)	66.0
Cryptosporidiosis	1	1	5.1		4	4.3			9.8
Hepatitis A						0.1			0.3
Listeriosis			0.3						
Rotavirus	3	5 (11)	5.6		2 (8)	6.3	1	3 (13)	7.7
STEC/VTEC infection		3 (1)	2.3		3 (1)	3.4		4 (4)	4.7
Salmonellosis	3	10 (8)	16.4	1	14 (5)	15.5	1	11 (10)	18.8
Shigellosis		3 (1)	1.9		(2)	1.2	2	5	2.6
Typhoid					1	0.1			0.7
Vibrio parahaemolyticus									0.4
Yersiniosis		2 (1)	1.1			1.0	2	3	0.5
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	61	200 (216)	202.2	40	197 (211)	218.3	69	249 (246)	267.3
Gonorrhoea	1	33 (43)	38.7	5	40 (41)	45.0	20	78 (85)	71.7
Syphilis (congenital)									
Syphilis - Infectious	1	11 (11)	11.0	1	3 (8)	9.5	3	17 (18)	20.0
Syphilis - Non-Infectious		2 (5)	2.7		2 (3)	2.4	1	1 (9)	4.5
<b>Vaccine preventable diseases</b>									
Influenza	221	1504 (1)	363.6	217	1450	325.1	281	1737	363.8
Mumps									
Pertussis			0.7		(1)	0.7			0.5
Pneumococcal infection	1	3 (4)	2.2		7 (1)	3.4	2	6 (7)	3.1
Varicella (chicken pox)	2	7 (8)	7.6		8 (3)	7.2	1	3 (8)	4.9
Varicella (shingles)	3	25 (42)	43.2		26 (49)	46.4	1	25 (36)	36.3
Varicella (unspecified)	33	86 (48)	62.7	26	55 (48)	66.4	25	55 (25)	56.3
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.1			0.3
Chikungunya			0.3			0.1			
Dengue fever	1	2	0.7		1	0.7		1	0.4
Malaria		1	0.9		1	0.7		1 (3)	0.4
Murray Valley encephalitis virus									
Ross River virus		(4)	6.1	1	1 (3)	17.0		1	13.8
Typhus						0.1		1 (1)	0.1
<b>Zoonotic diseases</b>									
Q Fever						0.1			0.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1			0.1
COVID-19	3491	17951 (1)	18411.6	2667	14527 (5)	16624.5	3254	16671 (1)	17874.5
Creutzfeldt-Jakob disease						0.1			0.1
Legionellosis		3	2.2			0.7	1	2	1.1
Leprosy								(1)	0.1
Melioidosis									
Meningococcal infection			0.5		1	0.7			0.3
RSV	96	248	73.1	88	231	77.6	83	230	63.9
Tuberculosis		4 (4)	1.8		(4)	0.6		(6)	3.0
iGAS		6	2.0			2.2	2	4	3.4
<b>Grand Total</b>	<b>3949</b>	<b>20199 (491)</b>		<b>3069</b>	<b>16685 (471)</b>		<b>3778</b>	<b>19227 (570)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)	4.9			3.3			5.4
Hepatitis C (newly acquired)			1.6			6.5			
Hepatitis C (unspecified)	1	6 (3)	17.4	2	3	26.0		(2)	16.2
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	8	28 (20)	83.7	3	8 (6)	109.0		7 (8)	68.7
Cryptosporidiosis			4.9		1 (1)	9.8		(1)	2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus	1	2 (1)	3.8			3.3		1	5.4
STEC/VTEC infection		1 (1)	8.2			9.8		2	10.8
Salmonellosis		(2)	21.7	1	1	17.9			17.5
Shigellosis			1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	11	40 (32)	138.1		4 (8)	105.7	4	19 (11)	127.9
Gonorrhoea	1	2 (3)	16.3		1 (1)	11.4	1	6 (1)	25.6
Syphilis (congenital)									
Syphilis - Infectious			1.1			3.3		(2)	6.7
Syphilis - Non-Infectious			2.7			1.6		1 (3)	5.4
<b>Vaccine preventable diseases</b>									
Influenza	35	243	246.8	40	153	357.9	7	73	156.2
Mumps									
Pertussis									
Pneumococcal infection		2	2.7			3.3			4.0
Varicella (chicken pox)		3 (3)	10.3			8.1		(1)	6.7
Varicella (shingles)	8	18 (18)	106.6		5 (16)	79.7		2 (5)	55.2
Varicella (unspecified)			4.3		3	39.0		1	28.3
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.1						
Chikungunya									
Dengue fever									1.3
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(5)	27.2		(1)	34.2			18.8
Typhus	1	1	1.6			3.3			
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	637	2915	11062.8	81	365	6014.7	93	496	5299.4
Creutzfeldt-Jakob disease									
Legionellosis			2.2						
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	8	15	55.5	3	6	70.0	3	5	36.4
Tuberculosis	1	1 (1)	1.6			3.3			
iGAS		1	3.8			3.3			4.0
<b>Grand Total</b>	<b>712</b>	<b>3279 (90)</b>		<b>130</b>	<b>550 (33)</b>		<b>108</b>	<b>613 (34)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	10.1		(1)	9.9		(1)	13.5
Hepatitis C (newly acquired)									1.7
Hepatitis C (unspecified)		3 (2)	32.0		1 (3)	17.8	1	2 (1)	22.0
Hepatitis D			1.7						
<b>Enteric diseases</b>									
Campylobacteriosis	2	8 (5)	80.8	2	6 (5)	59.4	3	10 (3)	69.4
Cryptosporidiosis			3.4		1	9.9		1	16.9
Hepatitis A									
Listeriosis									
Rotavirus			3.4			2.0			6.8
STEC/VTEC infection	1	3	13.5			4.0			5.1
Salmonellosis		2 (1)	30.3			5.9		3 (3)	47.4
Shigellosis		(1)	6.7		2	15.8		2 (1)	15.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	6	15 (27)	257.6	2	16 (23)	322.5	4	32 (19)	370.6
Gonorrhoea	3	5 (3)	55.6	1	10 (18)	193.9	4	13 (19)	257.2
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious	1	3	26.9		2 (2)	25.7	1	5 (8)	84.6
Syphilis - Non-Infectious		(1)	13.5	2	2 (1)	19.8		1 (2)	23.7
<b>Vaccine preventable diseases</b>									
Influenza	8	145	633.2	10	109	561.9	9	269	930.6
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection	1	4 (1)	11.8	2	5	35.6		(4)	15.2
Varicella (chicken pox)		(1)	10.1		(3)	7.9			13.5
Varicella (shingles)		1 (4)	33.7		4 (7)	71.2		1 (2)	28.8
Varicella (unspecified)	1	3 (2)	64.0	1	2	5.9			
<b>Vector-borne diseases</b>									
Barmah Forest virus						4.0			
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(7)	10.1			4.0		(1)	15.2
Typhus									
<b>Zoonotic diseases</b>									
Q Fever			1.7						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)					(1)	2.0			
COVID-19	90	504	7163.5	51	242	5112.5	145	1000	9553.5
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.7			2.0			1.7
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	1	7	156.6	7	36	91.0	2	9	186.1
Tuberculosis		(1)	1.7			2.0			
iGAS			11.8		2	9.9		2	23.7
<b>Grand Total</b>	<b>114</b>	<b>704 (57)</b>		<b>78</b>	<b>440 (64)</b>		<b>169</b>	<b>1350 (64)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (0)	0.0
Hepatitis B (unspecified)	1	3 (1)	20.3	11	44 (30)	9.3
Hepatitis C (newly acquired)				1	3 (6)	1.4
Hepatitis C (unspecified)	1	2 (2)	23.2	21	74 (53)	15.9
Hepatitis D				1	1 (1)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis	1	4 (2)	46.5	75	294 (237)	73.0
Cryptosporidiosis		(1)	34.9	1	8 (3)	7.0
Hepatitis A				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.1
Rotavirus	1	1 (1)	11.6	6	14 (34)	6.1
STEC/VTEC infection	1	2 (1)	14.5	2	19 (8)	4.6
Salmonellosis		1 (1)	84.3	6	45 (30)	19.4
Shigellosis	1	3 (4)	49.4	3	15 (9)	3.1
Typhoid				0	1 (1)	0.3
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				2	5 (1)	0.7
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	7	43 (33)	923.9	207	821 (838)	234.3
Gonorrhoea	8	42 (31)	801.8	45	233 (247)	65.5
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	1	10 (8)	180.1	8	52 (57)	16.7
Syphilis - Non-Infectious		1	29.1	3	10 (25)	4.6
<b>Vaccine preventable diseases</b>						
Influenza	11	177 (1)	2443.3	848	5917 (2)	394.4
Mumps				0	0 (0)	0.0
Pertussis				0	0 (2)	0.6
Pneumococcal infection		4 (3)	37.8	6	31 (20)	4.6
Varicella (chicken pox)				3	22 (30)	7.1
Varicella (shingles)		3 (5)	75.5	12	111 (189)	48.5
Varicella (unspecified)	1	1 (1)	8.7	88	209 (124)	53.6
<b>Vector-borne diseases</b>						
Barmah Forest virus			11.6	0	0 (1)	0.4
Chikungunya				0	0 (0)	0.1
Dengue fever				1	4 (0)	0.6
Malaria				0	3 (4)	0.6
Murray Valley encephalitis virus		1	2.9	0	1 (0)	0.0
Ross River virus			72.6	1	2 (23)	14.6
Typhus				1	2 (2)	0.3
<b>Zoonotic diseases</b>						
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		(1)	26.1	0	0 (2)	0.5
COVID-19	77	339	13361.0	10756	55652 (27)	16087.3
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	1	5 (2)	1.4
Leprosy				0	0 (1)	0.0
Melioidosis			8.7	0	0 (0)	0.1
Meningococcal infection				0	1 (0)	0.4
RSV	1	2	531.7	293	809 (0)	81.7
Tuberculosis				1	5 (16)	1.3
iGAS		2	40.7	2	18 (0)	4.1
<b>Grand Total</b>	<b>112</b>	<b>641 (96)</b>		<b>12405</b>	<b>64432 (2026)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 30	
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2022	2021
	<b>Salmonella Total</b>	<b>10</b>	<b>12</b>	<b>10</b>	<b>13</b>	<b>18</b>	<b>12</b>	<b>9</b>	<b>6</b>	<b>517</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen				1					1	2
Salmonella Agona					1				7	3
Salmonella Amsterdam									1	0
Salmonella Anatum									8	7
Salmonella Anatum var 15+									1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans				1					7	5
Salmonella Braenderup									1	0
Salmonella Brandenburg				1					1	0
Salmonella Bredeney				1					1	1
Salmonella Cerro									1	2
Salmonella Chester	1	1		1					10	9
Salmonella Choleraesuis bv Australia									6	4
Salmonella Choleraesuis bv Decatur									6	7
Salmonella Corvallis			1						3	2
Salmonella Eastbourne									3	2
Salmonella Enteritidis		1		1		2	2		11	9
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	3
Salmonella Give				1					5	4
Salmonella Give var 15+									0	0
Salmonella Havana									3	1
Salmonella Hessarek						1			1	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss		1	1		1				4	3
Salmonella Infantis									9	23
Salmonella Irumu									1	1
Salmonella Javiana					1	1			2	0
Salmonella Johannesburg									2	2
Salmonella Kentucky									3	1
Salmonella Kiambu	1								9	4
Salmonella Litchfield									3	3
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo			1						1	1
Salmonella Muenchen	1								12	13
Salmonella Newport					3				6	11
Salmonella Ohlstedt									2	0
Salmonella Oranienburg		1				1			16	5
Salmonella Orientalis									1	0
Salmonella Orion									7	6
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java	1	2			4	1	1		15	5
Salmonella Poona									2	5
Salmonella Potsdam									4	7
Salmonella Reading									7	6
Salmonella Rissen				1	1				3	3



# Weekly Report for period 04-JUN-22 to 29-JUL-22

	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	Cumulative Total to end of Week 30	
									2022	2021
<b>Salmonella Total</b>	<b>10</b>	<b>12</b>	<b>10</b>	<b>13</b>	<b>18</b>	<b>12</b>	<b>9</b>	<b>6</b>	<b>517</b>	<b>593</b>
<b>Serotype/Phage</b>										
Salmonella Rubislaw			1						4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	1		2			2	1		28	20
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg			1						3	2
Salmonella Stanley	1								14	4
Salmonella Tennessee									3	3
Salmonella Thompson									1	0
Salmonella Typhimurium		4	3	3	3	2			182	339
Salmonella Virchow	1			1			2		11	15
Salmonella Wandsbek subsp II	1								2	1
Salmonella Wandsworth									1	1
Salmonella Welikade									3	0
Salmonella Weltevreden								1	4	2
Salmonella Zanzibar	1								1	2
Salmonella species	1	2		1	4	2	3	5	53	33
Salmonella subsp 1 ser 4,5:d:-									3	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									2	0
Salmonella subsp IIIb ser									1	0